PCT WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 :
C12N 15/57, 15/63, 9/64, A61K 38/48, C07K 16/40, C12Q 1/37

A2

(11) International Publication Number: **WO 00/53774**

(43) International Publication Date: 14 September 2000 (14.09.00)

(21) International Application Number: PCT/US00/06237

(22) International Filing Date: 8 March 2000 (08.03.00)

(30) Priority Data:
09/264,585 8 March 1999 (08.03.99) US

(71) Applicant (*for all designated States except US*): NEUROCRINE BIOSCIENCES, INC. [US/US]; 10555 Science Center Drive, San Diego, CA 92121 (US).

(72) Inventors; and
(75) Inventors/Applicants (*for US only*): KELNER, Gregory, S. [US/US]; 725 Muirlands Vista Way, La Jolla, CA 92037 (US). CLARK, Melody [US/US]; 7075 Charmant Drive #20, San Diego, CA 92122 (US). MAKI, Richard, A. [US/US]; 4175–174 Porte de Palmas, San Diego, CA 92122 (US).

(74) Agents: CHRISTIANSEN, William, T. et al.; Seed Intellectual Property Law Group PLLC, Suite 6300, 701 Fifth Avenue, Seattle, WA 98104–7092 (US).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published
Without international search report and to be republished upon receipt of that report.

(54) Title: METALLOPROTEINASES AND METHODS OF USE THEREFOR



(57) Abstract

Novel members of the ADAMTS family of metalloproteinases are provided, along with variants thereof and agents that modulate an activity of such metalloproteinases. The polypeptides and modulating agents may be used, for example, in the prevention and treatment of a variety of conditions associated with undesirable levels of metalloproteinase activity.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

METALLOPROTEINASES AND METHODS OF USE THEREFOR

TECHNICAL FIELD

The present invention relates generally to compositions and methods for the treatment of conditions associated with undesirable levels of metalloproteinase activity. The invention is more particularly related to metalloproteinases and agents that modulate the activity of such metalloproteinases which may be used, for example, for the therapy of diseases characterized by neuroinflammation and/or neurodegeneration, as well as autoimmune diseases, cancer and inflammation.

BACKGROUND OF THE INVENTION

The ADAMs (A Disintegrin and Metalloproteinase Domain) are a family of proteins that have both a metalloproteinase domain and disintegrin domain. The ADAMs are membrane anchored proteins that contain homology to snake venom metalloproteases (SVMPs) and disintegrins. This family of proteins now contains over 20 members that have a wide variety of important proteolytic and cell fusion functions. ADAM 17/TACE and ADAM 10/Kuz function as proteases that cleave membrane bound tumor necrosis factor (TNF) and the extracellular domain of Notch, respectively. Other ADAM family members, such as ADAM 1/fertilin α, are proteolytically processed to remove the metalloprotease domain but retain the disintegrin domain. This protein has been shown to be essential for sperm-egg cell fusion.

A closely related family called ADAMTS contains a thrombospondin domain in addition to the disintegrin and metalloproteinase domains. ADAMTS-1, for example, is expressed in association with inflammatory processes and in a cachexigenic colon carcinoma cell line (*see* Kuno et al., *J. Biol. Chem. 272*:556-562, 1997; Kuno et al., *Genomics 46*:466-471, 1997). This protein appears to be secreted from the cell and subsequently associated with the extracellular matrix (ECM).

While the function of ADAMTS-1 and many of the ADAM proteins is not known, it has been shown that ADAM 17 (TACE) processes TNF from the surface of the cell (*see* Black et al., *Nature 385*:729-733, 1997). ADAM 10 (Kuzbanian) has

also been shown to cleave TNF from the cell surface (Rosendahl et al., *J. Biol. Chem. 272*:24588-24593, 1997). ADAM 10 may be involved in the cleavage of other cell surface proteins as well. In Drosophila, ADAM 10 has been reported to cleave the cell surface proteins Notch (Pan and Rubin, *Cell 90*:271-280, 1997) and Delta (Qi et al., *Science 283*:91-94, 1999). Based largely on these results it is thought that ADAMs proteases are involved in the cleavage of proteins, including growth factors, cytokines and proteoglycans, from the cell surface.

Metalloproteinase activity has been linked to cancer metastasis. The activity of metalloproteinases can contribute to the development of neurodegeneration and inflammation as well. In order to develop agents capable of selectively modulating the activity of a metalloproteinase that contributes to a human disease, it is important to identify and characterize additional metalloproteinases, such as members of the ADAMTS family, and agents that modulate an activity of such metalloproteinases. The present invention fulfills this need and further provides other related advantages.

SUMMARY OF THE INVENTION

Briefly stated, the present invention provides ADAMTS polypeptides, and methods employing such polypeptides. Within certain aspects, isolated polynucleotides that encode an ADAMTS polypeptide are provided. Certain ADAMTS polynucleotides encode an ADAMTS polypeptide that comprises: (a) at least 50 consecutive amino acid residues of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 10, 14, 16, 18, 22, 24, 26 or 27; or (b) a variant of any of the foregoing amino acid sequences that differs in one or more substitutions, deletions, additions and/or insertions, wherein substitutions, if any, are present at no more than 10% of the consecutive residues of the ADAMTS protein. Such polynucleotides may, within certain embodiments, comprise a sequence recited in any one of SEQ ID NOs:1, 3, 9, 13, 15, 17, 21, 23 or 25.

Within related aspects, the present invention provides recombinant expression vectors comprising an ADAMTS polynucleotide, as well as host cells transformed or transfected with such an expression vector.

The present invention further provides isolated antisense polynucleotides complementary to at least 20 consecutive nucleotides present within an ADAMTS polynucleotide.

Within further aspects, methods are provided for preparing an ADAMTS polypeptide, comprising the steps of: (a) culturing a host cell transformed or transfected with an expression vector comprising a polynucleotide that encodes an ADAMTS polypeptide comprising: (i) at least 50 consecutive amino acid residues of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27; or (ii) a variant of any of the foregoing amino acid sequences that differs in one or more substitutions, deletions, additions and/or insertions, wherein substitutions, if any, are present at no more than 10% of the consecutive residues of the ADAMTS protein; wherein the step of culturing is performed under conditions promoting expression of the polynucleotide sequence; and (b) recovering an ADAMTS polypeptide.

The present invention further provides isolated ADAMTS polypeptides comprising: (a) at least 50 consecutive amino acid residues of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27; or (b) a variant of any of the foregoing amino acid sequences that differs in one or more substitutions, deletions, additions and/or insertions, wherein substitutions, if any, are present at no more than 10% of the consecutive residues of the ADAMTS protein. Such an ADAMTS polypeptide may have an ADAMTS activity that is not substantially diminished relative to the ADAMTS protein. ADAMTS polypeptide may comprise an amino acid sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27.

Within further aspects, the present invention provides pharmaceutical compositions comprising: (a) an ADAMTS polypeptide comprising: (i) at least 50 consecutive amino acid residues of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27; or (ii) a variant of any of the foregoing amino acid sequences that differs in one or more substitutions, deletions, additions and/or insertions, wherein substitutions, if any, are

present at no more than 10% of the consecutive residues of the ADAMTS protein; and (b) a physiologically acceptable carrier.

Vaccines are also provided, comprising: (a) an ADAMTS polypeptide comprising: (i) at least 50 consecutive amino acid residues of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27; or (ii) a variant of any of the foregoing amino acid sequences that differs in one or more substitutions, deletions, additions and/or insertions, wherein substitutions, if any, are present at no more than 10% of the consecutive residues of the ADAMTS protein; and (b) a non-specific immune response enhancer.

Within further aspects, the present invention provides isolated antibodies, or antigen-binding fragments thereof, that specifically bind to an ADAMTS polypeptide comprising a sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27.

The present invention further provides methods for screening for agents that modulate ADAMTS protein expression or activity. Within certain such aspects, methods are provided for screening for an agent that modulates ADAMTS protein expression in a cell, comprising: (a) contacting a candidate modulator with a cell expressing an ADAMTS polypeptide, wherein the polypeptide comprises: (i) at least 50 consecutive amino acid residues of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27; or (ii) a variant of any of the foregoing amino acid sequences that differs in one or more substitutions, deletions, additions and/or insertions, wherein substitutions, if any, are present at no more than 10% of the consecutive residues of the ADAMTS protein; and (b) subsequently evaluating the effect of the candidate modulator on expression of an ADAMTS mRNA or polypeptide, and therefrom identifying an agent that modulates ADAMTS protein expression in the cell. Similar screens may be performed using a cell comprising an ADAMTS gene promoter operably linked to a reporter gene, and evaluating the effect of a candidate modulator on expression of the reporter gene.

Within further such aspects, methods are provided for screening for an agent that modulates an ADAMTS protein activity, comprising: (a) contacting a

candidate modulator with an ADAMTS polypeptide, comprising: (i) at least 50 consecutive amino acid residues of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 6. 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27; or (ii) a variant of any of the foregoing amino acid sequences that differs in one or more substitutions, deletions, additions and/or insertions, wherein substitutions, if any, are present at no more than 10% of the consecutive residues of the ADAMTS protein; wherein the polypeptide has an ADAMTS activity that is not substantially diminished relative to the ADAMTS protein; and wherein the step of contacting is carried out under conditions and for a time sufficient to allow the candidate modulator to interact with the polypeptide; and (b) subsequently evaluating the effect of the candidate modulator on an ADAMTS activity of the polypeptide, and therefrom identifying an agent that modulates an activity of an ADAMTS protein.

ADAMTS polynucleotides, polypeptides and modulating agents may be used for a variety of therapeutic applications. Within certain aspects, methods are provided herein for inhibiting neuroinflammation and/or neurodegeneration in a patient, comprising administering to a patient an agent that decreases an activity of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27. Certain such agents may inhibit expression of an endogenous ADAMTS gene or may bind to an ADAMTS protein.

Within related aspects, methods are provided for treating a patient afflicted with a condition associated with neuroinflammation and/or neurodegeneration, comprising administering to a patient a pharmaceutical composition as described above, and thereby alleviating one or more symptoms of a condition associated with neuroinflammation and/or neurodegeneration. Such conditions include Alzheimer's disease, Parkinson's disease and stroke.

Methods are further provided for treating a patient afflicted with a condition associated with cell proliferation, cell migration, inflammation and/or angiogenesis, comprising administering to a patient a pharmaceutical composition as described above and thereby alleviating one or more symptoms of a condition associated with neuroinflammation and/or neurodegeneration.

Within further aspects, methods are provided for treating a patient afflicted with an invasive tumor, a brain tumor or a brain injury, comprising administering to a patient an agent that decreases expression or activity of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27.

Methods are further provided for modulating ADAMTS expression and/or activity in a cell, comprising contacting a cell expressing an ADAMTS polypeptide with an effective amount of an agent that modulates ADAMTS activity, wherein the ADAMTS polypeptide comprises: (i) at least 50 consecutive amino acid residues of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27; or (ii) a variant of any of the foregoing amino acid sequences that differs in one or more substitutions, deletions, additions and/or insertions, wherein substitutions, if any, are present at no more than 10% of the consecutive residues of the ADAMTS protein; and thereby modulating ADAMTS expression and/or activity in the cell.

These and other aspects of the present invention will become apparent upon reference to the following detailed description and attached drawings. All references disclosed herein are hereby incorporated by reference in their entirety as if each was incorporated individually.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 presents the sequence of a polynucleotide encoding the representative human metalloproteinase ADAMTS-2 (SEQ ID NO:1).

Figure 2 presents the predicted amino acid sequence of the representative human metalloproteinase ADAMTS-2 (SEQ ID NO:2).

Figures 3A-3B present a partial sequence of a polynucleotide encoding the representative rat metalloproteinase ADAMTS-4 (SEQ ID NO:3).

Figure 4 presents a partial predicted amino acid sequence of the representative rat metalloproteinase ADAMTS-4 (SEQ ID NO:4).

Figures 5A and 5B present the sequence of a polynucleotide encoding the representative human metalloproteinase KIAA0605 (SEQ ID NO:5).

Figure 6 presents the predicted amino acid sequence of the representative human metalloproteinase KIAA0605 (SEQ ID NO:6).

Figures 7A and 7B present the sequence of a polynucleotide encoding the representative human metalloproteinase KIAA0366 (SEQ ID NO:7).

Figure 8 presents the predicted amino acid sequence of the representative human metalloproteinase KIAA0366 (SEQ ID NO:8).

Figures 9A and 9B present the sequence of a polynucleotide encoding the representative human metalloproteinase ADAMTS-3 (SEQ ID NO:9).

Figure 10 presents the predicted amino acid sequence of the representative human metalloproteinase ADAMTS-3 (SEQ ID NO:10).

Figures 11A and 11B present the sequence of a polynucleotide encoding the representative human metalloproteinase KIAA0688 (SEQ ID NO:11).

Figure 12 presents the predicted amino acid sequence of the representative human metalloproteinase KIAA0688 (SEQ ID NO:12).

Figure 13 presents the sequence of a polynucleotide encoding the representative rat metalloproteinase ADAMTS-5 (SEQ ID NO:13).

Figure 14 presents the predicted amino acid sequence of the representative rat metalloproteinase ADAMTS-5 (SEQ ID NO:14).

Figure 15 presents the sequence of a polynucleotide encoding the representative human metalloproteinase ADAMTS-4 (SEQ ID NO:15).

Figure 16 presents the predicted amino acid sequence of the representative human metalloproteinase ADAMTS-4 (SEQ ID NO:16).

Figures 17A-17G present a sequence alignment of human ADAMTS-1 (SEQ ID NO:28), ADAMTS-2 (SEQ ID NO:2), ADAMTS-3 (SEQ ID NO:10), ADAMTS-4 (SEQ ID NO:4), KIAA0688 (SEQ ID NO:12), KIAA0366 (SEQ ID NO:8) and KIAA0605 (SEQ ID NO:6).

Figure 18 presents the sequence of a polynucleotide encoding the representative bovine metalloproteinase ADAMTS-4 (SEQ ID NO:17).

Figure 19 presents the predicted amino acid sequence of the representative bovine metalloproteinase ADAMTS-4 (SEQ ID NO:18).

Figure 20 presents the sequence of a polynucleotide encoding the representative bovine metalloproteinase KIAA0688 (SEQ ID NO:19).

Figure 21 presents the predicted amino acid sequence of the representative bovine metalloproteinase KIAA0688 (SEQ ID NO:20).

Figure 22 presents the sequence of a polynucleotide encoding the representative human metalloproteinase ADAMTS-5 (SEQ ID NO:21).

Figure 23 presents the predicted amino acid sequence of the representative human metalloproteinase ADAMTS-5 (SEQ ID NO:22).

Figure 24 presents the sequence of a polynucleotide encoding the representative rat metalloproteinase ADAMTS-2 (SEQ ID NO:23).

Figure 25 presents the predicted amino acid sequence of the representative rat metalloproteinase ADAMTS-2 (SEQ ID NO:24).

Figure 26 presents the sequence of a polynucleotide encoding the representative rat metalloproteinase ADAMTS-3 (SEQ ID NO:25).

Figure 27 presents the predicted amino acid sequence of the representative rat metalloproteinase ADAMTS-3 (SEQ ID NO:26).

Figure 28 is a photograph depicting a coumassie blue-stained gel following electrophoresis of 500 micrograms brevican, previously incubated with and without ADAMTS-4 (TS-4) as indicated.

Figure 29 depicts the amino acid sequence of ADAMTS-9 (SEQ ID NO:27). The predicted signal sequence is underlined. The Zn binding, met turn, TSP 1 motif and TSP-1 like submotifs are shaded. Two potential furin cleavage sites are in parenthesis with the most likely cleavage site shaded. A potential "cysteine switch" amino acid is indicated with a star. The start of each domain is indicated with an arrow.

Figures 30A-30C illustrate the comparison of ADAMTS-9 to other ADAMTS family members. In Figure 30A, the domain structure of human ADAMTS 9 is compared to human ADAMTS 1-8, and also with the *C. elegans* GON-1 protein. The pro-domain, metalloprotease domain, disintegrin-like domain, initial TSP type 1

repeat, spacer region, and TSP1 like submotifs are outlined. Figure 30B shows the consensus sequence for Zn binding in the metalloprotease domain (SEQ ID NO:30), along with the Zn binding site for various ADAM and ADAM-TS proteins (SEQ ID Nos: 42-48, 50) that have active metalloprotease domains for comparison to ADAMTS-9 (SEQ ID NO:49). Conserved residues are shaded. Figure 30C is a dendrogram showing the phyllogenetic relationship between the protein sequence of the known ADAM-TS human family members and GON-1 from *C. elegans*.

Figure 31 is a photograph illustrating the tissue distribution pattern of ADAMTS-9 in human fetal and adult cDNA. PCR analysis of several human fetal and adult cDNAs was performed using specific primers to ADAMTS 9. Lanes 2 -16 are human adult tissue cDNAs and lanes 17 - 24 are human fetal cDNAs. Lane 25 is a no cDNA control. The expected product size for these ADAMTS 9 primers is 510 bp. The lower panel contains the same cDNA samples used as a template for PCR with G3PDH primers (expected product size is 1 kb).

Figures 32A and 32B illustrate the chrommosomal localization of human ADAMTS-9 to 3p14.3-21.1. Figure 32A is a photograph showing the results of FISH analysis in which a genomic ADAMTS 9 probe hybridized to chromosome 3p. Figure 32B shows two identogams illustrating the chromosomal position of ADAMTS-9 at 3p14.2-14.3. The International System for Human Cytogenetic Nomenclature 1995 was used.

DETAILED DESCRIPTION OF THE INVENTION

As noted above, the present invention is generally directed to polypeptides comprising a member of the ADAMTS family of metalloproteinases, or a variant thereof. Such ADAMTS polypeptides are generally characterized by homology to a known ADAMTS protein, and by the presence of one or more of: (a) a disintegrin domain, (b) a zinc-dependent metalloproteinase domain, (c) an ECM domain and/or (d) a thrombospondin type I motif, which may be identified as described herein. The present invention further provides ADAMTS polynucleotides encoding such polypeptides and agents that modulate an activity of such polypeptides. ADAMTS

polypeptides, polynucleotides and/or modulating agents may generally be used for treating conditions associated with undesirable levels of metalloproteinase activity.

ADAMTS POLYNUCLEOTIDES

Any polynucleotide that encodes an ADAMTS polypeptide as described herein is encompassed by the present invention. Such polynucleotides may be single-stranded (coding or antisense) or double-stranded, and may be DNA (genomic, cDNA or synthetic) or RNA molecules. Additional coding or non-coding sequences may, but need not, be present within a polynucleotide of the present invention, and a polynucleotide may, but need not, be linked to other molecules and/or support materials.

ADAMTS polynucleotides may comprise a native ADAMTS sequence (*i.e.*, an ADAMTS gene that can be found in an organism that is not genetically modified), or may comprise a variant of such a sequence. Native ADAMTS sequences encompassed by the present invention include DNA and RNA molecules that comprise a sequence recited in any one of SEQ ID NOs:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23 or 25 as well as homologues thereof from other species and other native ADAMTS sequences that may be identified based on homology to a sequence recited herein. Polynucleotide variants may contain one or more substitutions, additions, deletions and/or insertions such that an ADAMTS activity of the encoded polypeptide is not diminished, relative to a native ADAMTS protein. The effect on an activity of the encoded polypeptide may generally be assessed as described herein. Preferred variants contain nucleotide substitutions, deletions, insertions and/or additions at no more than 30%, preferably at no more than 20% and more preferably at no more than 10%, of the nucleotide positions. Certain variants are substantially homologous to a native gene, or a portion or complement thereof. Such polynucleotide variants are capable of hybridizing under moderately stringent conditions to a naturally occurring DNA sequence encoding an ADAMTS polypeptide (or a complementary sequence). Suitable moderately stringent conditions include prewashing in a solution of 5 X SSC, 0.5% SDS, 1.0 mM EDTA (pH 8.0); hybridizing at 50°C-65°C, 5 X SSC, overnight; followed

by washing twice at 65°C for 20 minutes with each of 2X, 0.5X and 0.2X SSC containing 0.1% SDS). Such hybridizing DNA sequences are also within the scope of this invention.

It will be appreciated by those of ordinary skill in the art that, as a result of the degeneracy of the genetic code, there are many nucleotide sequences that encode a polypeptide as described herein. Some of these polynucleotides bear minimal homology to the nucleotide sequence of any native gene. Nonetheless, polynucleotides that vary due to differences in codon usage are specifically contemplated by the present invention.

A portion of a sequence complementary to a coding sequence (*i.e.*, an antisense polynucleotide) may also be used as a probe or to modulate gene expression. Alternatively, an antisense molecule may be designed to hybridize with a control region of a gene (*e.g.*, promoter, enhancer or transcription initiation site), and block transcription of the gene; or to block translation by inhibiting binding of a transcript to ribosomes. Antisense oligonucleotides may be synthesized directly, or cDNA constructs that can be transcribed into antisense RNA may be introduced into cells or tissues to facilitate the production of antisense RNA. Antisense oligonucleotides are preferably at least 20 nucleotides in length, preferably at least 30 nucleotides in length. A portion of a coding sequence or a complementary sequence may also be designed as a probe or primer to detect gene expression. Probes may be labeled by a variety of reporter groups, such as radionuclides and enzymes, and are preferably at least 10 nucleotides in length, more preferably at least 20 nucleotides in length and still more preferably at least 30 nucleotides in length. Primers are preferably 22-30 nucleotides in length.

ADAMTS polynucleotides may be prepared using any of a variety of techniques. For example, an ADAMTS polynucleotide may be amplified from cDNA prepared from cells that express an ADAMTS protein (*e.g.*, microglia, macrophages, myeloid cells, lymphocytes, astrocytes oligodendrocytes, glial cells, neurons, epithelial cells and/or endothelial cells). Such polynucleotides may be amplified via polymerase chain reaction (PCR). For this approach, sequence-specific primers may be designed

based on the sequences provided herein, and may be purchased or synthesized. An amplified portion may then be used to isolate a full length gene from a human genomic DNA library or from a suitable cDNA library, using well known techniques. Alternatively, a full length gene can be constructed from multiple PCR fragments. ADAMTS polynucleotides may also be prepared by synthesizing oligonucleotide components (which may be derived from sequences provided herein), and ligating components together to generate the complete polynucleotide. One other approach is to screen a library with a synthesized oligonucleotide that hybridizes to an ADAMTS gene. Libraries may generally be prepared and screened using methods well known to those of ordinary skill in the art, such as those described in Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989. It has been found, within the context of the present invention, that ADAMTS genes are expressed in glia. Accordingly, one suitable library is a microglia (*e.g.*, rat) cDNA library. Other libraries that may be employed will be apparent to those of ordinary skill in the art.

As noted above, polynucleotides comprising portions and other variants of native ADAMTS sequences are within the scope of the present invention. Such polynucleotides may generally be prepared by any method known in the art, including chemical synthesis by, for example, solid phase phosphoramidite chemical synthesis. Alternatively, RNA molecules may be generated by *in vitro* or *in vivo* transcription of DNA sequences encoding an ADAMTS polypeptide, provided that the DNA is incorporated into a vector with a suitable RNA polymerase promoter (such as T7 or SP6). Variants may also be generated by mutagenesis or enzymatic digestion of native sequences. Certain polynucleotides may be used to prepare an encoded polypeptide, as described herein. In addition, or alternatively, a polynucleotide may be administered to a patient such that the encoded polypeptide is generated *in vivo*.

Any polynucleotide may be further modified to increase stability *in vivo*. Possible modifications include, but are not limited to, the addition of flanking sequences at the 5' and/or 3' ends; the use of phosphorothioate or 2' O-methyl rather than phosphodiesterase linkages in the backbone; and/or the inclusion of nontraditional

bases such as inosine, queosine and wybutosine, as well as acetyl- methyl-, thio- and other modified forms of adenine, cytidine, guanine, thymine and uridine.

Nucleotide sequences as described herein may be joined to a variety of other nucleotide sequences using established recombinant DNA techniques. For example, a polynucleotide may be cloned into any of a variety of cloning vectors, including plasmids, phagemids, lambda phage derivatives and cosmids. Vectors of particular interest include expression vectors, replication vectors, probe generation vectors and sequencing vectors. In general, a vector will contain an origin of replication functional in at least one organism, convenient restriction endonuclease sites and one or more selectable markers. Other elements will depend upon the desired use, and will be apparent to those of ordinary skill in the art.

Within certain embodiments, polynucleotides may be formulated so as to permit entry into a cell of a mammal, and expression therein. Those of ordinary skill in the art will appreciate that there are many ways to achieve expression of a polynucleotide in a target cell, and any suitable method may be employed. For example, a polynucleotide may be incorporated into a viral vector such as, but not limited to, adenovirus, adeno-associated virus, retrovirus, or vaccinia or other pox virus (*e.g.*, avian pox virus). Techniques for incorporating DNA into such vectors are well known to those of ordinary skill in the art. A retroviral vector may additionally transfer or incorporate a gene for a selectable marker (to aid in the identification or selection of transduced cells) and/or a targeting moiety, such as a gene that encodes a ligand for a receptor on a specific target cell, to render the vector target specific. Targeting may also be accomplished using an antibody, by methods known to those of ordinary skill in the art.

Other formulations for polynucleotides for therapeutic purposes include colloidal dispersion systems, such as macromolecule complexes, nanocapsules, microspheres, beads, and lipid-based systems including oil-in-water emulsions, micelles, mixed micelles, and liposomes. A preferred colloidal system for use as a delivery vehicle *in vitro* and *in vivo* is a liposome (*i.e.*, an artificial membrane vesicle). The preparation and use of such systems is well known in the art.

ADAMTS POLYPEPTIDES

As used herein, the term "ADAMTS polypeptide" encompasses amino acid chains of any length. For example, an ADAMTS polypeptide may comprise a full length endogenous (*i.e.*, native) ADAMTS protein. Such an ADAMTS polypeptide may consist entirely of a native ADAMTS sequence, or may contain additional heterologous sequences. Native ADAMTS proteins may generally be identified based on sequence homology to known ADAMTS protein sequences, such as the representative sequences provided herein, particularly within disintegrin, metalloproteinase and/or thrombospondin motifs. In general, a protein is considered to be an ADAMTS protein if at least 20 consecutive amino acid residues, preferably 40 consecutive amino acids, are identical to a known ADAMTS protein. Alternatively, or in addition, an ADAMTS protein may comprise at least 100 consecutive amino acids that are substantially similar to residues within a known ADAMTS metalloproteinase. "Substantial similarity," as used herein, refers to a sequence that is at least 50% identical, and preferably at least 80% identical.

An ADAMTS protein further comprises one or more of: (a) a disintegrin domain, (b) a zinc-dependent metalloproteinase domain and/or (c) a thrombospondin type I motif; and displays at least one, activity characteristic of such a domain or motif. In general a disintegrin domain serves as an integrin binding loop and has a sequence similar to AVN(E/D)CD (SEQ ID NO:29). Disintegrin domains can also contain the sequence RGD. The metalloproteinase domain is based on the presence of an extended catalytic site consensus sequence (HEXXHXXGXXHD; SEQ ID NO:30). It is thought that the three histidines bind the zinc, the glutamic acid is the catalytic base and the glycine allows an important structural turn (Stocker et al., *Protein Science 4*:823-840, 1995). The thrombospondin domain contains the sequence motif CSRTCG (SEQ ID NO:31).

Another domain that may be present within an ADAMTS protein is a domain that binds to the extracellular matrix. This has been referred to as the ECM domain and has the semiconserved sequence FREEQC (SEQ ID NO:32).

In certain embodiments, amino acid residues within a "substantially similar" region may contain primarily or entirely conservative substitutions. A conservative substitution is one in which an amino acid is substituted for another amino acid that has similar properties, such that one skilled in the art of peptide chemistry would expect the secondary structure and hydropathic nature of the polypeptide to be substantially unchanged. Amino acid substitutions may generally be made on the basis of similarity on polarity, charge, solubility, hydrophobicity, hydrophilicity and/or the amphipathic nature of the residues. For example, negatively charged amino acids include aspartic acid and glutamic acid; positively charged amino acids include lysine and arginine; and amino acids with uncharged polar head groups having similar hydrophilicity values include leucine, isoleucine and valine; glycine and alanine; asparagine and glutamine; and serine, threonine, phenylalanine and tyrosine. Other groups of amino acids that may represent conservative changes include: (1) ala, pro, gly, glu, asp, gln, asn, ser, thr; (2) cys, ser, tyr, thr; (3) val, ile, leu, met, ala, phe; (4) lys, arg, his; and (5) phe, tyr, trp, his.

An ADAMTS polypeptide may comprise a portion of a native ADAMTS protein. Such a portion is preferably at least 20 consecutive amino acid residues in length, more preferably at least 50 consecutive amino acid residues in length. Within certain embodiments, the portion retains an ADAMTS activity that is not substantially diminished relative to the full length ADAMTS protein. Certain ADAMTS polypeptides comprise a sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27.

Alternatively, an ADAMTS polypeptide may comprise a variant of an ADAMTS protein or portion thereof. A "variant" is a polypeptide that differs in sequence from a native ADAMTS protein only in substitutions, deletions, insertions and/or additions. Within certain embodiments, substitutions are made (if at all) at no more than 30%, preferably at no more than 20% and more preferably at no more than 10% of residues within a portion of a native ADAMTS protein, as described above. Substitutions are preferably conservative, as described above. Substitutions, deletions and/or amino acid additions may be made at any location(s) in the polypeptide,

provided that the modification does not diminish at least one ADAMTS activity. Thus, a variant may comprise only a portion of a native ADAMTS sequence. In addition, or alternatively, variants may contain additional amino acid sequences (such as, for example, linkers, tags and/or ligands), preferably at the amino and/or carboxy termini. Such sequences may be used, for example, to facilitate purification, detection or cellular uptake of the polypeptide.

Certain variants retain an activity of the native ADAMTS protein. In other words, the variant has a metalloproteinase activity; (2) functions as an integrin ligand (*i.e.*, binds to an integrin), as determined by any standard binding assay; and/or (3) retains a functional thrombospondin motif. Such a variant may have an ADAMTS activity that is not substantially diminished relative to the ADAMTS protein. In other words, the ADAMTS activity of the variant may be enhanced or unchanged, relative to the native protein, or may be diminished by less than 50%, and preferably less than 20%, relative to the native protein.

Also encompassed by the present invention are splice variants of an ADAMTS protein. Such variants may have one or more of the domains described herein deleted, or one or more such domains may be replaced by a domain providing a different function. Such splice variants may be identified using amplification or hybridization techniques described herein.

Dominant negative forms of ADAMTS proteins are also provided. Such forms include fragments and variants of an ADAMTS protein that, when introduced to a cell expressing a native ADAMTS protein, inhibit an activity of the native protein. Inhibition of ADAMTS protein activity may be assessed as described herein.

In general, ADAMTS polypeptides may be prepared using any of a variety of techniques that are well known in the art. For example, polypeptides of the present invention may be prepared by expression of recombinant DNA encoding the polypeptide in cultured host cells. Preferably, the host cells are bacteria, yeast, insect or mammalian cells. The recombinant DNA may be cloned into any expression vector suitable for use within the host cell and transfected into the host cell using techniques well known to those of ordinary skill in the art. An expression vector generally contains

a promoter sequence that is active in the host cell. A tissue specific promoter may also be used, as long as it is activated in the target cell. Preferred promoters express the polypeptide at high levels.

Optionally, the construct may contain an enhancer, a transcription terminator, a poly(A) signal sequence, a bacterial or mammalian origin of replication and/or a selectable marker, all of which are well known in the art. Enhancer sequences may be included as part of the promoter region used or separately. Transcription terminators are sequences that stop RNA polymerase-mediated transcription. The poly(A) signal may be contained within the termination sequence or incorporated separately. A selectable marker includes any gene that confers a phenotype on the host cell that allows transformed cells to be identified. Such markers may confer a growth advantage under specified conditions. Suitable selectable markers for bacteria are well known and include resistance genes for ampicillin, kanamycin and tetracycline. Suitable selectable markers for mammalian cells include hygromycin, neomycin, genes that complement a deficiency in the host (*e.g.* thymidine kinase and TK^- cells) and others well known in the art.

ADAMTS polypeptides may be expressed in transfected cells by culturing the cell under conditions promoting expression of the transfected polynucleotide. Appropriate conditions will depend on the specific host cell and expression vector employed, and will be readily apparent to those of ordinary skill in the art. For commercially available expression vectors, the polypeptide may generally be expressed according to the manufacturer's instructions. Expressed polypeptides of this invention are generally isolated in substantially pure form. Preferably, the polypeptides are isolated to a purity of at least 80% by weight, more preferably to a purity of at least 95% by weight, and most preferably to a purity of at least 99% by weight. In general, such purification may be achieved using, for example, the standard techniques of ammonium sulfate fractionation, SDS-PAGE electrophoresis, and/or affinity chromatography.

Such techniques may be used to prepare native polypeptides or variants thereof. For example, variants of a native polypeptide may generally be prepared from

polynucleotide sequences modified via standard mutagenesis techniques, such as oligonucleotide-directed site-specific mutagenesis, and sections of the DNA sequence may be removed to permit preparation of truncated polypeptides. Portions and other variants having fewer than about 100 amino acids, and generally fewer than about 50 amino acids, may also be generated by synthetic means, using techniques well known to those of ordinary skill in the art. For example, such polypeptides may be synthesized using any of the commercially available solid-phase techniques, such as the Merrifield solid-phase synthesis method, where amino acids are sequentially added to a growing amino acid chain. *See* Merrifield, *J. Am. Chem. Soc. 85*:2149-2146, 1963. Equipment for automated synthesis of polypeptides is commercially available from suppliers such as Applied BioSystems, Inc. (Foster City, CA), and may be operated according to the manufacturer's instructions.

In general, polypeptides and polynucleotides as described herein are isolated. An "isolated" polypeptide or polynucleotide is one that is removed from its original environment. For example, a naturally-occurring protein is isolated if it is separated from some or all of the coexisting materials in the natural system. A polynucleotide is considered to be isolated if, for example, it is cloned into a vector that is not a part of the natural environment.

EVALUATION OF ADAMTS ACTIVITY

As noted above, native ADAMTS proteins and certain variants thereof possess ADAMTS activity. In other words, such polypeptides (1) possess metalloproteinase activity; (2) are capable of interacting with integrin and/or (3) retain a functional thrombospondin motif. Metalloproteinase activity may generally be evaluated by combining an ADAMTS polypeptide with a suitable substrate, and detecting proteinase activity using any standard technique (*e.g.*, Western blot analysis). In general, a variant of an ADAMTS protein that contains a metalloproteinase domain is said to retain metalloproteinase activity if it displays metalloproteinase activity that is not substantially diminished relative to the metalloproteinase activity of the native

ADAMTS protein. In other words, such activity may be enhanced, unchanged or diminished by less than 10%, relative to the activity of the native ADAMTS protein.

The ability of an ADAMTS protein variant to interact with integrin may be assessed using standard binding assays to detect interaction with a purified recombinant integrin or a cell expressing one or more integrins, either naturally or as a result of transfection with genes encoding an integrin (*see* Almeida et al., *Cell 81*:1095-1104, 1995; Chen et al., *J. Cell Biol. 144*:549-561, 1999). Antibodies against various integrins can also be used to interfere with disintegrin-integrin binding and used to further demonstrate specificity of the interaction. In general, a variant of an ADAMTS protein is said to retain the ability to interact with an integrin if such interaction is not substantially diminished relative to the interaction between a native ADAMTS protein and the integrin. In other words, the level of such an interaction may be enhanced, unchanged or diminished by less than 10%, relative to the activity of the native ADAMTS protein.

Thrombospondins have been shown to function in cell adhesion, cell migration, cell proliferation and angiogenesis. A functional thrombospondin motif may be confirmed based on any assay designed to assess such a function. For examples, an ADAMTS protein may inhibit endothelial cell migration, or may inhibit angiogenesis (*e.g.*, in a rat cornea model; *see* Nishimori et al., *Oncogene 15*:2145-2150, 1997). Alternatively, a functional thrombospondin motif may be detected using an assay to measure binding to CD36 (*see* Dawson et al., *J. Cell. Biol. 138*:707-717, 1997). Within any such assay, a variant of an ADAMTS protein is said to have a functional thrombospondin motif if the detected thrombospondin function is not substantially diminished relative to that of the native ADAMTS protein. In other words, the function may be enhanced, unchanged or diminished by less than 10%, relative to that of the native ADAMTS protein.

ADAMTS POLYPEPTIDE MODULATING AGENTS

The present invention further provides agents capable of modulating ADAMTS activity. Such agents may function by modulating ADAMTS transcription

or translation, by stabilizing or destabilizing an ADAMTS protein, or by directly inhibiting or enhancing an activity of an ADAMTS protein. Alternatively, an agent may interact with a substrate for the metalloproteinase or with an integrin involved in and interaction with the disintegrin domain of an ADAMTS protein. Preferably, a modulating agent has a minimum of side effects and is non-toxic. For some applications, agents that can penetrate cells or that are targeted to interstitial spaces are preferred.

Modulating agents include substances that selectively bind to an ADAMTS protein. Such substances include antibodies and antigen-binding fragments thereof (*e.g.*, $F(ab)_2$, Fab, Fv, V_H or V_K fragments), as well as single chain antibodies, multimeric monospecific antibodies or fragments thereof and bi- or multi-specific antibodies and fragments thereof. Antibodies that bind to an ADAMTS protein may be polyclonal or monoclonal, and are specific for an ADAMTS polypeptide (*i.e.*, bind to such a peptide detectable within any appropriate binding assay, and do not bind to an unrelated protein in a similar assay under the same conditions). Preferred antibodies are those antibodies that function as modulating agents to inhibit or block an ADAMTS activity *in vivo*. Antibodies may also be employed within assays for detecting the level of ADAMTS protein within a sample.

Antibodies may be prepared by any of a variety of techniques known to those of ordinary skill in the art (*see, e.g.*, Harlow and Lane, *Antibodies: A Laboratory Manual,* Cold Spring Harbor Laboratory, 1988). In one such technique, an immunogen comprising the polypeptide is initially injected into a suitable animal (*e.g.*, mice, rats, rabbits, sheep and goats), preferably according to a predetermined schedule incorporating one or more booster immunizations, and the animals are bled periodically. Polyclonal antibodies specific for the polypeptide may then be purified from such antisera by, for example, affinity chromatography using the polypeptide coupled to a suitable solid support.

Monoclonal antibodies may be prepared, for example, using the technique of Kohler and Milstein, *Eur. J. Immunol.* 6:511-519, 1976, and improvements thereto. Briefly, these methods involve the preparation of immortal cell lines capable of

producing antibodies having the desired specificity (*i.e.*, reactivity with the polypeptide of interest). Such cell lines may be produced, for example, from spleen cells obtained from an animal immunized as described above. The spleen cells are then immortalized by, for example, fusion with a myeloma cell fusion partner, preferably one that is syngeneic with the immunized animal. For example, the spleen cells and myeloma cells may be combined with a nonionic detergent for a few minutes and then plated at low density on a selective medium that supports the growth of hybrid cells, but not myeloma cells. A preferred selection technique uses HAT (hypoxanthine, aminopterin, thymidine) selection. After a sufficient time, usually about 1 to 2 weeks, colonies of hybrids are observed. Single colonies are selected and tested for binding activity against the polypeptide. Hybridomas having high reactivity and specificity are preferred.

Monoclonal antibodies may be isolated from the supernatants of growing hybridoma colonies. In addition, various techniques may be employed to enhance the yield, such as injection of the hybridoma cell line into the peritoneal cavity of a suitable vertebrate host, such as a mouse. Monoclonal antibodies may then be harvested from the ascites fluid or the blood. Contaminants may be removed from the antibodies by conventional techniques, such as chromatography, gel filtration, precipitation, and extraction.

Once a cell line, such as a hybridoma, expressing an antibody that specifically binds to an ADAMTS protein has been obtained, other chimeric antibodies and fragments thereof as described herein may be prepared. Using well known techniques, a cDNA molecule encoding the antibody may be identified.

Other modulating agents include peptides, and nonpeptide mimetics thereof, that specifically interact with one or more regions of an ADAMTS polypeptide. Such agents may generally be identified using any well known binding assay, such as a representative assay provided herein. For example, such modulating agents may be isolated using well known techniques to screen substances from a variety of sources, such as plants, fungi or libraries of chemicals, small molecules or random peptides.

Other modulating agents may function by inhibiting or enhancing transcription or translation of an ADAMTS gene. For example, modulating agents may include antisense polynucleotides (DNA or RNA), which inhibit the transcription of a native ADAMTS protein. cDNA constructs that can be transcribed into antisense RNA may also be introduced into cells of tissues to facilitate the production of antisense RNA. Antisense technology can generally be used to control gene expression through triple-helix formation, which compromises the ability of the double helix to open sufficiently for the binding of polymerases, transcription factors or regulatory molecules (*see* Gee et al., *In* Huber and Carr, *Molecular and Immunologic Approaches*, Futura Publishing Co. (Mt. Kisco, NY; 1994). Alternatively, an antisense molecule may be designed to hybridize with a control region of a gene (*e.g.*, promoter, enhancer or transcription initiation site), and block transcription of the gene; or to block translation by inhibiting binding of a transcript to ribosomes. Antisense polynucleotides are generally at least 10 nucleotides in length, more preferably at least 20 nucleotides in length and still more preferably at least 30 nucleotides in length.

Other agents may modulate transcription by interacting with an ADAMTS promoter. Such agents may be identified using standard assays, following isolation of an endogenous ADAMTS gene promoter region. One method for identifying a promoter region uses a PCR-based method to clone unknown genomic DNA sequences adjacent to a known cDNA sequence. This approach may generate a 5' flanking region, which may be subcloned and sequenced using standard methods. Primer extension and/or RNase protection analyses may be used to verify the transcriptional start site deduced from the cDNA.

To define the boundary of the promoter region, putative promoter inserts of varying sizes may be subcloned into a heterologous expression system containing a suitable reporter gene without a promoter or enhancer may be employed. Internal deletion constructs may be generated using unique internal restriction sites or by partial digestion of non-unique restriction sites. Constructs may then be transfected into cells that display high levels of ADAMTS protein expression In general, the construct with

the minimum 5' flanking region showing the highest level of expression of reporter gene is identified as the promoter.

To evaluate the effect of a candidate agent on ADAMTS gene transcription, a promoter or regulatory element thereof may be operatively linked to a reporter gene. Such a construct may be transfected into a suitable host cell, which may be used to screen, for example, a combinatorial small molecule library. Briefly, cells are incubated with the library (*e.g.*, overnight). Cells are then lysed and the supernatant is analyzed for reporter gene activity according to standard protocols. Compounds that result in a decrease in reporter gene activity are inhibitors of ADAMTS gene transcription.

For modulating agents that act directly on an ADAMTS protein, an initial screen to assess the ability of candidate agents to bind to such a protein may be employed, although such binding is not essential for a modulating agent. For identifying agents that bind to an ADAMTS polypeptide, any of a variety of binding assays may be employed, such as standard affinity techniques and yeast two-hybrid screens. In general, the amount of candidate modulator added in such screens ranges from about 1 pM to 1 μM. An antibody or other modulating agent is said to "specifically bind" to an ADAMTS polypeptide if it reacts at a detectable level with such a polypeptide and does not react detectably with unrelated polypeptides. Such antibody binding properties may be assessed using, for example, an ELISA.

Screens for modulating agents that increase the rate of ADAMTS protein synthesis or stabilize ADAMTS protein may be readily performed using well known techniques that detect the level of ADAMTS protein or mRNA. Suitable assays include RNA protection assays, *in situ* hybridization, ELISAs, Northern blots and Western blots. Such assays may generally be performed using standard methods (*see* Sambrook et al., *Molecular Cloning: A Laboratory Manual,* Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989). For example, to detect mRNA encoding ADAMTS protein, a nucleic acid probe complementary to all or a portion of an ADAMTS gene sequence may be employed in a Northern blot analysis of mRNA prepared from suitable cells (*e.g.*, brain, lung, heart, spleen, spinal cord, testis, astrocytes or microglia).

To detect ADAMTS protein, a reagent that binds to the protein (typically an antibody) may be employed within an ELISA or Western assay. Following binding, a reporter group suitable for direct or indirect detection of the reagent is employed (*i.e.*, the reporter group may be covalently bound to the reagent or may be bound to a second molecule, such as Protein A, Protein G, immunoglobulin or lectin, which is itself capable of binding to the reagent). Suitable reporter groups include, but are not limited to, enzymes (*e.g.*, horseradish peroxidase), substrates, cofactors, inhibitors, dyes, radionuclides, luminescent groups, fluorescent groups and biotin. Such reporter groups may be used to directly or indirectly detect binding of the reagent to a sample component using standard methods known to those of ordinary skill in the art.

To use such assays for identifying a modulating agent, the level of ADAMTS protein or mRNA is evaluated in cells (*e.g.*, astrocytes or microglia) treated with one or more candidate modulating agents. An increase or decrease in ADAMTS levels may be measured by evaluating ADAMTS mRNA and/or protein in the presence and absence of candidate modulating agent. In general, the amount of candidate modulator added in such screens ranges from about 1 pM to 1 μM. A candidate that results in a statistically significant change in the level of ADAMTS mRNA and/or protein is a modulating agent.

Modulating agents that decrease ADAMTS levels generally inhibit ADAMTS activity. To further evaluate the effect on ADAMTS activity, an assay may be performed as described above in the presence and absence of modulating agent. Agents that bind to a substrate of an ADAMTS protein domain may also be identified using such assays. Modulating agents may generally be administered by addition to a cell culture or by the methods described below for *in vivo* administration.

ADAMTS POLYPEPTIDE AND MODULATING AGENT MODIFICATION AND FORMULATIONS

An ADAMTS polypeptide or modulating agent as described herein may, but need not, be linked to one or more additional molecules. In particular, as discussed below, it may be beneficial for certain applications to link multiple polypeptides and/or modulating agents (which may, but need not, be identical) to a support material, such as

a polymeric matrix or a bead or other particle, which may be prepared from a variety of materials including glass, plastic or ceramics. For certain applications, biodegradable support materials are preferred.

Suitable methods for linking an ADAMTS polypeptide or modulating agent to a support material will depend upon the composition of the support and the intended use, and will be readily apparent to those of ordinary skill in the art. Attachment may generally be achieved through noncovalent association, such as adsorption or affinity or, preferably, via covalent attachment (which may be a direct linkage or may be a linkage by way of a cross-linking agent).

It may be beneficial for certain applications to link an ADAMTS polypeptide or modulating agent to a targeting agent to facilitate targeting to one or more specific tissues. As used herein, a "targeting agent," may be any substance (such as a compound or cell) that, when linked to a polypeptide or modulating agent enhances the transport of the polypeptide or modulating agent to a target tissue, thereby increasing the local concentration. Targeting agents include antibodies or fragments thereof, receptors, ligands and other molecules that bind to cells of, or in the vicinity of, the target tissue. Known targeting agents include serum hormones, antibodies against cell surface antigens, lectins, adhesion molecules, tumor cell surface binding ligands, steroids, cholesterol, lymphokines, fibrinolytic enzymes and those drugs and proteins that bind to a desired target site. An antibody targeting agent may be an intact (whole) molecule, a fragment thereof, or a functional equivalent thereof. Linkage is generally covalent and may be achieved by, for example, direct condensation or other reactions, or by way of bi- or multi-functional linkers. Within other embodiments, it may also be possible to target a polynucleotide encoding a polypeptide or modulating agent to a target tissue, thereby increasing the local concentration. Such targeting may be achieved using well known techniques, including retroviral and adenoviral infection. To treat a patient afflicted with certain conditions (*e.g.*, neurodegenerative conditions), it may be beneficial to deliver an ADAMTS polypeptide, polynucleotide or modulating agent to the intracellular space. Such targeting may be achieved using well known

techniques, such as through the use of polyethylene glycol or liposomes, as described in Turrens, *Xenobiotica 21*:1033-1040, 1991.

For certain embodiments, it may be beneficial to also, or alternatively, link a drug to a polypeptide or modulating agent. As used herein, the term "drug" refers to any bioactive agent intended for administration to a mammal to prevent or treat a disease or other undesirable condition.

Within certain aspects of the present invention, one or more polypeptides, polynucleotides or modulating agents as described herein may be present within a pharmaceutical composition or vaccine. A pharmaceutical composition further comprises one or more pharmaceutically or physiologically acceptable carriers, diluents or excipients. Vaccines may comprise one or more such compounds and a non-specific immune response enhancer. A non-specific immune response enhancer may be any substance that enhances an immune response to an exogenous antigen. Examples of non-specific immune response enhancers include adjuvants and liposomes.

To prepare a pharmaceutical composition, an effective amount of one or more polypeptides, polynucleotides and/or modulating agents is mixed with a suitable pharmaceutical carrier. Solutions or suspensions used for parenteral, intradermal, subcutaneous or topical application can include, for example, a sterile diluent (such as water), saline solution, fixed oil, polyethylene glycol, glycerin, propylene glycol or other synthetic solvent; antimicrobial agents (such as benzyl alcohol and methyl parabens); antioxidants (such as ascorbic acid and sodium bisulfite) and chelating agents (such as ethylenediaminetetraacetic acid (EDTA)); buffers (such as acetates, citrates and phosphates). If administered intravenously, suitable carriers include physiological saline or phosphate buffered saline (PBS), and solutions containing thickening and solubilizing agents, such as glucose, polyethylene glycol, polypropylene glycol and mixtures thereof. In addition, other pharmaceutically active ingredients and/or suitable excipients such as salts, buffers and stabilizers may, but need not, be present within the composition.

A pharmaceutical composition is generally formulated and administered to exert a therapeutically useful effect while minimizing undesirable side effects. The

number and degree of acceptable side effects depend upon the condition for which the composition is administered. For example, certain toxic and undesirable side effects that are tolerated when treating life-threatening illnesses, such as tumors, would not be tolerated when treating disorders of lesser consequence. The concentration of active component in the composition will depend on absorption, inactivation and excretion rates thereof, the dosage schedule and the amount administered, as well as other factors that may be readily determined by those of skill in the art.

A polypeptide, polynucleotide or modulating agent may be prepared with carriers that protect it against rapid elimination from the body, such as time release formulations or coatings. Such carriers include controlled release formulations, such as, but not limited to, implants and microencapsulated delivery systems, and biodegradable, biocompatible polymers, such as ethylene vinyl acetate, polyanhydrides, polyglycolic acid, polyorthoesters, polylactic acid and others known to those of ordinary skill in the art. Such formulations may generally be prepared using well known technology and administered by, for example, oral, rectal or subcutaneous implantation, or by implantation at the desired target site. Sustained-release formulations may contain a polynucleotide, polypeptide or modulating agent dispersed in a carrier matrix and/or contained within a reservoir surrounded by a rate controlling membrane. Preferably the formulation provides a relatively constant level of modulating agent release. The amount of active component contained within a sustained release formulation depends upon the site of implantation, the rate and expected duration of release and the nature of the condition to be treated or prevented.

Pharmaceutical compositions of the present invention may be administered in a manner appropriate to the disease to be treated (or prevented). Administration may be effected by incubation of cells *ex vivo* or *in vivo*, such as by topical treatment, delivery by specific carrier or by vascular supply. Appropriate dosages and a suitable duration and frequency of administration will be determined by such factors as the condition of the patient, the type and severity of the patient's disease and the method of administration. In general, an appropriate dosage and treatment regimen provides the polypeptide, polynucleotide and/or modulating agent(s) in an

amount sufficient to provide therapeutic and/or prophylactic benefit (*i.e.*, an amount that ameliorates the symptoms or treats or delays or prevents progression of the condition). The precise dosage and duration of treatment is a function of the disease being treated and may be determined empirically using known testing protocols or by testing the compositions in model systems known in the art and extrapolating therefrom. Dosages may also vary with the severity of the condition to be alleviated. The composition may be administered one time, or may be divided into a number of smaller doses to be administered at intervals of time. In general, the use of the minimum dosage that is sufficient to provide effective therapy is preferred. Patients may generally be monitored for therapeutic effectiveness using assays suitable for the condition being treated or prevented, which will be familiar to those of ordinary skill in the art, and for any particular subject, specific dosage regimens may be adjusted over time according to the individual need.

For pharmaceutical compositions comprising polynucleotides, the polynucleotide may be present within any of a variety of delivery systems known to those of ordinary skill in the art, including nucleic acid, bacterial and viral expression systems, and colloidal dispersion systems such as liposomes. Appropriate nucleic acid expression systems contain the necessary DNA sequences for expression in the patient (such as a suitable promoter and terminating signal, as described above). The DNA may also be "naked," as described, for example, in Ulmer et al., *Science 259*:1745-1749, 1993.

Various viral vectors that can be used to introduce a nucleic acid sequence into the targeted patient's cells include, but are not limited to, vaccinia or other pox virus, herpes virus, retrovirus, or adenovirus. Techniques for incorporating DNA into such vectors are well known to those of ordinary skill in the art. Preferably, the retroviral vector is a derivative of a murine or avian retrovirus including, but not limited to, Moloney murine leukemia virus (MoMuLV), Harvey murine sarcoma virus (HaMuSV), murine mammary tumor virus (MuMTV), and Rous Sarcoma Virus (RSV). A retroviral vector may additionally transfer or incorporate a gene for a selectable marker (to aid in the identification or selection of transduced cells) and/or a gene that

encodes the ligand for a receptor on a specific target cell (to render the vector target specific).

Viral vectors are typically non-pathogenic (defective), replication competent viruses, which require assistance in order to produce infectious vector particles. This assistance can be provided, for example, by using helper cell lines that contain plasmids that encode all of the structural genes of the retrovirus under the control of regulatory sequences within the LTR, but that are missing a nucleotide sequence which enables the packaging mechanism to recognize an RNA transcript for encapsulation. Such helper cell lines include (but are not limited to) Ψ2, PA317 and PA12. A retroviral vector introduced into such cells can be packaged and vector virion produced. The vector virions produced by this method can then be used to infect a tissue cell line, such as NIH 3T3 cells, to produce large quantities of chimeric retroviral virions.

Another targeted delivery system for polynucleotides is a colloidal dispersion system. Colloidal dispersion systems include macromolecule complexes, nanocapsules, microspheres, beads, and lipid-based systems including oil-in-water emulsions, micelles, mixed micelles, and liposomes. A preferred colloidal system for use as a delivery vehicle *in vitro* and *in vivo* is a liposome (*i.e.*, an artificial membrane vesicle). RNA, DNA and intact virions can be encapsulated within the aqueous interior and delivered to cells in a biologically active form. The preparation and use of liposomes is well known to those of ordinary skill in the art.

THERAPEUTIC APPLICATIONS

As noted above, ADAMTS polynucleotides, polypeptides and modulating agents may generally be used for the therapy of diseases characterized by neuroinflammation or neurodegeneration. In general, ADAMTS metalloproteinases are believed to function in cleaving proteins from cell surfaces (which may be surfaces of cells that synthesize the metalloproteinase or other cells). Pharmaceutical compositions as provided herein may be administered to a patient, alone or in combination with other therapies, to treat or prevent neurodegenerative diseases such as Alzheimer's disease,

Parkinson's disease or stroke. Pharmaceutical compositions provided herein may also be beneficial for therapy of conditions related to cell proliferation, cell migration, inflammation or angiogenesis. Such conditions include cancer, arthritis and autoimmune diseases.

Modulation of an ADAMTS function, either *in vitro* or *in vivo*, may generally be achieved by administering a modulating agent that inhibits ADAMTS transcription, translation or activity. In some instances, however, the ADAMTS activity may be lower than is desired. In such cases, polynucleotides, polypeptides and/or modulating agents that enhance ADAMTS activity may be administered. The activity of an endogenous ADAMTS protein within a cell may be increased by, for example, inducing expression of the ADAMTS gene and/or administering a modulating agent that enhances ADAMTS activity. Each of these methods may be performed using mammalian cells in culture or within a mammal, such as a human.

Certain ADAMTS polypeptides may be used to cleave the proteoglycan brevican. Brevican is a brain specific proteoglycan. The secreted form of brevican is upregulated in response to CNS injury and has been implicated in reactive gliosis, and a cleaved form may be important for tumor invasion (*see* Zhang et al., *J. Neuroscience 18*:2370-76, 1998). Thus, brevican cleavage appears to be important in brain injury and gliomas. Modulating agents that inhibit the ability of such ADAMTS polypeptides to cleave brevican may be used to treat brain injuries, brain tumors and other invasive tumors.

Routes and frequency of administration, as well as dosage, will vary from individual to individual, and may be readily established using standard techniques. In general, the pharmaceutical compositions and vaccines may be administered by injection (*e.g.*, intracutaneous, intramuscular, intravenous or subcutaneous), intranasally (*e.g.*, by aspiration) or orally. A suitable dose is an amount of a compound that, when administered as described above, is capable of causing modulation of an ADAMTS activity that leads to an improved clinical outcome (*e.g.*, more frequent remissions, complete or partial or longer disease-free survival) in vaccinated patients as compared to non-vaccinated patients. In general, an appropriate dosage and treatment regimen

provides the active compound(s) in an amount sufficient to provide therapeutic and/or prophylactic benefit. Such a response can be monitored by establishing an improved clinical outcome (*e.g.*, more frequent remissions, complete or partial, or longer disease-free survival) in treated patients as compared to non-treated patients. In general, suitable dose sizes will vary with the size of the patient, but will typically range from about 0.1 mL to about 5 mL.

DIAGNOSTIC APPLICATIONS

In a related aspect of the present invention, kits for detecting ADAMTS proteins are provided. Such kits may be designed for detecting the level of ADAMTS protein or nucleic acid encoding an ADAMTS protein within a sample. In general, the kits of the present invention comprise one or more containers enclosing elements, such as reagents or buffers, to be used in the assay. A kit for detecting the level of ADAMTS protein or nucleic acid typically contains a reagent that binds to the ADAMTS protein, DNA or RNA. To detect nucleic acid, the reagent may be a nucleic acid probe or a PCR primer. To detect protein, the reagent is typically an antibody. A kit may also contain a reporter group suitable for direct or indirect detection of the reagent as described above.

The following Examples are offered by way of illustration and not by way of limitation.

EXAMPLES

Example 1

Preparation of Novel ADAMTS Family Members

This Example illustrates the cloning of cDNA molecules encoding members of the ADAMTS family of metalloproteinases based on induction of expression in rat glial cells by aggregated beta amyloid.

Subtractive hybridization was performed as described (Kelner and Maki, *Methods in Molecular Medicine, vol 22: Neurodegeneration Methods and Protocols*, Eds J. Harry and H.A. Tilson, Human Press Inc., Totowa, NJ). Briefly, rat glial cells were cultured and treated with aggregated beta amyloid. After 24 hours, RNA was prepared from these cells and from control cells that were not treated with beta amyloid. Genes expressed in the activated cells but not the control cells were sequenced. This screen identified rat ADAMTS-3 (cDNA and encoded protein sequences shown in Figure 26 (SEQ ID NO:25) and Figure 27 (SEQ ID NO:26), respectively). The rat cDNA was used to screen a human cDNA library and resulted in the isolation of human ADAMTS-3. ADAMTS-3 is 2,866 nucleotides in length (Figures 9A and 9B; SEQ ID NO:9) and codes for a putative protein that is 955 amino acids in length (Figure 10; SEQ ID NO:10). ADAMTS-3 contains a metalloproteinase domain, a disintegrin domain, thrombospondin motifs and an ECM domain.

Example 2

Preparation of Novel ADAMTS Family Members using Degenerate PCR

This Example illustrates the use of degenerate PCR to clone partial cDNA molecules encoding members of the ADAMTS family of metalloproteinases.

PCR was performed using rat microglia cDNA and degenerate oligonucleotides derived from an analysis of the sequence from ADAMTS-1 and ADAMTS-3. Degenerate primers were designed based on common sequences between

these two genes. The original degenerate primers were designed based on a small region of these two genes that was cloned. One primer had the sequence 5'-TTYMGNGARGARCARTGY-3' (SEQ ID NO:33), while the other primer had the sequence 5'-RCANAYNCCRCAYTTRTC-3' (SEQ ID NO:34). The PCR conditions were annealing at 47°C for 1 minute, 72°C extension for 2 minutes and 94°C denaturation for 30 seconds.

Following PCR samples were fractionated by gel electrophoresis and fragments of the expected size were cloned into the vector pCRScript and sequenced. One amplified cDNA molecule was designated rat ADAMTS-2 (Figure 24; SEQ ID NO:23), and the encoded protein has the predicted sequence shown in Figure 25 (SEQ ID NO:24). This cDNA was used to screen a human cDNA library, from which human ADAMTS-2 was identified. Human ADAMTS-2 has the sequence shown in Figure 1 (SEQ ID NO:1), and appears to encode the protein recited in Figure 2 (SEQ ID NO:2).

Rat ADAMTS-4 was isolated using the PCR approach and is a polynucleotide having the sequence shown in Figures 3A and 3B (SEQ ID NO:3), which appears to encode the protein recited in Figure 4 (SEQ ID NO:4). For rat ADAMTS-4 the metalloproteinase domain begins at amino acid 260(R), the disintegrin domain begins at residue 487(Q), a thrombospondin motif begins at residue 570(W) and an ECM domain begins at residue 621(C). The rat ADAMTS-4 sequence was used to screen a human cDNA library and human ADAMTS-4 was isolated. Human ADAMTS-4 is 1455 nucleotides in length (Figure 15; SEQ ID NO:15) and codes for a putative protein that is 485 amino acids in length (Figure 16; SEQ ID NO:16). The disintegrin domain in human ADAMTS-4 begins at amino acid 39(E), the start of the first thrombospondin repeat is at amino acid 124(W) and the start of another thrombospondin repeat is at amino acid 479(C). Bovine ADAMTS-4 cDNA has the sequence shown in Figure 18 (SEQ ID NO:17), encoding the predicted amino acid sequence shown in Figure 19 (SEQ ID NO:18).

Rat ADAMTS-5 is a cDNA molecule with the sequence shown in Figure 13 (SEQ ID NO:13), encoding the amino acid sequence shown in Figure 14 (SEQ ID

NO:14). The human ADAMTS cDNA and protein sequences are shown in Figure 22 (SEQ ID NO:21) and Figure 23 (SEQ ID NO:22), respectively.

ADAMTS-4 was further shown to cleave the brain-specific proteoglycan brevican. Five hundred micrograms of purified brevican was cleaved with 500 micrograms of human ADAMTS-4 and incubated overnight at 37°C. The cleavage reaction was vacuum dried and resuspended in SDS sample loading dye for running on a 4-20% SDS polyacrylamide gel. Equal amounts of cleaved and uncleaved brevican were added to the gel. After electrophoresis the gel was stained with Coumassie Blue to visualize the protein bands. The results, presented in Figure 30, show that brevican is cleaved upon incubation with ADAMTS-4.

Example 3

Identification of ADAMTS Family Members using Database Searches

This Example illustrates the use of database searches to identify cDNA molecules encoding members of the ADAMTS family of metalloproteinases.

To identify additional members of the ADAMTS family, the GenBank database was searched for sequences similar to ADAMTS-1 and ADAMTS-3. This search retrieved KIAA0605 (Figures 5A and 5B; SEQ ID NO:5), which appears to encode a protein of 951 amino acids (Figure 6; SEQ ID NO:6). The coding sequence contains thrombospondin motifs, but no metalloproteinase or disintegrin domains have been identified. A thrombospondin motif begins with amino acid 50(W). Six additional thrombospondin motifs were found beginning with amino acid 568(K). The domain that binds to the extracellular matrix begins with amino acid 105(C).

Also retrieved was KIAA0366 (Figures 7A and 7B; SEQ ID NO:7), which appears to encode a protein of 951 amino acids (Figure 8; SEQ ID NO:8), including metalloproteinase and disintegrin domains, as well as thrombospondin motifs. For KIAA0366, the metalloproteinase domain begins with amino acid 241(T), the disintegrin domain begins with amino acid 460(D), a thrombospondin domain is present beginning at position 544(W) and another thrombospondin repeat occurs at position

842(W). The ECM domain begins at amino acid 597(C) and contains the semiconserved sequence FREEQC (SEQ ID NO:32). KIAA0366 does not appear to have a transmembrane domain, and therefore is likely to encode a secreted protein.

An additional sequence identified in this search was KIAA0688 (Figures 11A and 11B; SEQ ID NO:11), which appears to encode the protein shown in Figure 12 and SEQ ID NO:12. This gene codes for a protein with a metalloproteinase domain beginning at amino acid 245(R), a disintegrin domain beginning at amino acid 465(E), a thrombospondin motif at position 550(W), an ECM domain at position 601(C) and two additional thrombospondin motifs at position 905(W). A bovine KIAA0688 cDNA sequence is shown in Figure 20 (SEQ ID NO:19), and the predicted amino acid sequence of the encoded protein is shown in Figure 21 (SEQ ID NO:20).

Figures 17A-17G present an alignment of the ADAMTS protein sequences described herein, along with ADAMTS-1.

Example 4

Identification and Characterization of ADAMTS-9

This Example illustrates the cloning and characterization of the ADAM-TS/metallospondin family member designated herein as ADAMTS-9.

A small fragment of the rat ADAMTS-9 gene was initially cloned from a beta amyloid-treated (35 μg/ml aggregated Aβ 1-42) rat astrocyte cDNA library. DNA sequence analysis was performed using a PCR procedure employing fluorescent dideoxynucleotides and a model ABI-377 automated sequencer (PE Biosystem). BLAST sequence analysis revealed low homology at the protein level to the spacer region of the murine ADAMTS-1 gene.

This clone was labeled with [α-^{32}P]dCTP using the Prime It II kit (Stratagene) and used to screen a human spinal cord phage library (Clontech) according to the manufacturer's instructions. Positive plaques were purified and lambda DNA prepared (Qiagen). Several overlapping clones were sequenced that had homology to the original rat clone. In order to determine the 5′ and 3′ ends of the gene RACE (rapid

amplification of cDNA ends) analysis was performed using Marathon Ready placenta and fetal cDNA libraries (Clontech) with SMART primers (Clontech). Overlapping sequence was used to confirm the full length clone. The full length protein sequence of human ADAMTS-9 is shown in Figure 29. The 5′ end of the clone contains a methionine codon within a good Kozak consensus for translation initiation. A signal peptide sequence is located just downstream of this methionine in the translated ORF, and the size of the pro-domain is similar to that of other ADAM-TS family members. Therefore, this appears to be the starting methionine of ADAMTS-9.

The overall protein sequence of ADAMTS-9 is similar to that of the other ADAM-TS proteins. All of these family members have a pro-domain, metalloprotease domain, disintegrin-like domain, thrombospondin domain, spacer region, and a variable number of a thrombospondin-like submotifs at the carboxyl-terminal end of the protein (Figure 32A). Like other ADAM-TS family members, ADAMTS 9 contains an amino-terminal signal peptide sequence and lacks a transmembrane domain.

Among the 23 ADAM family members, 10 are predicted to be active proteases based on the sequence of their Zn binding catalytic sites (Black and White, *Curr. Opin. Cell. Biol 10*:654-659, 1998). The consensus catalytic sequence site based on ADAM and snake venom metalloproteases is HE*X*GH*XX*G*XX*HD (SEQ ID NO:51). The ADAM-TS family of proteins has homology to this consensus sequence except at the second conserved glycine. ADAMTS 9 has an asparagine at this conserved glycine site in the helix. Two other ADAM-TS proteins, ADAMTS-1 and ADAMTS-4, also have an asparagine in this position instead of glycine (Figure 32B). This suggests that ADAMTS-9, line ADAMTS-1 and ADAMTS-4, may have an active metalloprotease domain.

It has been proposed that an invarient cysteine residue in the pro-domain of MMP and ADAM proteins coordinates the catalytic Zn ion in the metalloprotease domain, thus maintaining the protease in an inactive state (Loechel et al., J. Biol Chem. 274:13427-33, 1999). Once the pro-domain is cleaved this interaction is interrupted and the protease is activated by a "cysteine switch" mechanism. A proposed cysteine switch

residue in ADAMTS-9 is marked in Figure 29 by a star. Proteolytic processing of the pro-domain of ADAM and ADAM-TS proteins is believed to occur by furin endopeptidases in the Golgi. ADAMTS-9 contains two potential furin cleavage sites (consensus R*X*(K/R)R; SEQ ID NO:35) at the end of the pro-domain (see Figure 29). Based on the sequence of mature murine *ADAMTS-1*, the second furin cleavage site is most likely used in ADAMTS-9 (resulting amino-terminus FLSYPR).

Following the metalloprotease domain, ADAMTS-9 contains a cysteine-rich region that has homology to the disintegrin domain in snake venom metalloprotease and ADAMs. Next, all of the ADAM-TS family members contain an internal TSP1 motif that has the two conserved heparin binding segments: W(S/G)*X*WS*X*W (SEQ ID NO:36) and CSVTCG (SEQ ID NO:37). Separating the internal TSP1 motif and the carboxy terminal TSP1-like submotifs is a variable length spacer region. As seen in Figure 32A, most ADAM-TS family members have between one and three TSP1-like submotifs at the end of the protein. However at the extremes are ADAMTS 3 which has no TSP1-like motifs and *C. elegans* GON-1 which has 17 of these motifs. ADAMTS-9 contains one internal TSP1 motif and three TSP-1 like submotifs at the carboxyl end (Figure 30A). A possible role for ADAMTS 9 in the adult is suppression of angiogenesis through the carboxy-terminal TSP1 motifs.

Overall, the predicted mature forms of the ADAM-TS proteins show 20-40% similarity to each other. Interestingly, by BLAST analysis ADAMTS-9 shows as much homology to *C. elegans* GON-1 as to other human ADAM-TS, suggesting that ADAMTS 9 may be the human homologue of GON-1. The dendrogram in Figure 30C (prepared with the MegAlign program (DNAStar)) shows the relationship between the known human ADAM-TS members, ADAMTS 9, and GON-1.

The expression pattern of ADAMTS 9 was examined in a variety of human adult and fetal tissues using RT-PCR. For tissue distribution analysis, human multiple tissue cDNA panels I and II were purchased from Clontech. RT-PCR was performed using a touchdown procedure where the annealing temperature was dropped from 63°C to 57°C over 10 cycles then kept at 57°C for 20 cycles. The sense primer was CAGGGGAAACAGACGATGACAACT (SEQ ID NO:38) and the antisense

primer was TGCGGTAACCCAAGCCACACT (SEQ ID NO:39). Expected product size was 510 bp. Control primers to glyceraldehyde-3-phosphate dehydrogenase (G3PDH) were supplied by Clontech--expected size is about 1 kb.

As seen with other ADAM-TS genes, Northern blot analysis showed very low levels of expression. Therefore a more sensitive RT-PCR procedure was used. The cDNA panels used were normalized to the mRNA expression levels of several different housekeeping genes to ensure accurate assessment of tissue specificity. ADAMTS-9 was found in ovary, pancreas, heart, kidney, lung, placenta, and strikingly in all fetal tissues examined (Figure 31), suggesting a possible role in development. In addition, using hybridization to cDNA libraries we have identified ADAMTS-9 in adult spinal cord and brain. However, ADAMTS-9 was not detected in colon, leukocyte, prostate, small intestine, testis, liver, skeletal muscle, spleen or thymus (Figure 31). Expression of the G3PDH housekeeping gene in all cDNAs tested is shown as a control for template integrity and the RT-PCR procedure. One notable difference in the expression pattern of ADAMTS-9 compared to other ADAMTS genes is the presence of ADAMTS-9 in the adult kidney. This is of interest since the chromosomal locus containing ADAMTS-9 is often deleted in renal tumors.

A genomic clone of ADAMTS 9 was obtained by screening a human P1 library and used for FISH analysis (Genome Systems). Briefly, the human ADAMTS-9 genomic clone was labeled with digoxigenin dUTP by nick translation. Labeled probe was combined with sheared human DNA and hybridized to normal metaphase chromosomes derived from PHA stimulated peripheral blood lymphocites in a solution containing 50% formamide, 10% dextran sulfate and 2X SSC. Specific hybridization signals were detected by incubating the hybridized slides in fluoresceinated antidigoxigenin antibodies followed by counterstaining with DAPI for one-color experiments. Probe detection for two-color experiments was accomplished by incubating the slides in fluoresceinated antidigoxigenin antibodies and Texas red avidin followed by counterstaining with DAPI. A total of 80 metaphase cells were analyzed with 70 exhibiting specific labeling. Initial FISH experiments resulted in specific labeling of the short arm of chromosome 3. Measurement of 10 specifically labeled

chromosome 3's demonstrated that ADAMTS-9 is located at a position which is 30% the distance from the centromere to the telomere of chromosome arm 3p, an area which corresponds to 3p14.3-21.1 (Figures 32A and 32B). Since deletions and other rearrangements of this locus are frequent and early events in the pathogenesis of a number of human cancers (including renal cell carcinoma, breast cancers, uterine cervical carcinoma and vulvar carcinomas, this region may contain one or more tumor suppressor genes.

The chromosomal localization of the human ADAMTS 9 locus was independently confirmed by PCR analysis of the Stanford G3 radiation hybrid mapping panel. The G3 hybrid mapping panel (Stewart et al., *Genomic Res.* 7:422-433, 1997) containing 83 radiation hybrid DNA, as well as human and hamster control DNAs was obtained from Research genetics Inc. (Huntsville, Alabama). The human chromosome content of each somatic cell hybrid was established by the Stanford Human Genome Center using more than 10,000 STSs derived from random genetic markers and expressed tagged sequences (http://www-shgc.stanford.edu/Mapping/rh/). PCR reactions were carried out in a 10 µl reaction volume containing 25 ng DNA template, 25 µm deoxynucleotide triphosphates, 20 pmol of each oligonucleotide primer, 0.5 U of Taq polymerase (Boehringer Mannheim), 2.5 mM $MgCl_2$, 50 mM KCl and 10 mM Tris-HCl (pH 8.3). The sense primer is GTGCGCTGGGTCCCTAAATAC (SEQ ID NO:40) which is in the coding sequence and the antisense primer is AAAATCACAGGTTGGCAGCGG (SEQ ID NO:41) which is in an intronic sequence. Thirty cycles of PCR were performed. Ten cycles consisted of denaturing at 94°C for 15 seconds, annealing at 62°C for 30 seconds, going down 0.5°C each cycle and extension at 72°C for 30 seconds. Twenty more cycles were performed using the same denaturing and extension conditions and keeping the annealing at 57°C for 30 seconds. PCR was proceeded by a 2 min incubation at 94°C and followed by a 72°C final soak for 10 minutes. Amplified products were electrophoresed through a 2% agarose gel and visualized by ethidium bromide staining. The resulting PCR product was a 302 bp human specific fragment. The presence or absence of the ADAMTS 9 product was scored for each of the somatic cell hybrids. The results were submitted to the Stanford

Radiation Hybrid Server via the internet (http://www-shgc.stanford.edu) and the completed data were returned to us. ADAMTS 9 was linked to the ordered markers SHGC-33668 with a LOD score of 11.47 and SHGC-20118 (D3S3571) with a LOD score of 11.06. The results confirm localization of ADAMTS 9 to the short arm of chromosome 3 and place ADAMTS-9 within the context of established maps. Furthermore SHGC-20118 (D3S3571) has been mapped to 3p14.2, placing ADAMTS-9 closer to the 14.2-14.3 region of chromosome 3. This location is interesting in that it contains a well characterized breakpoint for translocations common in hereditary renal cell carcinomas.

From the foregoing, it will be appreciated that, although specific embodiments of the invention have been described herein for the purpose of illustration, various modifications may be made without deviating from the spirit and scope of the invention. Accordingly, the present invention is not limited except as by the appended claims.

CLAIMS

1. An isolated polynucleotide that encodes an ADAMTS polypeptide, wherein the polypeptide comprises:

(a) at least 50 consecutive amino acid residues of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 10, 14, 16, 18, 22, 24, 26 or 27; or

(b) a variant of any of the foregoing amino acid sequences that differs in one or more substitutions, deletions, additions and/or insertions, wherein substitutions, if any, are present at no more than 10% of the consecutive residues of the ADAMTS protein.

2. A polynucleotide according to claim 1, wherein the polynucleotide comprises a sequence recited in any one of SEQ ID NOs:1, 3, 9, 13, 15, 17, 21, 23 or 25.

3. A polynucleotide according to claim 1, wherein substitutions, if any, are present at no more than 5% of the consecutive residues of the ADAMTS protein.

4. A polynucleotide according to claim 1, wherein the polypeptide has an ADAMTS activity that is not substantially diminished relative to the ADAMTS protein.

5. A recombinant expression vector comprising a polynucleotide according to claim 1.

6. A host cell transformed or transfected with an expression vector according to claim 5.

7. An isolated antisense polynucleotide complementary to at least 20 consecutive nucleotides present within a polynucleotide according to claim 1.

8. A method for preparing an ADAMTS polypeptide, the method comprising:

(a) culturing a host cell transformed or transfected with an expression vector comprising a polynucleotide that encodes an ADAMTS polypeptide comprising:

(i) at least 50 consecutive amino acid residues of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27; or

(ii) a variant of any of the foregoing amino acid sequences that differs in one or more substitutions, deletions, additions and/or insertions, wherein substitutions, if any, are present at no more than 10% of the consecutive residues of the ADAMTS protein;

wherein the step of culturing is performed under conditions promoting expression of the polynucleotide sequence; and

(b) recovering an ADAMTS polypeptide.

9. A method for preparing an ADAMTS polypeptide, the method comprising:

(a) culturing a host cell according to claim 6 under conditions promoting expression of the polynucleotide; and

(b) recovering an ADAMTS polypeptide.

10. An isolated ADAMTS polypeptide comprising:

(a) at least 50 consecutive amino acid residues of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 10, 14, 16, 18, 22, 24, 26 or 27; or

(b) a variant of any of the foregoing amino acid sequences that differs in one or more substitutions, deletions, additions and/or insertions, wherein substitutions, if any, are present at no more than 10% of the consecutive residues of the ADAMTS protein.

11. An ADAMTS polypeptide according to claim 10, wherein the polypeptide has an ADAMTS activity that is not substantially diminished relative to the ADAMTS protein.

12. A polypeptide comprising an amino acid sequence recited in any one of SEQ ID NOs:2, 4, 10, 14, 16, 18, 22, 24, 26 or 27.

13. An isolated ADAMTS polypeptide comprising:

(a) at least 50 consecutive amino acid residues of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:6, 8, 12, or 20

(b) a variant of any of the foregoing amino acid sequences that differs in one or more substitutions, deletions, additions and/or insertions, wherein substitutions, if any, are present at no more than 10% of the consecutive residues of the ADAMTS protein.

14. An ADAMTS polypeptide according to claim 13, wherein the polypeptide has an ADAMTS activity that is not substantially diminished relative to the ADAMTS protein.

15. An ADAMTS polypeptide according to claim 13, wherein the polypeptide comprises at least 40 consecutive amino acid residues of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:6, 8, 12, or 20.

16. A polypeptide comprising an amino acid sequence recited in any one of SEQ ID NOs:6, 8, 12, or 20.

17. A pharmaceutical composition comprising:

(a) an ADAMTS polypeptide comprising:

(i) at least 50 consecutive amino acid residues of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27; or

(ii) a variant of any of the foregoing amino acid sequences that differs in one or more substitutions, deletions, additions and/or insertions, wherein substitutions, if any, are present at no more than 10% of the consecutive residues of the ADAMTS protein; and

(b) a physiologically acceptable carrier.

18. A vaccine comprising:

(a) an ADAMTS polypeptide comprising:

(i) at least 50 consecutive amino acid residues of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27; or

(ii) a variant of any of the foregoing amino acid sequences that differs in one or more substitutions, deletions, additions and/or insertions, wherein substitutions, if any, are present at no more than 10% of the consecutive residues of the ADAMTS protein; and

(b) a non-specific immune response enhancer.

19. An isolated antibody, or antigen-binding fragment thereof, that specifically binds to an ADAMTS polypeptide that comprises a sequence recited in any one of SEQ ID NOs: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27.

20. A method for screening for an agent that modulates ADAMTS protein expression in a cell, comprising:

(a) contacting a candidate modulator with a cell expressing an ADAMTS polypeptide, wherein the polypeptide comprises:

(i) at least 50 consecutive amino acid residues of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27; or

(ii) a variant of any of the foregoing amino acid sequences that differs in one or more substitutions, deletions, additions and/or insertions, wherein

substitutions, if any, are present at no more than 10% of the consecutive residues of the ADAMTS protein; and

(b) subsequently evaluating the effect of the candidate modulator on expression of an ADAMTS mRNA or polypeptide, and therefrom identifying an agent that modulates ADAMTS protein expression in the cell.

21. A method for screening for an agent that modulates an ADAMTS protein activity, comprising:

(a) contacting a candidate modulator with an ADAMTS polypeptide, comprising:

(i) at least 50 consecutive amino acid residues of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27; or

(ii) a variant of any of the foregoing amino acid sequences that differs in one or more substitutions, deletions, additions and/or insertions, wherein substitutions, if any, are present at no more than 10% of the consecutive residues of the ADAMTS protein;

wherein the polypeptide has an ADAMTS activity that is not substantially diminished relative to the ADAMTS protein;

and wherein the step of contacting is carried out under conditions and for a time sufficient to allow the candidate modulator to interact with the polypeptide; and

(b) subsequently evaluating the effect of the candidate modulator on an ADAMTS activity of the polypeptide, and therefrom identifying an agent that modulates an activity of an ADAMTS protein.

22. An agent that decreases expression or activity of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27, for use in the manufacture of a medicament for inhibiting neuroinflammation in a patient.

23. An agent according to claim 22, wherein ADAMTS activity is decreased by inhibiting expression of an endogenous ADAMTS gene.

24. An agent according to claim 22, wherein ADAMTS activity is decreased by administering a modulating agent that binds to an ADAMTS protein.

25. An agent that decreases expression or activity of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27, for use in the manufacture of a medicament for inhibiting neurodegeneration in a patient.

26. An agent according to claim 25, wherein ADAMTS activity is decreased by inhibiting expression of an endogenous ADAMTS gene.

27. An agent according to claim 25, wherein ADAMTS activity is decreased by administering a modulating agent that binds to an ADAMTS protein.

28. A pharmaceutical composition according to claim 17, for use in the manufacture of a medicament for method for treating a patient afflicted with a condition associated with neuroinflammation and/or neurodegeneration.

29. A composition according to claim 28, wherein the condition is selected from the group consisting of Alzheimer's disease, Parkinson's disease and stroke.

30. A method for modulating ADAMTS activity in a cell, comprising contacting a cell expressing an ADAMTS polypeptide with an effective amount of an agent that modulates ADAMTS protein activity or expression, wherein the ADAMTS polypeptide comprises:

(i) at least 50 consecutive amino acid residues of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27; or

(ii) a variant of any of the foregoing amino acid sequences that differs in one or more substitutions, deletions, additions and/or insertions, wherein substitutions, if any, are present at no more than 10% of the consecutive residues of the ADAMTS protein;

wherein the polypeptide has an ADAMTS activity that is not substantially diminished relative to the ADAMTS protein;

and thereby modulating ADAMTS activity in the cell.

31. A pharmaceutical composition according to claim 17, for use in the manufacture of a medicament for treating a patient afflicted with a condition associated with cell proliferation, cell migration, inflammation and/or angiogenesis.

32. A composition according to claim 31, wherein the condition is selected from the group consisting of cancer, arthritis and autoimmune diseases.

33. An agent that decreases expression or activity of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27, for use in the manufacture of a medicament for treating a patient afflicted with an invasive tumor.

34. An agent that decreases expression or activity of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26 or 27, for use in the manufacture of a medicament for treating a patient afflicted with a brain tumor.

35. An agent that decreases expression or activity of an ADAMTS protein that comprises a sequence recited in any one of SEQ ID NOs:2, 4, 6, 8, 10, 12, 14, 16, 18, 20,

22, 24, 26 or 27, for use in the manufacture of a medicament for treating a patient afflicted with a brain injury.

36. An agent according to any one of claims 33-35, wherein the ADAMTS protein comprises a sequence recited in SEQ ID NO:16.

AGGACCAAGCGGTTTGTGTCTGAGGCGCGCTTCGTGGAGACGCTGCTGGTGGCCGATGCGTCCATGGCTGCCTTCTACGG
GGCCGACCTGCAGAACCACATCCTGACGTTAATGTCTGTGGCAGCCCGAATCTACAAGCACCCCAGCATCAAGAATTCCA
TCAACCTGATGGTGGTAAAAGTGCTGATCGTAGAAGATGAAAAATGGGGCCCAGAGGTGTCCGACAATGGGGGGCTTACA
CTGCGTAACTTCTGCAACTGGCAGCGGCGTTTCAACCAGCCCAGCGACCGGCACCCAGAGCACTACGACACGGCCATCCT
GCTCACCAGACAGAACTTCTGTGGGCAGGAGGGGCTGTGTGACACCCTGGGTGTGGCAGACATCGGGACCATTTGTGACC
CCAACAAAAGCTGCTCCGTGATCGAGGATGAGGGGCTCCAGGCGGCCCACACCCTGGCCCATGAACTAGGGCACGTCCTC
AGCATGCCCCACGACGACTCCAAGCCCTGCACACGGCTCTTCGGGCCCATGGGCAAGCACCACGTGATGGCACCGCTGTT
CGTCCACCTGAACCAGACGCTGCCCTGGTCCCCCTGCAGCGCCATGTATCTCACAGAGCTTCTGGACGGCGGGCACGGAG
ACTGTCTCCTGGATGCCCCTGCTGCGGCCCTGCCCCTCCCCACAGGCCTCCCGGGCCGCATGGCCCTGTACCAGCTGGAC
CAGCAGTGCAGGCAGATCTTTGGGCCGGATTTCCGCCACTGCCCCAACACCTCTGCTCAGGACGTCTGCGCCCAGCTTTG
GTGCCACACTGATGGGGCTGAGCCCCTGTGCCACACGAAGAATGGCAGCCTGCCCTGGGCTGACGGCACGCCGTGCGGGC
CTGGGCACCTCTGCTCAGAAGGCAGCTGTCTACCTGAGGAGGAAGTGGAGAGGCCCAAGCCCGTGGTAGATGGAGGCTGG
GCACCGTGGGGACCCTGGGGAGAATGTTCTCGGACCTGTGGAGGAGGAGTACAGTTTTCACACCGTGAGTGCAAGGACCC
CGAGCCTCAGAATGGAGGAAGATACTGCCTGGGTCGGAGAGCCAAGTACCAGTCATGCCACACGGAGGAATGCCCCCCTG
ACGGGAAAAGCTTCAGGGAGCAGCAGTGTGAGAAGTATAATGCCTACAATTACACTGACATGGACGGGAATCTCCTGCAG
TGGGTCCCCAAGTATGCTGGGGTGTCCCCCCGGGACCGCTGCAAGTTGTTCTGCCGAGCCCGGGGGAGGAGCGAGTTCAA
AGTGTTCGAGGCCAAGGTGATTGATGGCACCCTGTGTGGGCCAGAAACACTGGCCATCTGTGTCCGTGGCCAGTGTGTCA
AGGCCGGCTGTGACCATGTGGTGGACTCGTTTTGGAAGCTGGACAAATGCGGGGTGTGTGGGGGGAAAGGCAACTCCTGC
AGGAAGGGCTCCGGGTCCCTCACCCCCACCAATTATGGCTACAATGACATTGTCACCATCCCAGCTGGTGCCACTAATAT
TGACGTGAAGCAGCGGAGCCACCCGGGTGTGCAGAACGATGGGAACTACCTGGCGCTGAAGACGGCTGATGGGCAGTACC
TGCTCAACGGCAACCTGGCCATCTCTGCCATAGAGCAGGACATCTTGGTGAAGGGGACCATCCTGAAGTACAGCGGCTCC
ATCGCCACCCTGGAGCGCCTGCAGAGCTTCCGGCCCTTGCCAGAGCCTCTGACAGTGCAGCTCCTGGCAGTCCCTGGCGA
GGTCTTCCCCCCAAAAGTCAAATACACCTTCTTTGTTCCTAATGACGTGGACTTTAGCATGCAGAGCAGCAAAGAGAGAG
CAACCACCAACATCACCCAGCCGCTGCTCCACGCACAGTGGGTGCTGGGGGACTGGTCTGAGTGCTCTAGCACCTGCGGG
GCCGGCTGGCAGAGGCGAACTGTAGAGTGCAGGGACCCCTCCGGCCAGGCCTCTGCCACCTGCAACAAGGCTCTGAAACC
CGAGGATGCCAAGCCCTGCGAAAGCCAGCTGTGCCCCCTGTGATTCAGGGGGGCAGGGGCCAGTCTTGTGCTCCTGGACA
TGCGGTACTGAGGTGCAGACAAGGGTCTCCACTGTGGTGACTGGGTCCCTTGGCCATATCAAGGCAGCACGGCCCACCCA
GGCCTCCCATTGCCGCAACCCCTCCAGTACTGCACAAATTCCTAAGGGGGAAGAGGAGAGGGTATGGGGCGGCAGACCCT
ATCATCAACTGTCCAGTGGACTGGACCTTGCTCGGGTTCAAGTAGAGGGCATAGGTTAAAAGGTAAAAGTGCACTTATTG
TACCAGACAGGACGCCCGCGAATTC

Fig. 1

RTKRFVSEARFVETLLVADASMAAFYGADLQNHILTLMSVAARIYKHPSIKNSINLMVVKVLIVEDEKWGPEVSDNGGLT
LRNFCNWQRRFNQPSDRHPEHYDTAILLTRQNFCGQEGLCDTLGVADIGTICDPNKSCSVIEDEGLQAAHTLAHELGHVL
SMPHDDSKPCTRLFGPMGKHHVMAPLFVHLNQTLPWSPCSAMYLTELLDGGHGDCLLDAPAAALPLPTGLPGRMALYQLD
QQCRQIFGPDFRHCPNTSAQDVCAQLWCHTDGAEPLCHTKNGSLPWADGTPCGPGHLCSEGSCLPEEEVERPKPVVDGGW
APWGPWGECSRTCGGGVQFSHRECKDPEPQNGGRYCLGRRAKYQSCHTEECPPDGKSFREQQCEKYNAYNYTDMDGNLLQ
WVPKYAGVSPRDRCKLFCRARGRSEFKVFEAKVIDGTLCGPETLAICVRGQCVKAGCDHVVDSFWKLDKCGVCGGKGNSC
RKGSGSLTPTNYGYNDIVTIPAGATNIDVKQRSHPGVQNDGNYLALKTADGQYLLNGNLAISAIEQDILVKGTILKYSGS
IATLERLQSFRPLPEPLTVQLLAVPGEVFPPKVKYTFFVPNDVDFSMQSSKERATTNITQPLLHAQWVLGDWSECSSTCG
AGWQRRTVECRDPSGQASATCNKALKPEDAKPCESQLCPL.

Fig. 2

CCCCCCCTCGAGGTCGACGGTATCGATAAGCTTGATATCGAATTCCGGGCCCCCCACCCCCGCCCCTGAAACTTCTATAG
CAAATAGCAAACATCCAGCTAGACTCAGTCGCGCAGCCCCTCCCGGCGGGCAGCGCACTATGCGGCTCGAGTGGGCGTCC
TTGCTGCTGCTACTGCTGCTGCTGTGCGCGTCCTGCCTGGCCCTGGCCGCTGACAACCCTGCCGCGGCACCTGCCCAGGA
TAAAACCAGGCAGCCTCGGGCTGCTGCAGCGGCTGCCCAGCCCGACCAGCGGCAGTGGGAGGAAACACAGGAGCGGGGCC
ATCTGCAACCCTTGGCCAGGCAGCGCAGGAGCAGCGGGCTGGTGCAGAATATAGACCAACTCTACTCTGGCGGTGGCAAA
GTGGGCTACCTTGTCTACGCGGGCGGCCGGAGGTTCCTGCTGGACCTGGAGAGGGATGACACAGTGGGTGCTGCTGGTGG
CATCGTTACTGCAGGAGGGCTGAGCGCATCCTCTGGCCACAGGGGTCACTGCTTCTACAGAGGCACTGTGGACGGCAGCC
CTCGATCCCTAGCTGTCTTTGACCTCTGTGGGGGTCTCGATGGCTTCTTCGCAGTCAAGCATGCGCGCTACACTCTGAGG
CCGCTCTTGCGTGGGTCCTGGGCAGAGTCCGAACGAGTTTACGGGGATGGGTCTTCACGCATCCTGCATGTCTACACCCG
CGAGGGCTTCAGCTTCGAGGCCCTGCCGCCACGCACCAGTTGCGAGACTCCAGCGTCCCCGTCTGGGGCCCAAGAGAGCC
CCTCGGTGCACAGTAGTTCTAGGCGACGCACAGAACTGGCACCGCAGCTGCTGGACCATTCAGCTTTCTCGCCAGCTGGG
AACGCGGGACCTCAGACCTGGTGGAGGCGGAGGCGCCGTTCCATCTCCAGGGCCCGCCAGGTGGAGCTCCTCTTGGTGGC
TGACTCTTCCATGGCCAAGATGTATGGGCGGGGCCTGCAGCATTACCTGCTGACCCTGGCCTCTATTGCCAACCGGCTGT
ACAGTCATGCAAGCATCGAGAACCACATCCGCCTGGCCGTAGTGAAAGTGGTGGTGCTGACCGACAAGAGTCTGGAGGTG
AGCAAGAACGCGGCCACGACCCTCAAGAACTTTTGCAAATGGCAGCACCAACACAACCAGCTAGGTGATGACCATGAGGA
GCACTACGATGCAGCCATCCTGTTCACCAGAGAGGATTTATGTGGGCATCATTCATGTGACACCCTGGGAATGGCAGACG
TTGGGACCATATGTTCTCCGGAGCGCAGCTGCGCTGTGATTGAAGATGATGGCCTCCATGCAGCTTTCACTGTGGCTCAC
GAAATTGGACATCTACTTGGCCTCTCTCACGACGATTCCAAATTCTGTGAAGAGAACTTTGGTTCTACAGAAGACAAGCG
TTTAATGTCTTCAATCCTTACCAGCATTGATGCATCCAAGCCCTGGTCCAAATGCACTTCAGCCACGATCACAGAATTTC
TGGATGACGGTCATGGTAACTGTTTACTAGATGTACCACGGAAGCAGATTCTGGGCCCCGAGGAACTCCCAGGACAGACC
TATGATGCCACCCAGCAGTGCAACTTGACATTTGGGCCTGAATACTCTGTGTGCCCTGGCATGGATGTCTGTGCACGGCT
GTGGTGTGCTGTGGTGCGCCAAGGCCAAATGGTGTGTCTGACCAAGAAGTTGCCTGCCGTGGAGGGCACTCCCTGTGGGA
AAGGAAGAATCTGCCTGCAAGGCAAATGTGTGGACAAAACTAAGAAAAAATATTACTCGACATCAAGCCATGGAAATTGG
GGGTCCTGGGGCCCCTGGGGTCAGTGTTCTCGCTCTTGCGGGGGAGGAGTACAGTTTGCCTACCGCCATTGCAATAACCC
CGCACCTCGAAACAGTGGCCGCTACTGCACAGGGAAGAGGGCCATATACCGTTCCTGCAGTGTCATACCCTGCCCACCTA
ACGGCAAATCTTTCCGCCACGAGCAGTGTGAAGCCAAAAATGGCTATCAGTCCGATGCAAAAGGAGTCAAAACATTTGTA
GAATGGGTTCCCAAATACGCAGGTGTCCTGCCGGCAGACGTGTGCAAGCTTACGTGCAGAGCTAAGGGCACTGGCTATTA
CGTGGTCTTTTCTCCAAAGGTTACAGATGGGACAGAATGTAGACCCTACAGCAACTCCGTGTGTGTCCGAGGGAGGTGCG
TGAGAACGGGGTGTGACGGCATCATCGGCTCAAAGCTACAGTATGACAAGTGTGGAGTGTGTGGAGGGGATAACTCCAGT

Fig. 3A

TGTACAAAGATTATCGGAACCTTCAATAAAAAAAGCAAGGGTTATACTGACGTTGTGAGGATCCCTGAAGGAGCAACCCA
CATAAAAGTCCGACAGTTCAAAGCCMAAGACCAGACTAGATTCACTGCTTACTTAGCCCTAAAGAAGAAAACTGGCGAGT
ACCTTATCAACGGCAAGTACATGATCTCCACTTCAGAGACCATCATCGACATCAATGGTACCGTCATGAACTACAGTGGG
TGGAGTCACAGAGATGATTTTTTTACATGGGATGGGCTATTCAGCCACAAAGGAAATTCTGATTGTGCAGATCCTTGCAAC
AGACCCAACTAAAGCATTAGACGTCCGTTACAGCTTTTTTGTTCCCAAGAAGACCACTCAAAAAGTGAATTCCTGCAGCC
CGGGGGATCCACTAGTTCTAGAGCGGCCG

Fig. 3B

MRLEWASLLLLLLLLCASCLALAADNPAAAPAQDKTRQPRAAAAAAQPDQRQWEETQERGHLQPLARQRRSSGLVQNIDQ
LYSGGGKVGYLVYAGGRRFLLDLERDDTVGAAGGIVTAGGLSASSGHRGHCFYRGTVDGSPRSLAVFDLCGGLDGFFAVK
HARYTLRPLLRGSWAESERVYGDGSSRILHVYTREGFSFEALPPRTSCETPASPSGAQESPSVHSSSRRRTELAPQLLDH
SAFSPAGNAGPQTWWRRRRRSISRARQVELLLVADSSMAKMYGRGLQHYLLTLASIANRLYSHASIENHIRLAVVKVVVL
TDKSLEVSKNAATTLKNFCKWQHQHNQLGDDHEEHYDAAILFTREDLCGHHSCDTLGMADVGTICSPERSCAVIEDDGLH
AAFTVAHEIGHLLGLSHDDSKFCEENFGSTEDKRLMSSILTSIDASKPWSKCTSATITEFLDDGHGNCLLDVPRKQILGP
EELPGQTYDATQQCNLTFGPEYSVCPGMDVCARLWCAVVRQGQMVCLTKKLPAVEGTPCGKGRICLQGKCVDKTKKKYYS
TSSHGNWGSWGPWGQCSRSCGGGVQFAYRHCNNPAPRNSGRYCTGKRAIYRSCSVIPCPPNGKSFRHEQCEAKNGYQSDA
KGVKTFVEWVPKYAGVLPADVCKLTCRAKGTGYYVVFSPKVTDGTECRPYSNSVCVRGRCVRTGCDGIIGSKLQYDKCGV
CGGDNSSCTKIIGTFNKKSKGYTDVVRIPEGATHIKVRQFKAXDQTRFTAYLALKKKTGEYLINGKYMISTSETIIDING
TVMNYSGWSHRDDFLHGMGYSATKEILIVQILATDPTKALDVRYSFFVPKKTTQKVNSCSPGDPLVLERP

Fig. 4

KIAA0605 Accession #: AB011177

```
cactggcgga gaaaatcccc ttctttttt tctctctctt tttttctttt tgagacggaa     60
tctcactctt tcacccagac tggagggcag cggcgagatc tcggctcact gcaacctcca    120
cctcccaggt tcaagcaatt ctcctgcctc agccttccga gtagctggga ttacaggtgc    180
ccgccaccac gcccagctaa tttttgtatt tttagtagag acaggatttt accatgttgg    240
ccatgctggt ctcaaactcc tgacctcgtg tgatcccccc gccttcagcct ctcaaactgc   300
tgggattata ggcatgagcc actgcgcctg gccaacaatc cccttctaaa ggcaggtggt    360
gtctccagca ccagggccat acggctgcaa cacccctaca agtgccgggt ctgccagaca    420
accacgacca actagtccca gataaccttg aggcctgggc actggctggg ccccgagggc    480
tcttcccaaa gcgtaccctg gtcatctgga agaggatcgg agctggcctg gtggtgacag    540
tggccttgct tcctaggatg gatggcagat ggcaatgttc ctgctgggcc tggttcctgc    600
tggttctggc agttgtagct ggggacacag tgtcaaccgg gtccacggac aacagcccaa    660
catccaatag cctggagggg ggcaccgacg ccacggcctt ctggtggggg gagtggacca    720
agtggacggc gttttcccgc agttgcgggg gtggggtgac atcccaggag cggcactgcc    780
tgcagcagag gaggaagtcc gtcccgggcc ccgggaacag gacctgcacg ggcacgtcca    840
agcggtacca gctctgcaga gtgcaggagt gtccgccgga cgggaggagc ttccgcgagg    900
agcagtgcgt ctccttcaac tcccacgtgt acaacgggcg gacgcaccag tggaagcctc    960
tgtacccgga tgactatgtc cacatctcca gcaaaccgtg tgacctgcac tgtaccaccg   1020
tggacggcca gcggcagctc atggtccccg cccgcgacgg cacatcctgc aagctcactg   1080
acctgcgagg ggtttgcgtg tctggaaaat gtgagcccat cggctgtgac ggggtgcttt   1140
tctccaccca cacactggac aagtgtggca tctgccaggg ggacggtagc agctgcaccc   1200
acgtgacggg caactatcgc aaggggaatg cccaccttgg ttactctctg gtgacccaca   1260
tcccggctgg tgcccgagac atccagattg tagagaggaa gaagtccgct gacgtgctag   1320
ctcttgcaga tgaagctggc tactacttct tcaacggcaa ctacaaggtg gacagcccca   1380
agaacttcaa catcgctggc acggtggtca agtaccggcg gcccatggat gtctatgaga   1440
ccggaatcga gtacatcgtg gcacaggggc ccaccaacca gggcctgaat gtcatggtgt   1500
ggaaccagaa cggcaaaagc ccctccatca ccttcgagta cacgctgctg cagccgccac   1560
acgagagccg cccccagccc atctactatg gcttctccga gagcgctgag agccagggcc   1620
tggacggggc cgggctgatg ggcttcatcc cgcacaacgg ctccctctac ggccaggcct   1680
cctcagagcg gctgggcctg gacaaccggc tgttcggcca cccgggcctg gacatggagc   1740
tgggccccag ccagggccag gagaccaacg aggtgtgcga gcaggccggc ggcggggcct   1800
gcgaggggcc ccccaggggc aagggcttcc gagaccgcaa cgtcacgggg acttctctca   1860
ccggggacaa ggatgacgaa gaggttgaca cccacttcgc ctcccaggag ttcttctcgg   1920
ctaacgccat ctctgaccag ctgctgggcg caggctctga cttgaaggac ttcaccctca   1980
atgagactgt gaacagcatc tttgcacagg gcgccccaag gagctccctg gccgagagct   2040
tcttcgtgga ttatgaggag aacgaggggg ctggcccttа cctgctcaac gggtcctacc   2100
tggagctgag cagcgacagg gttgccaaca gctcctccga ggccccattc cccaacgtta   2160
gcaccagcct gctcacctcg gccgggaaca ggactcacaa ggccaggacc aggcccaagg   2220
cgcgcaagca aggcgtgagt cccgcggaca tgtaccggtg gaagctctcg tcccacgagc   2280
cctgcagtgc cacctgcacc acaggggtca tgtctgcgta cgccatgtgt gtccgctatg   2340
atggcgtcga ggtggatgac agctactgtg acgccctgac ccgtcccgag cctgtccacg   2400
agttctgcgc tgggagggag tgccagccca ggtgggagac gagcagctgg agcgagtgtt   2460
```

Fig. 5A

```
cgcgcacctg cggagagggc taccagttcc gcgtcgtgcg ctgctggaag atgctctcgc   2520
ccggcttcga cagctccgtg tacagcgacc tgtgcgaggc agccgaggcc gtgcggcccg   2580
aggaacgcaa gacctgccgg aaccccgcct gcgggcccca gtgggagatg tcggagtggt   2640
ccgagtgcac tgccaagtgt ggggagcgca gtgtggtgac cagggacatc cgctgctcgg   2700
aggatgagaa gctgtgtgac cccaacacca ggcctgtagg ggagaagaac tgcacgggcc   2760
cgccctgtga ccggcagtgg accgtctccg actggggacc gtgcagtgga agctgcgggc   2820
aaggccgcac catcaggcac gtgtactgca agaccagcga cggacgggta gtacctgagt   2880
cccagtgcca gatggagacc aagcctctgg ccatccaccc ctgtggggac aaaaactgtc   2940
ccgcccactg gctggcccag gactgggagc ggtgcaacac cacctgcggg cgcggggtca   3000
agaagcggct ggtgctctgc atggagctgg ccaacgggaa gccgcagacg cgcagtggcc   3060
ccgagtgcgg gctcgccaag aagcctcccg aggagagcac gtgtttcgag aggccctgct   3120
tcaagtggta caccagcccc tggtcagagt gcaccaagac ctgcggggtg ggcgtgagga   3180
tgcgagacgt caagtgctac caggggaccg acatcgtccg tggttgcgat ccgttggtga   3240
agcccgttgg cagacaggcc tgtgatctgc agccctgccc cacggagccc ccagatgaca   3300
gctgccagga ccagccaggc accaactgtg ccctggccat caaagtgaac ctctgcgggc   3360
actggtacta cagcaaggcg tgctgccgct cctgcaggcc cccccactcc taggcccggc   3420
agctgcagcc ccttccagat gaagaccaag cgcccctcct ggggctgctg cagcttctgg   3480
ggcctccaca gacccccctc ctgcggggca cgctggccta agagacgtgg cactgagcct   3540
cggctgtcga gaggggactt cccacggccc gtggaccttt gtgctcctgg ggcagagcct   3600
ccggcaccca gtggcctccc ccagacagag ccacccctgc cgtgggaacc tgtccgtgtt   3660
cctgcgtgga tcctgtgttt gtggctccca ctccccagcc ccccagcagc ccccagccga   3720
ggggcccagg gcccacagcc agcggtggag gtgtcttgct ccgggcccgt agcccacgcc   3780
ctctctgggt ggcagggcct tctgaaggaa acttgcaggc gagcccaacg tggtgggggg   3840
ccttcctccc tcagaggcca tggggtgaga ggggctcagg cagccaagga ggcccaggcg   3900
tgctccctct tatggagccc ctcccatgga gctctcttcc cgccgcactt tctaccccgg   3960
gcagaggcgc ttgcccacgg gacgtttggg gatggacctc ggcccccgcc cctgcagtca   4020
gcgtcagtgc tcatctacgt taataaagtg gtcctattta tggcggc                 4067
```

Fig. 5B

```
MDGRWQCSCWAWFLLVLAVVAGDTVSTGSTDNSPTSNSLEGGTDATAFWWGEWTKWTAFSRSCGGGVTSQERHCLQQRRKSVPGPGNRTCTGTSKRYQ
LCRVQECPPDGRSFREEQCVSFNSHVYNGRTHQWKPLYPDDYVHISSKPCDLHCTTVDGQRQLMVPARDGTSCKLTDLRGVCVSGKCEPIGCDGVLFS
THTLDKCGICQGDGSSCTHVTGNYRKGNAHLGYSLVTHIPAGARDIQIVERKKSADVLALADEAGYYFFNGNYKVDSPKNFNIAGTVVKYRRPMDVYE
TGIEYIVAQGPTNQGLNVMVWNQNGKSPSITFEYTLLQPPHESRPQPIYYGFSESAESQGLDGAGLMGFIPHNGSLYGQASSERLGLDNRLFGHPGLD
MELGPSQGQETNEVCEQAGGGACEGPPRGKGFRDRNVTGTPLTGDKDDEEVDTHFASQEFFSANAISDQLLGAGSDLKDFTLNETVNSIFAQGAPRSS
LAESFFVDYEENEGAGPYLLNGSYLELSSDRVANSSSEAPFPNVSTSLLTSAGNRTHKARTRPKARKQGVSPADMYRWKLSSHEPCSATCTTGVMSAY
AMCVRYDGVEVDDSYCDALTRPEPVHEFCAGRECQPRWETSSWSECSRTCGEGYQFRVVRCWKMLSPGFDSSVYSDLCEAAEAVRPEERKTCRNPACG
PQWEMSEWSECTAKCGERSVVTRDIRCSEDEKLCDPNTRPVGEKNCTGPPCDRQWTVSDWGPCSGSCGQGRTIRHVYCKTSDGRVVPESQCQMETKPL
AIHPCGDKNCPAHWLAQDWERCNTTCGRGVKKRLVLCMELANGKPQTRSGPECGLAKKPPEESTCFERPCFKWYTSPWSECTKTCGVGVRMRDVKCYQ
GTDIVRGCDPLVKPVGRQACDLQPCPTEPPDDSCQDQPGTNCALAIKVNLCGHWYYSKACCRSCRPPHS  (951 amino acids)
```

Fig. 6

DNA sequence of metalloproteinase gene (KIAA0366) Accession #: AB002364

```
gtcactttgg ttgatagcag ccgctctggt agaggttagg acttcagctg atggacaagc     60
tggtaatgaa gaaatggtgc aaatagattt accaataaag agatatagag agtatgagct    120
ggtgactcca gtcagcacaa atctagaagg acgctatctc tcccatactc tttctgcgag    180
tcacaaaaag aggtcagcga gggacgtgtc ttccaaccct gagcagttgt tctttaacat    240
cacggcattt ggaaaagatt ttcatctgcg actaaagccc aacactcaac tagtagctcc    300
tggggctgtt gtggagtggc atgagacatc tctggtgcct gggaatataa ccgatcccat    360
taacaaccat caaccaggaa gtgctacgta tagaatccgg aaaacagagc ctttgcagac    420
taactgtgct tatgttggtg acatcgtgga cattccagga acctctgttg ccatcagcaa    480
ctgtgatggt ctggctggaa tgataaaaag tgataatgaa gagtatttca ttgaaccctt    540
ggaaagaggt aaacagatgg aggaagaaaa aggaaggatt catgttgtct acaagagatc    600
agctgtagaa caggctccca tagacatgtc caaagacttc cactacagag agtcggacct    660
ggaaggcctt gatgatctag gtactgttta tggcaacatc caccagcagc tgaatgaaac    720
aatgagacgc cgcagacacg cgggagaaaa cgattacaat atcgaggtac tgctgggagt    780
ggatgactct gtggtccgtt tccatggcaa agagcacgtc caaaactacc tcctgaccct    840
aatgaacatt gtgaatgaaa tttaccatga tgagtccctc ggagtgcata taaatgtggt    900
cctggtgcgc atgataatgc tgggatatgc aaagtccatc agcctcatag aaaggggaaa    960
cccatccaga agcttggaga atgtgtgtcg ctgggcgtcc caacagcaaa gatctgatct   1020
caaccactct gaacaccatg accatgcaat ttttttaacc aggcaagact ttggacctgc   1080
tggaatgcaa ggatatgctc cagtcaccgg catgtgtcat ccagtgagaa gttgtaccct   1140
gaatcatgag gatggttttt catctgcttt tgtagtagcc catgaaacgg gccatgtgtt   1200
gggaatggag catgatggac aaggcaacag gtgtggtgat gagactgcta tgggaagtgt   1260
catggctccc ttggtacaag cagcattcca tcgttaccac tggtcccgat gcagtggtca   1320
agaactgaaa agatatatcc attcctatga ctgtctcctt gatgaccctt ttgatcatga   1380
ttggcctaaa ctcccagaac ttcctggaat caattattct atggatgagc aatgtcgttt   1440
tgattttggt gttggctata aaatgtgcac cgcgttccga acctttgacc catgtaaaca   1500
gctgtggtgt agccatcctg ataatcccta cttttgtaag actaaaaagg gacctccact   1560
tgatgggact gaatgtgctg ctggaaaatg gtgctataag ggtcattgca tgtggaagaa   1620
tgctaatcag caaaaacaag atggcaattg ggggtcatgg actaaatttg gctcctgttc   1680
tcggacatgt ggaactggtg ttcgtttcag aacacgccag tgcaataatc ccatgcccat   1740
caatggtggt caggattgtc ctggtgttaa ttttgagtac cagctttgta acacagaaga   1800
atgccaaaaa cactttgagg acttcagagc acagcagtgt cagcagcgaa actcccactt   1860
tgaataccag aataccaaac accactggtt gccatatgaa catcctgacc ccaagaaaag   1920
atgccacctt tactgtcagt ccaaggagac tggagatgtt gcttacatga aacaactggt   1980
gcatgatgga acgcactgtt cttacaaaga tccatatagc atatgtgtgc gaggagagtg   2040
tgtgaaagtg ggctgtgata aagaaattgg ttctaataag gttgaggata agtgtggtgt   2100
ctgtggagga gataattccc actgccgaac cgtgaagggg acatttacca gaactcccag   2160
gaagcttggg taccttaaga tgtttgatat acccccctggg gctagacatg tgttaatcca   2220
agaagacgag gcttctcctc atattcttgc tattaagaac caggctacag gccattatat   2280
tttaaatggc aaaggggagg aagccaagtc gcggaccttc atagatcttg gtgtggagtg   2340
ggattataac attgaagatg acattgaaag tcttcacacc gatggacctt tacatgatcc   2400
tgttattgtt ttgattatac ctcaagaaaa tgatacccgc tctagcctga catataagta   2460
catcatccat gaagactctg tacctacaat caacagcaac aatgtcatcc aggaagaatt   2520
```

Fig. 7A

agatactttt gagtgggcct tgaagagctg gtctcaggtt tccaaaccct gtggtggagg 2580
tttccagtac actaaatatg gatgccgtag gaaaagtgat aataaaatgg tccatcgcag 2640
cttctgtgag gccaacaaaa agccgaaacc tattagacga atgtgcaata ttcaagagtg 2700
tacacatcca ctctgggtag cagaagaatg ggaacactgc accaaaacct gtggaagttc 2760
tggctatcag cttcgcactg tacgctgcct tcagccactc cttgatggca ccaaccgctc 2820
tgtgcacagc aaatactgca tgggtgaccg tcccgagagc cgccggccct gtaacagagt 2880
gccctgccct gcacagtgga aaacaggacc ctggagtgag tgttcagtga cctgcggtga 2940
aggaacggag gtgaggcagg tcctctgcag ggctggggac cactgtgatg gtgaaaagcc 3000
tgagtcggtc agagcctgtc aactgcctcc ttgtaatgat gaaccatgtt tgggagacaa 3060
gtccatattc tgtcaaatgg aagtgttggc acgatactgc tccataccag gttataacaa 3120
gttatgttgt gagtcctgca gcaagcgcag tagcaccctg ccaccaccat accttctaga 3180
agctgctgaa actcatgatg atgtcatctc taaccctagt gacctcccta gatctctagt 3240
gatgcctaca tctttggttc cttatcattc agagacccct gcaaagaaga tgtctttgag 3300
tagcatctct tcagtgggag gtccaaatgc atatgctgct ttcaggccaa acagtaaacc 3360
tgatggtgct aatttacgcc agaggagtgc tcagcaagca ggaagtaaga ctgtgagact 3420
ggtcaccgta ccatcctccc cacccaccaa gagggtccac ctcagttcag cttcacaaat 3480
ggctgctgct tccttctttg cagccagtga ttcaataggt gcttcttctc aggcaagaac 3540
ctcaaagaaa gatggaaaga tcattgacaa cagacgtccg acaagatcat ccaccttaga 3600
aagatgagaa agtgaaccaa aaaggctaga aaccagagga aaacctggac aacctctctc 3660
ttcccatggt gcatatgctt gtttaaagtg gaaatctcta tagatcgtca gctcatttta 3720
tctgtaattg gaagaacaga aagtgctggc tcacttttcta gttgctttca tcctcctttt 3780
gttctgcatt gactcattta ccagaattca ttggaagaaa tcaccaaaga ttattacaaa 3840
agaaaaatat gttgctaaga ttgtgttggt cgctctctga agcagaaaag ggactggaac 3900
caattgtgca tatcagctga ctttttgttt gttttagaaa agttacagta aaaattaaaa 3960
agagatacca atggtttaca ctttaacaag aaattttgga tatggaacaa agaattctta 4020
gacttgtatt cctatttatc tatattagaa atattgtatg agcaaatttg cagctgttgt 4080
gtaaatactg tatattgcaa aaatcagtat tattttaaga gatgtgttct caaatgattg 4140
tttactatat tacatttctg gatgttctag gtgcctgtcg ttgagtattg ccttgtttga 4200
cattctatag gttaattttc aaagcagagt attacaaaag agaagttaga attacagcta 4260
ctgacaatat aaagggtttt gttgaatcaa caatgtgata cgtaaattat agaaaaagaa 4320
aagaaacaca aaagctatag atatacagat atcagcttac ctattgcctt ctatacttat 4380
aatttaaagg attggtgtct tagtacactt gtggtcacag ggatcaacga atagtaaata 4440
atgaactcgt gcaagacaaa actgaaaccc tctttccagg acctcagtag gcaccgttga 4500
ggtgtccttt gtttttgtgt gtgtgtgttc ttttttaatt ttcgcattgt tgacagatac 4560
aaacagttat actcaatgta ctgtaataat cgcaaaggaa aaagttttgg gataacttat 4620
ttgtatgttg gtagctgaga aaaatatcat cagtctagaa ttgatatttg agtatagtag 4680
agctttgggg ctttgaaggc aggttcaaga aagcatatgt cgatggttga gatatttatt 4740
ttccatatgg ttcatgttca aatgttcaca accacaatgc atctgactgc aataatgtgc 4800
taataattta tgtcagtagt caccttgctc acagcaaagc cagaaatgct ctctccaggg 4860
agtagatgta aagtacttgt acatagaatt cagaactgaa gatatttatt aaaagttgat 4920
tttttttttct tgatagtatt tttatgtact aaatatttac actaatatca attacatatt 4980
ttggtaaact agagagacat aattagagat gcatgctttg ttctgtgcat agagaccttt 5040
aagcaaacta ctacagccaa ctcaaaagct aaaactgaac aaatttgatg ttatgcaaac 5100
atcttgcatt tttagtagtt gatattaagt tgatgacttg tttcccttca aggaaacatt 5160

Fig. 7B

```
aaattgtatg gactcagcta gctgttcaat gaaattgtga attagaaaca tttttaaaag   5220
tttttgaaag agataagtgc atcatgaatt acatgtacat gagaggagat agtgatatca   5280
gcataatgat tttgaggtca gtacctgagc tgtctaaaaa tatattatac aaactaaaat   5340
gtagatgaat taacctctca aagcacagaa tgtgcaagaa cttttgcatt ttaatcgttg   5400
taaactaaca gcttaaacta ttgactctat acctctaaag aattgctgct actttgtgca   5460
agaactttga aggtcaaatt aggcaaattc cagatagtaa aacaatccct aagccttaag   5520
tctttttttt ttcctaaaaa ttcccataga ataaaattct ctctagttta cttgtgtgtg   5580
catacatctc atccacaggg gaagataaag atggtcacac aaacagtttc cataaagatg   5640
tacatattca ttatacttct gacctttggg ctttcttttc tactaagcta aaaattcctt   5700
tttatcaaag tgtacactac tgatgctgtt tgttgtactg agagcacgta ccaataaaaa   5760
tgttaacaaa atat                                                     5774
```

Fig. 7C

```
1                                                                  80
slwliaaalvevrtsadgqagneemvqidlpikryreyelvtpvstnlegrylshtlsashkkrsardvssnpeqlffni
tafgkdfhlrlkpntqlvapgavvewhetslvpgnitdpinnhqpgsatyrirkteplqtncayvgdivdipgtsvaisn
cdglagmiksdneeyfieplergkqmeeekgrihvvykrsaveqapidmskdfhyresdlegldldlgtvygnihqqlnet
mrrrrhagendynievllgvddsvvrfhgkehvqnylltlmnivneiyhdeslgvhinvvlvrmimlgyaksisliergn
psrslenvcrwasqqqrsdlnhsehhdhaifltrqdfgpagmqgyapvtgmchpvrsctlnhedgfssafvvahetghvl
gmehdgqgnrcgdetamgsvmaplvqaafhryhwsrcsgqelkryihsydcllddpfdhdwpklpelpginysmdeqcrf
dfgvgykmctafrtfdpckqlwcshpdnpyfcktkkgppldgtecaagkwcykghcmwknanqqkqdgnwgswtkfgscs
rtcgtgvrfrtrqcnnpmpinggqdcpgvnfeyqlcnteecqkhfedfraqqcqqrnshfeyqntkhhwlpyehpdpkkr
chlycqsketgdvaymkqlvhdgthcsykdpysicvrgecvkvgcdkeigsnkvedkcgvcggdnshcrtvkgtftrtpr
klgylkmfdippgarnvliqedeasphilaiknqatghyilngkgeeaksrtfidlgvewdynieddieslhtdgplhdp
vivliipqendtrssltykyiihedsvptinsnnviqeeldtfewalkswsqvskpcgggfqytkygcrrksdnkmvnrs
fceankkpkpirrmcniqecthplwvaeewehctktcgssgyqlrtvrclqplldgtnrsvhskycmgdrpesrrpcnrv
pcpaqwktgpwsecsvtcgegtevrqvlcragdhcdgekpesvracqlppcndepclgdksifcqmevlarycsipgynk
lccescskrsstlpppylleaaethddvisnpsdlprslvmptslvpyhsetpakkmsississvggpnayaafrpnskp
dganlrqrsaqqagsktvrlvtvpssppptkrvhlssasqmaaasffaasdsigassqartskkdgkiidnrrptrsstle
r (1,201)
```

Fig. 8

GGAATTCGCGGCCGCGTCGACGTCAATACCAACTCCGAGCACACGGCCGTCATCAGCCTCTGCTCAGGAATGCTGGGCAC
ATTCCGGTCTCATGATGGGGATTATTTTATTGAACCACTACAGTCTATGGATGAACAAGAAGATGAAGAGGAACAAAACA
AACCCCACATCATTTATAGGCGCAGCGCCCCCCAGAGAGAGCCCTCAACAGGAAGGCATGCATGTGACACCTCAGAACAC
AAAAATAGGCACAGTAAAGACAAGAAGAAAACCAGAGCAAGAAAATGGGGAGAAAGGATTAACCTGGCTGGTGACGTAGC
AGCATTAAACAGCGGCTTAGCAACAGAGGCATTTTCTGCTTATGGTAATAAGACGGACAACACAAGAGAAAAGAGGACCC
ACAGAAGGACAAAACGTTTTTTATCCTATCCACGGTTTGTAGAAGTCTTGGTGGTGGCAGACAACAGAATGGTTTCATAC
CATGGAGAAAACCTTCAACACTATATTTTAACTTTAATGTCAATTGATGGGCCTTCCATATCTTTTAATGCTCAGACAAC
ATTAAAAAACCTTTGCCAGTGGCAGCATTCGAAGAACAGTCCAGGTGGAATCCATCATGATACTGCTGTTCTCTTAACAA
GACAGGATATCTGCAGAGCTCACGACAAATGTGATACCTTAGGCCTGGCTGAACTGGGAACCATTTGTGATCCCTATAGA
AGCTGTTCTATTAGTGAAGATAGTGGATTGAGTACAGCTTTTACGATCGCCCATGAGCTGGGCCATGTGTTTAACATGCC
TCATGATGACAACAACAAATGTAAAGAAGAAGGAGTTAAGAGTCCCCAGCATGTCATGGCTCCAACACTGAACTTCTACA
CCAACCCCTGGATGTGGTCAAAGTGTAGTCGAAAATATATCACTGAGTTTTTAGACACTGGTTATGGCGAGTGTTTGCTT
AACGAACCTGAATCCAGACCCTACCCTTTGCCTGTCCAACTGCCAGGCATCCTTTACAACGTGAATAAACAATGTGAATT
GATTTTTGGACCAGGTTCTCAGGTGTGCCCATATATGATGCAGTGCAGACGGCTCTGGTGCAATAACGTCAATGGAGTAC
ACAAAGGCTGCCGGACTCAGCACACACCCTGGGCCGATGGGACGGAGTGCGAGCCTGGAAAGCACTGCAAGTATGGATTT
TGTGTTCCCAAAGAAATGGATGTCCCCGTGACAGATGGATCCTGGGGAAGTTGGAGTCCCTTTGGAACCTGCTCCAGAAC
ATGTGGAGGGGGCATCAAAACAGCCATTCGAGAGTGCAACAGACCAGAACCAAAAAATGGTGGAAAATACTGTGTAGGAC
GTAGAATGAAATTTAAGTCCTGCAACACGGAGCCATGTCTCAAGCAGAAGCGAGACTTCCGAGATGAACAGTGTGCTCAC
TTTGACGGGAAGCATTTTAACATCAACGGTCTGCTTCCCAATGTGCGCTGGGTCCCTAAATACAGTGGAATTCTGATGAA
GGACCGGTGCAAGTTGTTCTGCAGAGTGGCAGGGAACACAGCCTACTATCAGCTTCGAGACAGAGTGATAGATGGAACTC
CTTGTGGCCAGGACACAAATGATATCTGTGTCCAGGGCCTTTGCCGGCAAGCTGGATGCGATCATGTTTTAAACTCAAAA
GCCCGGAGAGATAAATGTGGGGTTTGTGGTGGCGATAATTCTTCATGCAAAACAGTGGCAGGAACATTTAATACAGTACA
TTATGGTTACAATACTGTGGTCCGAATTCCAGCTGGTGCTACCAATATTGATGTGCGGCAGCACAGTTTCTCAGGGGAAA
CAGACGATGACAACTACTTAGCTTTATCAAGCAGTAAAGGTGAATTCTTGCTAAATGGAAACTTTGTTGTCACAATGGCC
AAAAGGGAAATTCGCATTGGGAATGCTGTGGTAGAGTACAGTGGGTCCGAGACTGCCGTAGAAAGAATTAACTCAACAGA
TCGCATTGAGCAAGAACTTTTGCTTCAGGTTTTGTCGGTGGGAAAGTTGTACAACCCCGATGTACGCTATTCTTTCAATA
TTCCAATTGAAGATAAACCTCAGCAGTTTTACTGGAACAGTCATGGGCCATGGCAAGCATGCAGTAAACCCTGCCAAGGG
GAACGGAAACGAAAACTTGTTTGCACCAGGGAATCTGATCAGCTTACTGTTTCTGATCAAAGATGCGATCGGCTGCCCCA
GCCTGGACACATTACTGAACCCTGTGGTACAGACTGTGACCTGAGGTGGCATGTTGCCAGCAGGAGTGAATGTAGTGCCC

Fig. 9A

AGTGTGGCTTGGGTTACCGCACATTGGACATCTACTGTGCCAAATATAGCAGGCTGGATGGGAAGACTGAGAAGGTTGAT
GATGGTTTTTGCAGCAGCCATCCCAAACCAAGCAACCGTGAAAAATGCTCAGGGGAATGTAACACGGGTGGCTGGCGCTA
TTCTGCCTGGACTGAATGTTCAAAAAGCTGTGACGGTGGGACCCAGAGGAGAAGGGCTATTTGTGTCAATACCCGAAATG
ATGTACTGGATGACAGCAAATGCACACATCAAGAGAAAGTTACCATTCAGAGGTGCAGTGAGTTCCCTTGTCCACAGTGG
AAATCTGGAGACTGGTCAGAGTGCTTGGTCACCTGTGGAAAAGGGCATAAGCACCGCCAGGTCTGGTGTCAGTTTGGTGA
AGATCGATTAAATGATAGAATGTGTGACCCAGAGGTCGACGCGGCCGCGAATTCCGCCGATACTGACGGGCTCCAGGAGT
CGTCGCCACCAATCCCCATATGGAAACCGTCGATATTCAGCCATGTGCCTTCAAGCCGAATTCCAG

Fig. 9B

GIRGRVDVNTNSEHTAVISLCSGMLGTFRSHDGDYFIEPLQSMDEQEDEEEQNKPHIIYRRSAPQREPSTGRHACDTSEH
KNRHSKDKKKTRARKWGERINLAGDVAALNSGLATEAFSAYGNKTDNTREKRTHRRTKRFLSYPRFVEVLVVADNRMVSY
HGENLQHYILTLMSIDGPSISFNAQTTLKNLCQWQHSKNSPGGIHHDTAVLLTRQDICRAHDKCDTLGLAELGTICDPYR
SCSISEDSGLSTAFTIAHELGHVFNMPHDDNNKCKEEGVKSPQHVMAPTLNFYTNPWMWSKCSRKYITEFLDTGYGECLL
NEPESRPYPLPVQLPGILYNVNKQCELIFGPGSQVCPYMMQCRRLWCNNVNGVHKGCRTQHTPWADGTECEPGKHCKYGF
CVPKEMDVPVTDGSWGSWSPFGTCSRTCGGGIKTAIRECNRPEPKNGGKYCVGRRMKFKSCNTEPCLKQKRDFRDEQCAH
FDGKHFNINGLLPNVRWVPKYSGILMKDRCKLFCRVAGNTAYYQLRDRVIDGTPCGQDTNDICVQGLCRQAGCDHVLNSK
ARRDKCGVCGGDNSSCKTVAGTFNTVHYGYNTVVRIPAGATNIDVRQHSFSGETDDDNYLALSSSKGEFLLNGNFVVTMA
KREIRIGNAVVEYSGSETAVERINSTDRIEQELLLQVLSVGKLYNPDVRYSFNIPIEDKPQQFYWNSHGPWQACSKPCQG
ERKRKLVCTRESDQLTVSDQRCDRLPQPGHITEPCGTDCDLRWHVASRSECSAQCGLGYRTLDIYCAKYSRLDGKTEKVD
DGFCSSHPKPSNREKCSGECNTGGWRYSAWTECSKSCDGGTQRRRAICVNTRNDVLDDSKCTHQEKVTIQRCSEFPCPQW
KSGDWSECLVTCGKGHKHRQVWCQFGEDRLNDRMCDPEVDAAANSADTDGLQESSPPIPIWKPSIFSHVPSSRIP

Fig. 10

cacatatgcacgagagagacagaggaggaaagagacagagacaaaggcacagcggaagaaggcagagacagggcaggcac
agaagcggcccagacagagtcctacagagggagaggccagagaagctgcagaagacacaggcagggagagacaaagatcc
aggaaaggagggctcaggaggagagtttggagaagccagacccctgggcacctctcccaagcccaaggactaagttttct
ccatttccttaacggtcctcagcccttctgaaaactttgcctctgaccttggcaggagtccaagcccccaggctacaga
gaggagctttccaaagctagggtgtggaggacttggtgccctagacggcctcagtccctcccagctgcagtaccagtgcc
atgtcccagacaggctcgcatcccgggaggggcttggcagggcgctggctgtggggagcccaaccctgcctcctgctccc
cattgtgccgctctcctggctggtgtggctgcttctgctactgctggcctctctcctgccctcagcccggctggccagcc
ccctcccccgggaggaggagatcgtgtttccagagaagctcaacggcagcgtcctgcctggctcgggcacccctgccagg
ctgttgtgccgcttgcaggcctttggggagacgctgctactagagctggagcaggactccggtgtgcaggtcgaggggct
gacagtgcagtacctgggccaggcgcctgagctgctgggtggagcagagcctggcacctacctgactggcaccatcaatg
gagatccggagtcggtggcatctctgcactgggatgggggagccctgttaggcgtgttacaatatcgggggctgaactc
cacctccagcccctggagggaggcacccctaactctgctgggggacctggggctcacatcctacgccggaagagtcctgc
cagcggtcaaggtcccatgtgcaacgtcaaggctcctcttggaagccccagccccagaccccgaagagccaagcgctttg
cttcactgagtagatttgtggagacactggtggtggcagatgacaagatggccgcattccacggtgcggggctaaagcgc
tacctgctaacagtgatggcagcagcagccaaggccttcaagcacccaagcatccgcaatcctgtcagcttggtggtgac
tcggctagtgatcctggggtcaggcgaggaggggccccaagtggggcccagtgctgcccagaccctgcgcagcttctgtg
cctggcagcggggcctcaacacccctgaggactcggaccctgaccactttgacacagccattctgtttacccgtcaggac
ctgtgtggagtctccacttgcgacacgctgggtatggctgatgtgggcaccgtctgtgacccggctcggagctgtgccat
tgtggaggatgatgggctccagtcagccttcactgctgctcatgaactgggtcatgtcttcaacatgctccatgacaact
ccaagccatgcatcagtttgaatgggcctttgagcacctctcgccatgtcatggcccctgtgatggctcatgtggatcct
gaggagccctggtccccctgcagtgcccgcttcatcactgacttcctggacaatggctatgggcactgtctcttagacaa
accagaggctccattgcatctgcctgtgactttccctggcaaggactatgatgctgaccgccagtgccagctgaccttcg
ggcccgactcacgccattgtccacagctgccgccgcccctgtgctgccctctggtgctctggccacctcaatggccatgcc
atgtgccagaccaaacactcgccctgggccgatggcacaccctgcgggcccgcacaggcctgcatgggtggtcgctgcct
ccacatggaccagctccaggacttcaatattccacaggctggtggctggggtccttggggaccatggggtgactgctctc
ggacctgtgggggtggtgtccagttctcctcccgagactgcacgaggcctgtcccccggaatggtggcaagtactgtgag
ggccgccgtacccgcttccgctcctgcaacactgaggactgcccaactggctcagccctgaccttccgcgaggagcagtg
tgctgcctacaaccaccgcaccgacctcttcaagagcttcccagggcccatggactgggttcctcgctacacaggcgtgg
ccccccaggaccagtgcaaactcacctgccaggcccgggcactgggctactactatgtgctggagccacgggtggtagat

Fig. 11A

gggacccccctgttccccggacagctcctcggtctgtgtccagggccgatgcatccatgctggctgtgatcgcatcattgg
ctccaagaagaagtttgacaagtgcatggtgtgcggaggggacggttctggttgcagcaagcagtcaggctccttcagga
aattcaggtacggatacaacaatgtggtcactatccccgcgggggccacccacattcttgtccggcagcagggaaaccct
ggccaccggagcatctacttggccctgaagctgccagatggctcctatgccctcaatggtgaatacacgctgatgccctc
ccccacagatgtggtactgcctggggcagtcagcttgcgctacagcggggccactgcagcctcagagacactgtcaggcc
atgggccactggcccagcctttgacactgcaagtcctagtggctggcaacccccaggacacacgcctccgatacagcttc
ttcgtgccccggccgacccccttcaacgccacgccccactccccaggactggctgcaccgaagagcacagattctggagat
ccttcggcggcgcccctgggcgggcaggaaataacctcactatcccggctgccctttctgggcaccggggcctcggactt
agctgggagaaagagagagcttctgttgctgcctcatgctaagactcagtggggaggggctgtgggcgtgagacctgccc
ctcctctctgccctaatgcgcaggctggccctgccctggtttcctgccctgggaggcagtgatgggttagtggatggaag
gggctgacagacagccctccatctaaactgccccctctgccctgcgggtcacaggagggaggggggaaggcagggagggcc
tgggccccagttgtatttatttagtatttattcacttttatttagcaccagggaaggggacaaggactagggtcctgggg
aacctgacccctgacccctcatagccctcaccctggggctaggaaatccagggtggtggtgataggtataagtggtgtgt
gtatgcgtgtgtgtgtgtgtgtgaaaatgtgtgtgtgcttatgtatgaggtacaacctgttctgctttcctcttcctgaa
ttttatttttgggaaaagaaaagtcaagggtagggtgggccttcagggagtgagggattatctttttttttttttcttt
ctttctttctttttttttttgagacagaatctcgctctgtcgcccaggctggagtgcaatggcacaatctcggctcact
gcatcctccgcctcccgggttcaagtgattctcatgcctcagcctcctgagtagctgggattacaggctcctgccaccac
gcccagctaatttttgttttgttttgtttggagacagagtctcgctattgtcaccagggctggaatgatttcagctcact
gcaaccttcgccacctgggttccagcaattctcctgcctcagcctcccgagtagctgagattataggcacctaccaccac
gcccggctaatttttgtatttttagtagagacggggtttcaccatgttggccaggctggtctcgaactcctgaccttagg
tgatccactcgccttcatctcccaaagtgctgggattacaggcgtgagccaccgtgcctggccacgcccaactaatttttt
gtatttttagtagagacagggtttcaccatgttggccaggctgctcttgaactcctgacctcaggtaatcgacctgcctc
ggcctcccaaagtgctgggattacaggtgtgagccaccacgcccggtacatatttttaaattgaattctactatttatg
tgatccttttggagtcagacagatgtggttgcatcctaactccatgtctctgagcattagatttctcatttgccaataat
aatacctcccttagaagtttgttgtgaggattaaataatgtaaataaagaactagcataac

Fig. 11B

MSQTGSHPGRGLAGRWLWGAQPCLLLPIVPLSWLVWLLLLLLASLLPSARLASPLPREEEIVFPEKLNGSVLPGSGTPAR
LLCRLQAFGETLLLELEQDSGVQVEGLTVQYLGQAPELLGGAEPGTYLTGTINGDPESVASLHWDGGALLGVLQYRGAEL
HLQPLEGGTPNSAGGPGAHILRRKSPASGQGPMCNVKAPLGSPSPRPRRAKRFASLSRFVETLVVADDKMAAFHGAGLKR
YLLTVMAAAAKAFKHPSIRNPVSLVVTRLVILGSGEEGPQVGPSAAQTLRSFCAWQRGLNTPEDSDPDHFDTAILFTRQD
LCGVSTCDTLGMADVGTVCDPARSCAIVEDDGLQSAFTAAHELGHVFNMLHDNSKPCISLNGPLSTSRHVMAPVMAHVDP
EEPWSPCSARFITDFLDNGYGHCLLDKPEAPLHLPVTFPGKDYDADRQCQLTFGPDSRHCPQLPPPCAALWCSGHLNGHA
MCQTKHSPWADGTPCGPAQACMGGRCLHMDQLQDFNIPQAGGWGPWGPWGDCSRTCGGGVQFSSRDCTRPVPRNGGKYCE
GRRTRFRSCNTEDCPTGSALTFREEQCAAYNHRTDLFKSFPGPMDWVPRYTGVAPQDQCKLTCQARALGYYYVLEPRVVD
GTPCSPDSSSVCVQGRCIHAGCDRIIGSKKKFDKCMVCGGDGSGCSKQSGSFRKFRYGYNNVVTIPAGATHILVRQQGNP
GHRSIYLALKLPDGSYALNGEYTLMPSPTDVVLPGAVSLRYSGATAASETLSGHGPLAQPLTLQVLVAGNPQDTRLRYSF
FVPRPTPSTPRPTPQDWLHRRAQILEILRRRPWAGRK

Fig. 12

Rat ADAMTS 5 DNA

```
ACTCACTATA GGGCTCGAGC GGCCGCCCGG GCAGGTCAGA GGCTCACTGG CAGCTCTCTA     60
GACCTGCGAC GCTGCTTCTA TTCCGGGTAT GTGAACGCGG AGCCAGACTC CTTTGCTGCT    120
GTAAGCCTAT GCGGGGGTCT CCGCGGAGCC TTTGGCTACC AAGGTGCGGA GTATGTCATT    180
AGCCCTCTGC CCAACACCAG CGCGCCTGAG GCGCAGCGTC ATAGCCAGGG CGCACACCTT    240
CTCCAGCGCC GGGGTGCTCC CGTAGGGCCT TCCGGAGACC CTACCTCTCG CTGCGGGGTG    300
GCCTCGGGCT GGAACCCCGC CATCCTGAGG GCCTTGGACC CTTATAAACC ACGGCGGACG    360
GGCGTGGGCG AAAGCCACAA CCGGCGCAGG TCTGGGCGCG CCAAGCGCTT CGTGTCTATA    420
CCACGGTACG TGGAGACACT GGTGGTGGCG GACGAGTCAA TGGTCAAGTT TCACGGCGCG    480
GATTTGGAAC ATTATCTGCT GACGCTGCTG GCCACGGCGG CGCGACTCTA CCGCCACCCC    540
AGCATCCTCA ACCCTATCAA CATCGTTGTG GTCAAGGTGT TACTCTTAGG AGATCGTGAC    600
ACTGGGCCCA AGGTCACAGG CAACGCGGCC CTGACTCTGC GCAACTTCTG TGCCTGGCAG    660
AAAAAGTTGA ACAAAGTGAG CGACAAGCAC CCCGAGTACT GGGACACAGC CATCCTCTTC    720
ACCAGACAGG ACCTATGCGG GGCTACCACC TGTGACACCT TGGGCATGGC TGATGTGGGC    780
ACCATGTGTG ATCCCAAGAG AAGCTGCTCT GTCATCGAGG ACGATGGGCT TCCGTCGGCC    840
TTCACCACTG CCCATGAGCT GGGCCATGTG TTCAACATGC CCCATGACAA CGTGAAGGTG    900
TGTGAGGAGG TGTTTGGGAA GCTCAGAGCC AACCACATGA TGTCTCCGAC ACTCATCCAG    960
ATCGACCGTG CCAACCCCTG GTCAGCCTGC AGTGCTGCCA TTATCACCGA CTTCCTGGAC   1020
AGCGGGCACG GTGACTGCCT CCTGGACCAG CCCAGCAAGC CCATCACCCT GCCTGAGGAC   1080
CTGCCAGGCA CAAGCTACAG TTTGAGCCAA CAGTGCGAGC TGGCCTTTGG GGTGGGCTCT   1140
AAGCCCTGCC CATATATGCA GTACTGTACA AAGCTGTGGT GCACCGGCAA GGCCAAGGGG   1200
CAGATGGTGT GCCAGACTCG CCACTTCCCC TGGGCAGATG GCACCAGCTG TGGTGAGGGC   1260
AAGTTCTGCC TCAAGGGAGC CTGCGTGGAG AGACACAACC CAAACAAGTA CCGGGTGGAC   1320
GGCCCTTGGG CCAAGTGGGA GCCTTATGGT CCCTGCTCGC GCACCTGCGG TGGGGGCGCG   1380
CAGCTGGCCC GGAGGCAAGT GCAAGCAACC CTACCCCTGC CAACGGGCGG GAAGTACTGC   1440
GAGGGAGTGA GAGTGAAATA CCGATCTTGC AACTTGGAGC CCTGCCCCAG CTCAGCCTCT   1500
GGCAAGAGCT TCCGGGAA                                                 1518
```

Fig. 13

THYRARAAARAGQRLTGSSLDLRRCFYSGYVNAEPDSFAAVSLCGGLRGAFGYQGAEYVISPLPNTSAPEAQRHSQGAHL
LQRRGAPVGPSGDPTSRCGVASGWNPAILRALDPYKPRRTGVGESHNRRRSGRAKRFVSIPRYVETLVVADESMVKFHGA
DLEHYLLTLLATAARLYRHPSILNPINIVVVKVLLLGDRDTGPKVTGNAALTLRNFCAWQKKLNKVSDKHPEYWDTAILF
TRQDLCGATTCDTLGMADVGTMCDPKRSCSVIEDDGLPSAFTTAHELGHVFNMPHDNVKVCEEVFGKLRANHMMSPTLIQ
IDRANPWSACSAAIITDFLDSGHGDCLLDQPSKPITLPEDLPGTSYSLSQQCELAFGVGSKPCPYMQYCTKLWCTGKAKG
QMVCQTRHFPWADGTSCGEGKFCLKGACVERHNPNKYRVDGPWAKWEPYGPCSRTCGGGAQLARRQVQATLPLPTGGKYC
EGVRVKYRSCNLEPCPSSASGKSFR

Fig. 14

GATGCATCTAAGCCCTGGTCCAAATGCACTTCAGCCACCATCACAGAATTCCTGGATGATGGCCATGGTAACTGTTTGCT
GGACCTACCACGAAAGCAGATCCTGGGCCCCGAAGAACTCCCAGGACAGACCTACGATGCCACCCAGCAGTGCAACCTTA
CATTCGGGCCTGAGTACTCCGTGTGTCCCGGCATGGATGTCTGTGCTCCCCTGTGGTGTGCTGTGGTACGCCAGGGCCAG
ATGGTCTGTCTGACCAAGAAGCTTCCTGCGGTGGAAGGGACGCCTTGTGGAAAGGGGAGAATCTGCCTGCAGGGCAAATG
TGTGGACAAAACCAAGAAAAAATATTATTCAACGTCAAGCCATGGCAACTGGGGATCTTGGGGATCCTGGGGCCAGTGTT
CTCGCTCATGTGGAGGAGGAGTGCAGTTTGCCTATCGTCGCTGTAATAACCCTGCTCCCAGAAACAACGGACGCTACTGC
ACAGGGAAGAGGGCCATCTACCGCTCCTGCAGTCTCATGCCCTGCCCACCCAATGGTAAATCATTTCGTCATGAACAGTG
TGAGGCCAAAAATGGCTATCAGTCTGATGCAAAAGGAGTCAAAACTTTTGTGGAATGGGTTCCCAAATATGCAAGTGTCC
TGCCCAGCGATGTGTGCAAGCTGACCTGCAGAGCCAAAGGGACTGGCTACTATGTGGTATTTTCTCCAAAGGTGACCGAT
GGCACTGAATGTAGGCCGTACAGTAATTCCGTCTGCGTCCGGGGGAAGTGTGTGAGAACTGGCTGTGACGGCATCATTGG
CTCAAAGCTGCAGTATGACAAGTGCGGAGTATGTGGAGGAGACAACTCCAGCTGTACAAAGATTGTTGGAACCTTTAATA
AGAAAAGTAAGGGTTCANCTGACGTGGTGAGGATTCCTGAAGGGGCAACCCACATAAAAGTTCGACAGTTCAAAGCCAAA
GACCAGACTAGATTCACTGCCTATTTAGCCCTGAAAAAGAAAAACGGTGAGTACCTTATCAATGGAAAGTACATGATCTC
CACTTCAGAGACTATCATTGACATCAATGGAACAGTCATGAACTATAGCGGTTGGAGCCACAGGGATGACTTCCTGCATG
GCATGGGCTACTCTGCCACGAAGGAAATTCTAATAGTGCAGATTCTTGCAACAGACCCCACTAAACCATTAGATGTCCGT
TATAGCTTTTTTGTTCCCAAGAAGTCCACTCCAAAAGTAAACTCTGTCACTAGTCATGGCAGCAATAAAGTGGGATCACA
CACTTCGCAGCCGCAGTGGGTCACGGGCCCATGGCTCGCCTGCTCTAGGACCTGTGACACAGGTTGGCACACCAGAACGG
TGCAGTGCCAGGATGGAAACCGGAAGTTAGCAAAAGGATGTCCTCTCTCCCAAAGGCCTTCTGCGTTTAAGCAATGCTTG
TTGAAGAAATGTTAG

Fig. 15

DASKPWSKCTSATITEFLDDGHGNCLLDLPRKQILGPEELPGQTYDATQQCNLTFGPEYSVCPGMDVCAPLWCAVVRQGQ
MVCLTKKLPAVEGTPCGKGRICLQGKCVDKTKKKYYSTSSHGNWGSWGSWGQCSRSCGGGVQFAYRRCNNPAPRNNGRYC
TGKRAIYRSCSLMPCPPNGKSFRHEQCEAKNGYQSDAKGVKTFVEWVPKYASVLPSDVCKLTCRAKGTGYYVVFSPKVTD
GTECRPYSNSVCVRGKCVRTGCDGIIGSKLQYDKCGVCGGDNSSCTKIVGTFNKKSKGSXDVVRIPEGATHIKVRQFKAK
DQTRFTAYLALKKKNGEYLINGKYMISTSETIIDINGTVMNYSGWSHRDDFLHGMGYSATKEILIVQILATDPTKPLDVR
YSFFVPKKSTPKVNSVTSHGSNKVGSHTSQPQWVTGPWLACSRTCDTGWHTRTVQCQDGNRKLAKGCPLSQRPSAFKQCL
LKKC

Fig. 16

```
     M---------------------------------------   Majority
              10        20        30        40

1    M----------GDVQ-RAARS----------RGSLSAHML   mADAMTS-1
1    ----------------------------------------   hADAMTS-2
1    --GIR-----------------------------------   hADAMTS-3
1    LLGARQYRRNSGPPTPAPETSIANSKHPARLSRAAPPGAQ   rADAMTS-4
1    M----------SQTGSHPGRGLAGR----WLWGAQPCLLL   KIAA0688
1    SL--------------------------------------   KIAA0366
1    MDGRWQCS--------------------------------   KIAA0605

     -------------LLLLAL-TVLLSAD--AG-P---EEEL   Majority
              50        60        70        80

20   -------------LLLLASITMLLCARGAHGRPTEEDEEL   mADAMTS-1
1    ----------------------------------------   hADAMTS-2
4    ----------------------------------------   hADAMTS-3
41   RTMRLEWASLLLLLLLLCASCLALAADNPAAAPAQDKTRQ   rADAMTS-4
27   PIVPLSW---LVWLLLLLLASLLPSAR--LASPLPREEEI   KIAA0688
3    ------------WLIAAALVEVRTSADGQAGNEEMVQIDL   KIAA0366
9    -----CWAWFLLVLAVVAGDTVSTGSTDNSPTSNSLEGGT   KIAA0605

     V----P---------------LRG---P-G--GTTSRL-    Majority
              90       100       110       120

47   VL---PS---------------LERA---P-GHDSTTTRL-  mADAMTS-1
1    ----------------------------------------   hADAMTS-2
4    ----------------------------------------   hADAMTS-3
81   PR---AAAAAAQPDQRQWEETQERGHLQPLARQRRSSGLV   rADAMTS-4
62   VF---PE--------------KLNGSVLP-G-SGTPARLL   KIAA0688
31   PIKRYREYELVTPVSTNLEGRYLSHTLSASHKKRSARDVS   KIAA0366
44   DATAFW-----------WGEWTKWTAFSRSCGGGVTSQER   KIAA0605

     -NLD---------------G----L-LERDSGV-APG--    Majority
             130       140       150       160

65   -RLDAF---------------GQQLHLKLQPDSGFLAPGFT  mADAMTS-1
1    ----------------------------------------   hADAMTS-2
4    ----------GRVD--------------------------   hADAMTS-3
118  QNIDQLYSGGGKVGYLVYAGGRRFLLDLERDDTVGAAGGI   rADAMTS-4
83   CRLQAF---------------GETLLLELEQDSGVQVEGLT  KIAA0688
71   SNPEQLF-------FNITAFGKDFHLRLKPNTQLVAPGAV   KIAA0366
73   HCLQ-------------------------QRRKSVPGPG--  KIAA0605
```

Fig. 17A


VQ---TGLSP----------GA----------HCP Majority
170 180 190 200
90 LQ--TVGRSPGSEAQHLD---PTGD----------LAHCF mADAMTS-1
1 ---------- hADAMTS-2
8 ---------- hADAMTS-3
158 VT--AGGLSASS----------GH----------RGHCF rADAMTS-4
109 VQ--YLGQAP----ELLG-----GA----------EPGTY KIAA0688
104 VEWHETSLVPGNITDPINNHQPGSATYRIRKTEPLQTNCA KIAA0366
87 -NRTCTGTSKRYQLCRVQECPPDGRSFREEQCVSFNSHVY KIAA0605
Y-GTVNGDPGSXAALSLCGG-LLGXF--XVDGAEYFIEPL Majority
210 220 230 240
115 YSGTVNGDPGSAAALSLCEG-VRGAF--YLQGEEFFIQPA mADAMTS-1
1 ---------- hADAMTS-2
8 ----VNTNSEHTAVESLCSG-MLGTF--RSHDGDYFIEPL hADAMTS-3
175 YRGTVDGSPRSLAVFDLCGG-LDGFF--AVKHARYTLRPL rADAMTS-4
128 LTGTINGDPESVASLHWDGGALLGVL--QYRGAELHLQP- KIAA0688
144 YVGDIVDIPGTSVAISNCDG-LAGMI--KSDNEEYFIEPL KIAA0366
126 NGRTHQWKPLYPDDYVHISSKPCDLHCTTVDGQRQLMVPA KIAA0605
-------LE-GRPXEEGG-RP---Y-R-----H-LRRR-P Majority
250 260 270 280
152 PGVATERLAPAVPEEESSARP---------QFHILRRRRR mADAMTS-1
1 ---------- hADAMTS-2
41 QSMD------EQEDEEEQNKPHIIYRRSA------PQREP hADAMTS-3
212 --LRGSWAESERVYGDGSSRILHVYTREGFSFEALPPRTS rADAMTS-4
165 -------LEGGTPNSAGG--P---------GAHILRRKSP KIAA0688
181 --------ERGKQMEEEKGRIHVVYKRSA---------- KIAA0366
166 RDGTSCKLTDLRGVCVSGKCEPIGCDGVLFSTHTLDKCGI KIAA0605
CSG-GA-CGVVE--PLHSSS-RPT---------- Majority
290 300 310 320
183 GSG-GAKCGVMDDETLPTSDSRPESQNTRNQW------- mADAMTS-1
1 ---------- hADAMTS-2
69 STGRHA-CDTSEHKNRHSKDKKKTRARKWGERINLAGDVA hADAMTS-3
250 CETPASPSGAQESPSVHSSSRRRTELAPQ---------- rADAMTS-4
187 ASGQGPMCNVKA--PLGSPSPRPR---------- KIAA0688
202 ----------VEQAPIDMSKDFHYRESDLEGLDDLGTVYG KIAA0366
206 CQGDGSSCTHVT----------G KIAA0605

Fig. 17B


----GLAHT--S---------------RRTKRFASEARF- Majority
330 340 350 360
214 ---PVRDPTPQDAGKPSGPGS------IRKKRFVSSPRY- mADAMTS-1
1 ----------RTKRFVSEARF- hADAMTS-2
108 ALNSGLATEAFSAYGNKTDNTRESRTHRRTKRFLSYPRF- hADAMTS-3
279 ----LLDHSAFSPAGNAGPQTW----WRRRRRSISRARQ- rADAMTS-4
209 ----------RAKRFASLSRF- KIAA0688
232 NIHQQLNET----------MRRRRHAGENDYN KIAA0366
219 NYRKGNAHLGYSLVTHIPAGARDIQIVERKK--------S KIAA0605
VEVLLVADDSMAAFHGAG-LQNYLLTLMSIAARIYKHPSI Majority
370 380 390 400
244 VETMLVADQSMADFHGSG-LKHYLLTLFSVAARFYKHPSI mADAMTS-1
12 VETLLVADASMAAFYGAD-LQNHILTLMSVAARIYKHPSI hADAMTS-2
147 VEVLVVADNRMVSYHGEN-LQHYILTLMSID--------- hADAMTS-3
310 VELLLVADSSMAKMYGRG-LQHYLLTLASIANRLYSHASI rADAMTS-4
220 VETLVVADDKMAAFHGAG-LKRYLLTVMAAAAKAFKHPSI KIAA0688
254 IEVLLGVDDSVVRFHGKEHVQNYLLTLMNIVNEIYHDESL KIAA0366
251 ADVLALADEAGYYFFNG----NYKVD----SPKNFNIAGT KIAA0605
RNSISLVVVKVVVLGDEKKGPEVSX-NAALTLRNFCNWQH Majority
410 420 430 440
283 RNSISLVVVKILVIYEEQKGPEVTS-NAALTLRNFCNWQK mADAMTS-1
51 KNSINLMVVKVLIVEDEKWGPEVSD-NGGLTLRNFCNWQR hADAMTS-2
177 ----------GPSISF-NAQTTLKNLCQWQH hADAMTS-3
349 ENHIRLAVVKVVVLTD--KSLEVSK-NAATTLKNFCKWQH rADAMTS-4
259 RNPVSLVVTRLVILGSGEEGPQVGP-SAAQTLRSFCAWQR KIAA0688
294 GVHINVVLVRMIMLGYAKSISLIERGNPSRSLENVCRWAS KIAA0366
283 VVKYR----RPMDVYETGIEYIVAQGPTNQGLNVM-VWNQ KIAA0605
QHNSPSDRHPEHYDTAILLTRQDLCGSHG-CDTLGMADVG Majority
450 460 470 480
322 QHNSPSDRDPEHYDTAILFTRQDLCGSHT-CDTLGMADVG mADAMTS-1
90 RFNQPSDRHPEHYDTAILLTRQNFCGQEGLCDTLGVADIG hADAMTS-2
197 SKNSPGGI---HHDTAVLLTRQDICRAHDKCDTLGLAELG hADAMTS-3
386 QHNQLGDDHEEHYDAAILFTREDLCGHHS-CDTLGMADVG rADAMTS-4
298 GLNTPEDSDPDHFDTAILFTRQDLCGVST-CDTLGMADVG KIAA0688
334 QQQRSDLNHSEHHDHAIFLTRQDF-GPAGM---QGYAPVT KIAA0366
318 NGKSPSIT----FEYTLLQPPHE---SRPQPIYYGFSESA KIAA0605

Fig. 17C


TICDPXRSCSVIEDDGLQAAFTVAHELGHVLNMPHD-DSK Majority
490 500 510 520
361 TVCDPSRSCSVIEDDGLQAAFTTAHELGHVFNMPHD-DAK mADAMTS-1
130 TICDPNKSCSVIEDEGLQAAHTLAHELGHVLSMPHD-DSK hADAMTS-2
234 TICDPYRSCSISEDSGLSTAFTIAHELGHVFNMPHD-DNN hADAMTS-3
425 TICSPERSCAVIEDDGLHAAFTVAHEIGHLLGLSHD-DSK rADAMTS-4
337 TVCDPARSCAIVEDDGLQSAFTAAHELGHVFNMLHD-NSK KIAA0688
370 GMCHPVRSCTLNHEDGFSSAFVVAHETGHVLGMEHDGQGN KIAA0366
351 ----------ESQGLDGA-------GLMGFIPHNG--- KIAA0605
PC-SLNGPXGSSRHVM-APLLXHLDHSXPWSPCSAQEITE Majority
530 540 550 560
400 HCASLNGVTGDS-HLM-ASMLSSLDHSQPWSPCSAYMVTS mADAMTS-1
169 PCTRLFGPMGKH-HVM-APLFVHLNQTLPWSPCSAMYLTE hADAMTS-2
273 KCKE--EGVKSPQHVM-APTLNFYTNPWMWSKCSRKYITE hADAMTS-3
464 FCEENFGS-TEDKRLM-SSILTSIDASKPWSKCTSATITE rADAMTS-4
376 PCISLNGPLSTSRHVM-APVMAHVDPEEPWSPCSARFITD KIAA0688
410 RC----GDETAMGSVM-APLVQAAFHRYHWSRCSGQELKR KIAA0366
369 ---SLYGQASSERLGLDNRLFGHPGLDMELGPSQGQETNE KIAA0605
F-LDNGHGDCLLDKPEA-PLPLPVELPG--ILYDADEQCQ Majority
570 580 590 600
438 F-LDNGHGECLMDKPQN-PIKLPSDLPG--TLYDANRQCQ mADAMTS-1
207 L-LDGGHGDCLLDAPAA-ALPLPTGLPGRMALYQLDQQCR hADAMTS-2
310 F-LDTGYGECLLNEPESRPYPLPVQLPG--ILYNVNKQCE hADAMTS-3
502 F-LDDGHGNCLLDVPRK-QILGPEELPGQT--YDATQQCN rADAMTS-4
415 F-LDNGYGHCLLDKPEA-PLHLPVTFPGKD--YDADRQCQ KIAA0688
445 Y-IHSY--DCLLDDPFDHDWPKLPELPG--INYSMDEQCR KIAA0366
406 VCEQAGGGAC-EGPPRGKGFRDRNVTGTPLTGDKDDEEVD KIAA0605
LTFGPGSKHCPXFSA-DVCAQLWCAGVD-GGHXVCQTKHG Majority
610 620 630 640
474 FTFGEESKHCPDAAS--TCTTLWCTGTS-GGLLVCQTKH- mADAMTS-1
245 QIFGPDFRHCPNTSAQDVCAQLWCH-TD-GAEPLCHTKNG hADAMTS-2
347 LIFGPGSQVCPYMMQ---CRRLWCNNVN-GVHKGCRTQHT hADAMTS-3
538 LTFGPEYSVCPGM---DVCARLWAAVVR-QGQMVCLTKK- rADAMTS-4
451 LTFGPDSRHCPQLPPP--CAALWCSGHL-NGHAMCQTKHS KIAA0688
480 FDFGVGYKMCTAFRTFDPCKQLWCSHPD-NPY-FCKTKKG KIAA0366
445 THFASQ----EFFSANAISDQLLGAGSDLKDFTLNETVNS KIAA0605

Fig. 17D


--PWADGTPCGPGKW-CKAGS-CVPKEENER--PVVDGGW Majority
650 660 670 680
510 -FPWADGTSCGEGKW-CVSGK-CVNKTDMKHFATPVHGSW mADAMTS-1
283 SLPWADGTPCGPGHL--CSEGS-CLPEEEVERPKPVVDGGW hADAMTS-2
383 --PWADGTECEPGKH-CKYG-FCVPK-EMC--VPVTDGSW hADAMTS-3
573 -LPAVRALPVGKEESACKANVWTKLRKNITRHQAMEIGGP rADAMTS-4
488 --PWADGTPCGPAQA-CMGGR-CLHMDQLQDFNIPQAGGW KIAA0688
518 --PPLDGTECAAGKW-CYKGH-CMWKNANQQ---KQDGNW KIAA0366
481 IFA--QGAP-----RSSLAESFFVDYEENE---------- KIAA0605
GPWGPWGDCSRTCGGSVQFSLRECNNPVPKNGGKYCEGR- Majority
690 700 710 720
547 GPWGPWGDCSRTCGGGVQYTMRECDNPVPKNGGKYCEGK- mADAMTS-1
321 APWGPWGECSRTCGGGVQFSHRECKDPEPQNGGRYCLGR- hADAMTS-2
416 GSWSPFGTCSRTCGGGIKTAIRECNRPEPKNGGKYCVGR- hADAMTS-3
612 GAPGV----SVLALAGEEYSLPTAIAITPHLETVAATAQG rADAMTS-4
524 GPWGPWGDCSRTCGGGVQFSSRDCTRPVPRNGGKYCEGR- KIAA0688
551 GSWTKFGSCSRTCGTGVRFRTRQCNNPMPINGGQDCPG-V KIAA0366
504 ----------GAGPYLLNGSY--LELSSDRVANSSS KIAA0605
RAKYQSCNTEDCPKHXGKTFRAEQCAKYN-AFSYXNKGXX Majority
730 740 750 760
586 RVRYRSCNIEDCPDNNGKTFREEQCEAHN-EFSKASFGNE mADAMTS-1
360 RAKYQSCHTEECPPD-GKSFREQQCEKYN-AYNYTDMDGN hADAMTS-2
455 RMKFKSCNTEPCLKQK-RDFRDEQCAHFDGKHFNIN-GLL hADAMTS-3
648 RGPY-TVPAVSYPAHLTANLSATSSVKPKMAISPMQKESK rADAMTS-4
563 RTRFRSCNTEDCPTGSALTFREEQCAAYN-HRTDLFKSFP KIAA0688
590 NFEYQLCNTEECQKHFE-DFRAQQCQQRNSHFEYQNTKH- KIAA0366
528 EAPFPNVSTSLLTSAGNRTHKARTRPKARKQ----GVSPA KIAA0605
PXVEWVPKYAGVSPKDRCKLTCRAKGTGYYYVLEPKVVDG Majority
770 780 790 800
625 PTVEWTPKYAGVSPKDRCKLTCEAKGIGYFFVLQPKVVDG mADAMTS-1
398 -LLQWVPKYAGVSPRDRCKLFCRARGRSEFKVFEAKVIDG hADAMTS-2
493 PNVRWVPKYSGILMKDRCKLFCRVAGNTAYYQLRDRVIDG hADAMTS-3
687 TFVEWVPKYAGVLPADVCKLTCRAKGTGYYVVFSPKVTDG rADAMTS-4
602 GPMDWVPRYTGVAPQDQCKLTCQARALGYYYVLEPRVVDG KIAA0688
628 ---HWLP-YEHPDPKKRCHLYCQSKETGDVAYMKQLVHDG KIAA0366
564 DMYRWK-----LSSHEPCSATCTTGVMSAY---------- KIAA0605

Fig. 17E


TPCS-PDSNSVCVRGQCVKAGCDEIIGSKKKFDKCGVCGG Majority
810 820 830 840
665 TPCS-PDSTSVCVQGQCVKAGCDRIIDSKKKFDKCGVCGG mADAMTS-1
437 TLCG-PETLAICVRGQCVKAGCDHVVDSFWKLDKCGVCGG hADAMTS-2
533 TPCG-QDTNDICVQGLCRQAGCDHVLNSKARRDKCGVCGG hADAMTS-3
727 TECR-PYSNSVCVRGRCVRTGCDGIIGSKLQYDKCGVCGG rADAMTS-4
642 TPCS-PDSSSVCVQGRCIHAGCDRIIGSKKKFDKCMVCGG KIAA0688
664 THCSYKDPYSICVRGECVKVGCDKEIGSNKVEDKCGVCGG KIAA0366
589 ----------AMCVR---------- KIAA0605
DGSSCKKVSGTFTKT--RYGYNDVVTIPAGATNILVRQRS Majority
850 860 870 880
704 NGSTCKKMSGIVTST--RPGYHDIVTIPAGATNIEVKHRN mADAMTS-1
476 KGNSCRKGSGSLTPT--VYGYNDIVTIPAGATNIDVKQRS hADAMTS-2
572 DNSSCKTVAGTFNTT--HYGYNTVVRIPAGATNIDVRQHS hADAMTS-3
766 DNSSCTKIIGTFNKK--SKGYTDVVRIPEGATHIKVRQFK rADAMTS-4
681 DGSGCSKQSGSFRKF--RYGYNNVVTIPAGATHILVRQQG KIAA0688
704 DNSHCRTVKGTFTRTPRKLGYLKMFDIPPGARHVLIQEDE KIAA0366
594 ----------YDGV---------- KIAA0605
ASGHTN--NYLALKX-ADGEYLLNGNFTLSTSETDIDLKG Majority
890 900 910 920
742 QRGSRNNGSFLAIRA-ADGTYILNGNFTLSTLEQDLTYKG mADAMTS-1
514 HPGVQNDGNYLALKT-ADGQYLLNGNLAISAIEQDILVKG hADAMTS-2
610 FSGETDDDNYLALSS-SKGEFLLNGNFVVTMAKREIRIGN hADAMTS-3
804 AKDQTRFTAYLALKK-KTGEYLINGKYMISTSETIIDING rADAMTS-4
719 NPGHRS--IYLALKL-PDGSYALNGEYTLMPSPTDVVLPG KIAA0688
744 ASPH-----ILAIKNQATGHYILNGKGEEAKSRTFIDL-- KIAA0366
598 ---------- KIAA0605
TV-LRYSGSSAALERLHS----PLKEPLTVQVLAV-GXT- Majority
930 940 950 960
781 TV-LRYSGSSAALERIRS--FSPLKEPLTIQVLMV-GHAL mADAMTS-1
553 TI-LKYSGSIATLERLQS--FRPLPEPLTVQLLAVPGEVF hADAMTS-2
649 AV-VEYSGSETAVERINSTD--RIEQELLLQVLSV-GKLY hADAMTS-3
843 TV-MNYSGWSHRDDFLHGMGYSATKEILIVQILA-TDPTK rADAMTS-4
756 AVSLRYSGATAASETLSG--HGPLAQPLTLQVL-VAGNPQ KIAA0688
777 GVEWDYN-IEDDIESLHTDG--PLHDPVIVLIIPQENDT- KIAA0366
598 EVDDSYCDALTRPEPVHE---------- KIAA0605

Fig. 17F


RPDVRYSFFVP- Majority
970 980 990 1000
817 RPKIKFTYFM- mADAMTS-1
590 PPKVKYTFFVPND- hADAMTS-2
685 NPDVRYSFNIPIEDKP- - - - - - - - - - - - QQFYWNSHGPWQ hADAMTS-3
881 ALDVRHSFFVP- rADAMTS-4
793 DTRLRYSFFVP- KIAA0688
813 RSSLTYKYIIHEDSVPTINSNNVIQEELDTFEW-ALKSWS KIAA0366
616 - - - - - - - FCAGRECQPR- - - - - - - - - - - - - - - WET-SSWS KIAA0605
- Majority
1010 1020 1030 1040
827 - mADAMTS-1
603 - hADAMTS-2
713 ACSKPCQGERK-RKLVCTRESD- - -QLTVSDQRCDRLPQP hADAMTS-3
892 - rADAMTS-4
804 - KIAA0688
852 QVSKPCGGGFQYTKYGCRRKSD- - -NKMVHRSFCEANKKP KIAA0366
633 ECSRTCGEGYQFRVVRCWKMLSPGFDSSVYSDLCEAAEAV KIAA0605
- Majority
1050 1060 1070 1080
827 - mADAMTS-1
603 - V-DFS- - - - hADAMTS-2
749 GHI-TEPCGT-DCDLR-WHVASRSECSAQCGL-GYRTLDI hADAMTS-3
892 - rADAMTS-4
804 - KIAA0688
889 KPI-RRMCNIQECTHPLWVAEEWEHCTKTCGSSGYQLRTV KIAA0366
673 RPEERKTCRNPACG-PQWEMSEWSECTAKCGERSVVTRDI KIAA0605
- - - - - - - - - - - - - KVT- - - - SSNTRPT-RXX- - - - - - - - - Majority
1090 1100 1110 1120
827 - - - - - - - - - - - KKKTE- - - - SFNAIPTF-SE- - - - - - - - - mADAMTS-1
607 - - - - - - - MQSSKERAT- - - - TNITQPLLHAQ- - - - - - - - - hADAMTS-2
785 YCAKYSRLDGKTEKVDDGFCSSHPKPSNREKCSGECNTGG hADAMTS-3
892 - rADAMTS-4
804 - - - - - - - - - - - - - RPT- - - - PSTPRPT-PQD- - - - - - - - - KIAA0688
928 RCLQ-PLLDGTNRSVHSKYCMGD-RPESRRPCNRVPCPAQ KIAA0366
712 RCSE- - - - - - - - - - - DEKLCDPNTRPVGEKNCTGPPCDRQ KIAA0605

Fig. 17G


WV-GDWGECSKTCG-GTQRRXV-CRD-DG-V---SEC-KA Majority
1130 1140 1150 1160
842 WVIEEWGECSKTCGSGWQRRVVQCRDINGHP--ASECAKE mADAMTS-1
627 WVLGDWSECSSTCGAGWQRRTVECRDPSGQA--SATCNKA hADAMTS-2
825 WRYSAWTECSKSCDGGTQRRRAICVNTRNDVLDDSKCTHQ hADAMTS-3
892 ---------- rADAMTS-4
817 WL----------HRRA----------QI KIAA0688
966 WKTGPWSECSVTCGEGTEVRQVLCRAGDHCDGEKPESVRA KIAA0366
741 WTVSDWGPCSGSCGQGRTIRHVYCKTSDGRVVPESQCQM- KIAA0605
--LKPLXXRPC---KS--CP--W---DWS--------C-- Majority
1170 1180 1190 1200
880 --VKPASTRPC---ADLPCP-HWQVGDWSP-------CSK mADAMTS-1
665 --LKPEDAKPC---ES---------- hADAMTS-2
865 --EKVTIQR-C---SEFPCP-QWKSGDWSE-------CLV hADAMTS-3
892 ---------- rADAMTS-4
825 --LEILRRRP----------WA---------- KIAA0688
1006 CQLPPCNDEPCLGDKSIFCQ-MEVLARYCSIPGYNKLCCE KIAA0366
780 -ETKPLAIHPC-GDKN--CPAHWLAQDWER-------CNT KIAA0605
TCGK----------KKPT- Majority
1210 1220 1230 1240
907 TCGK----------GYKKRTL mADAMTS-1
676 ---------- hADAMTS-2
891 TCGK----------GHKHRQV hADAMTS-3
892 ----------KKPAX rADAMTS-4
835 --GR---------- KIAA0688
1045 SCSKRSSTLPPPYLLEAAETHDDVISNPSDLPRSLVMPTS KIAA0366
809 TCGRGVKKRLVLCMELANGKPQTRSGPECGLAK--KPPEE KIAA0605
KV----------SA----------DT Majority
1250 1260 1270 1280
918 KCV----------SA----------DG mADAMTS-1
676 ---------- hADAMTS-2
902 WCQFGEDRLNDRMCDPEVDAAANSA----------DT hADAMTS-3
897 KVN----------SA----------DT rADAMTS-4
837 ---------- KIAA0688
1085 LVPYHSETPAKKMSLSSISSVGGPNAYAAFRPNSK--PDG KIAA0366
847 STCF--ERPCFKWYTSPWSECTKTCGVGVRMRDVKCYQGT KIAA0605

Fig. 17H


DGL-QESP--P----------P--KP----QLCPLSQC Majority
1290 1300 1310 1320
925 GVLSNESC--D----------PLKKPKHYIDFCTLTQC mADAMTS-1
676 ----------QLCPL. hADAMTS-2
929 DGLQESSP--P----------IPIWKPSIFSHV-PSSRI hADAMTS-3
904 DGL-QESS--P----------P rADAMTS-4
837 ---------- KIAA0688
1123 ANLRQRSA--QQAGSKTVRLVTVPSSPPTKRVHLSSASQM KIAA0366
885 DIVRGCDPLVKPVGRQACDLQPCPTEPPDDSCQDQPGTNC KIAA0605
A---------- Majority
1330 1340 1350 1360
951 S mADAMTS-1
681 hADAMTS-2
955 P hADAMTS-3
912 rADAMTS-4
837 K KIAA0688
1161 AAASFFAASDSIGASSQARTSKKDGKIIDNRRPTRSSTLE KIAA0366
925 ALAI------KVNLCGHWYYSKACCR---SCRPPHS KIAA0605
Majority
951 mADAMTS-1
681 hADAMTS-2
955 hADAMTS-3
912 rADAMTS-4
837 KIAA0688
1201 R KIAA0366
951 KIAA0605

Fig. 17I

Bovine ADAMTS 4 DNA

```
TTTAGGGAGG AGCAGTGTGA GGCCAAAAAT GGATATCAGT CTGATGCAAA AGGAGTCAAA    60
ACGTTTGTGG AATGGGTTCC CAAATATGCT GGTGTCCTGC CCGGAGACGT GTGCAAACTG   120
ACCTGCAGAG CTAAGGGCAC TGGCTACTAC GTGGTGTTCT CTCCAAAGGT GACCGATGGG   180
ACAGAGTGCA GGCCATACAG CAATTCCGTG TGTGTCCGGG GGAAGTGTGT GCGGACAGGC   240
TGTGACAGCA TCATTGGCTC GAAGCTGCAG TATGACAAAT GTGGCGTCTG TGGAGGAGAC   300
AACTCCAGTT GCACAAAGGT GGTCGGAACC TTCAATAAAA AAAGTAAGGG TTACACTGAC   360
GTCGTGAGGA TCCCCGAAGG GGCGACTCAC ATAAAAGTCC GACAGTTCAA AGCCAAAGAC   420
CAG                                                                 423
```

Fig. 18

Bovine ADAMTS 4 Protein

```
FREEQCEAKNGYQSDAKGVKTFVEWVPKYAGVLPGDVCKLTCRAKGTGYYVVFSPKVTDGTECRPYSNSVCVRGKCVRTG
CDSIIGSKLQYDKCGVCGGDNSSCTKVVGTFNKKSKGYTDVVRIPEGATHIKVRQFKAKDQ
```

Fig. 19

Bovine 0688 DNA

```
GGAAACCCTG GCCATTTGGA GCAACTACCT GGCCCTGAAG CTCCCCGATG GCTCCTATGC     60
CCTCAACGGT GAATACACGC TGATCCCGTC CCCCACAGAC GTGGTACTGC CCGGGGCCGT    120
CAGCCTGCGC TACAGCGGGG CCACTGCAGC CTCGGAGACA CTGTCAGGAC ACGGGCCCCT    180
GGCTGAGCCC TTAACGCTGC AGGTCCTAGT GGCTGGCAAC CCGCAGAACG CCCGCCTCAG    240
ATACAGCTTT TTCGTGCCGC GACCGCGACC GGTCCCCTCC ACGCCACGCC CCACTCCCCA    300
GGACTGGCTG CGCCGCAAGT CACAGATTCT GGAGATCCTC CGGCGGCGCT CCTGGGCCGG    360
CAGGAAATAA CCTCACCATC CCGGCTGCCC TTTCTGGGCA CCGGGGCCTC GGACTTAGCT    420
GGGTGAACGA GAGACCTCTG CAGCGGCCTC ACCCCGAGAC ATCGTGGGGG AGGGGCTTAG    480
TGAGCCCCGC CTCTCCTCCC CGCGCTACCG AGCAGGCTGG CCCTGCCGGG GTTTCCTGCC    540
CTGGATGGCT GGTGGATGGA AGGGGCTGGG AGATTGTCCC CTATCTAAAC TGCCCCCTCT    600
GCCCTGCTGG TCACAGGAGG GAGGGGGAAG GCAGGGA                              637
```

Fig. 20

Bovine KIAA 0688 Protein

ETLAIWSNYLALKLPDGSYALNGEYTLIPSPTDVVLPGAVSLRYSGATAASETLSGHGPLAEPLTLQVLVAGNPQNARLR
YSFFVPRPRPVPSTPRPTPQDWLRRKSQILEILRRRSWAGRK

Fig. 21

Human ADAMTS 5 DNA

```
ACTCACTATA GGGCTCGTGC GGCCGCCCGG GCAGGTATCT TTAAGCATCC CAGCATCCTC     60
AACCCCATCA ACATCGTTGT GGTCAAGGTG CTGCTTCTTA GAGATCGTGA CTCCGGGCCC    120
AAGGTCACCG GCAATGCGGC CCTGACGCTG CGCAACTTCT GTGCCTGGCA GAAGAAGCTG    180
AACAAAGTGA GTGACAAGCA CCCCGAGTAC TGGGACACTG CCATCCTCTT CACCAGGCAG    240
GACCTGTGTG GAGCCACCAC CTGTGACACC CTGGGCATGG CTGATGTGGG TACCATGTGT    300
GACCCCAAGA GAAGCTGCTC TGTCATTGAG GACGATGGGC TTCCATCAGC CTTCACCACT    360
GCCCACGAGC TGGGCCACGT GTTCAACATG CCCCATGACA ATGTGAAAGT CTGTGAGGAG    420
GTGTTTGGGA AGCTCCGAGC CAACCACATG ATGTCCCCGA CCCTCATCCA GATCGACCGT    480
GCCAACCCCT GGTCAGCCTG CAGTGCTGCC ATCATCACCG ACTTTCTGGA CAGCGGGCAC    540
GGTGACTGCC TCCTGGACCA ACCCAGCAAG CCCATCTTCC TGCCGAGNGA TCTGCCGGGC    600
GCCAGCTACA CCCTGAGCCA GCARTGCGAG CTGGCTTTTG GCGTGGGCTT CAAGCCCTGT    660
CCTTACATGC AGTACTGCAC CAAGCTGTGG TGCACCGGGA AGGCCAAGGG ACAGATGGTG    720
TGCCAAACCC GCCACTTCCC CTGGGCCGAT GGCACCAGTT GTGGCGAGGG CAAGTTCTGC    780
CTCAAAGGGG CCTGCGTGGA AARACACAAC CTCAACAAGC ACAGGGTGGA TGGTTCCTGG    840
GCCAAATGGG ATCCCTATGG CCCCTGCTCG CGCACATGTG GTGGGGGCGT GCAGCTGGCC    900
AGGAGGCAGN TGCACCAACC CCANCCCCTG CCAACNGGGG GCAAGTACTG CGAGGGAGTG    960
AGGGTGAAAT ACCGATCCTG CAACCTGGAG CCCTGCCCCA GCTCAGCCTC CGGAAAGAGC   1020
TTCCGGGAGG AGCAGTGTGA GGCTTTCAAC GGCTACAACC ACAGCACCAA CCGGCTCACT   1080
CTCGCCGTGG CATGGGTGCC CAAGTACTCC GGCGTGTCTC CCCGTGACAA GTGTAAGCTC   1140
ATC                                                                1143
```

Fig. 22

Human ADAMTS 5 Protein

```
THYRARAAARAGIFKHPSILNPINIVVVKVLLLRDRDSGPKVTGNAALTLRNFCAWQKKLNKVSDKHPEYWDTAILFTRQ
DLCGATTCDTLGMADVGTMCDPKRSCSVIEDDGLPSAFTTAHELGHVFNMPHDNVKVCEEVFGKLRANHMMSPTLIQIDR
ANPWSACSAAIITDFLDSGHGDCLLDQPSKPIFLPXDLPGASYTLSQQCELAFGVGFKPCPYMQYCTKLWCTGKAKGQMV
CQTRHFPWADGTSCGEGKFCLKGACVEXHNLNKHRVDGSWAKWDPYGPCSRTCGGGVQLARRQXHQPXPLPTGGKYCEGV
RVKYRSCNLEPCPSSASGKSFREEQCEAFNGYNHSTNRLTLAVAWVPKYSGVSPRDKCKLI
```

Fig. 23

Rat ADAMTS 2 DNA

```
TCCGCCCTTC CGGGAGGAAC AGTGTGAAAA ATATAATGCC TACAACCACA CGGACCTGGA     60
TGGGAATTTC CTTCAGTGGG TCCCCAAATA CTCAGGAGTG TCCCCCCGAG ACCGATGCAA    120
ACTGTTTTGC AGAGCCCGTG GGAGGAGTGA GTTCAAAGTG TTTGAAACTA AGGTGATCGA    180
TGGCACTCTG TGCGGACCGG ATACTCTGGC CATCTGTGTG CGGGGACAGT GCGTTAAGGC    240
TGGCTGTGAC CATGTGGTGA ACTCACCTAA GAAGCTGGAC AAGTGCGGTA TCTGTGG       297
```

Fig. 24

Rat ADAMTS 2 Protein

PPFREEQCEKYNAYNHTDLDGNFLQWVPKYSGVSPRDRCKLFCRARGRSEFKVFETKVIDGTLCGPDTLAICVRGQCVKA
GCDHVVNSPKKLDKCGIC

Fig. 25

Rat ADAMTS 3 DNA

```
CCCCTGGATG TGGTCAAAGT GCAGTCGGAA GTACATCACC GAGTTCTTAG ACACTGGGTA    60
TGGAGAGTGC TTGTTAAATG AACCTCAATC CAGGACCTAT CCTTTGCCTT CCCAACTGCC   120
CGGCCTTCTC TACAACGTGA ATAAACAATG TGAACTGATT TTTGGACCAG GCTCTCAAGT   180
GTGCCCATAT ATGATGCAGT GCAGACGGCT CTGGTGCAAT AACGTGGATG GAGCACACAA   240
AGGCTGCAGG ACTCAGCACA CGCCCTGGGC AGATGGAACC GAGTGTGAGC CTGGAAAGCA   300
CTGCAAGTTT GGATTCTGTG TTCCCAAAGA AATGGAGGGC CCTGCAATTG ATGGATCCTG   360
GGGAAGTTGG AGTCACTTTG GGGCCTGCTC AAGAACATGT GGAGGAGGCA TCAGAACAGC   420
CATCAGAGAG TGCAACAGAC CAGAGCCAAA AAATGGTGGG AGGTACTGTG TAGGGAGGAG   480
AATRAAGTTC AAATCCTGCA ACACCGAGCC CTGCCCGAAG CACAAGCGAG ACTTCCGTGA   540
GGAGCAGTGT GCTTACTTTG ACGGCAAGCA TTTCAACATC AATGGTCTGC TGCCCAGTGT   600
ACGCTGGGTC CCTAAGTACA GTGGAATTTT GATGAAGGAC CGATGCAAGT TGTTCTGCAG   660
AGTGGCAGGA AACACAGCCT ACTACCAGCT TCGAGACAGA GTGATTGACG GAACCCCCTG   720
TGGCCAGGAC ACAAATGACA TCTGTGTCCA AGGCCTTTGC CGGCAAGCTG GATGTGATCA   780
TACTTTAAAC TCAAAGGCCC GGAAAGATAA ATGTGGGATT TGT                      823
```

Fig. 26

Rat ADAMTS 3 Protein

```
PWMWSKCSRKYITEFLDTGYGECLLNEPQSRTYPLPSQLPGLLYNVNKQCELIFGPGSQVCPYMMQCRRLWCNNVDGAHK
GCRTQHTPWADGTECEPGKHCKFGFCVPKEMEGPAIDGSWGSWSHFGACSRTCGGGIRTAIRECNRPEPKNGGRYCVGRR
XKFKSCNTEPCPKHKRDFREEQCAYFDGKHFNINGLLPSVRWVPKYSGILMKDRCKLFCRVAGNTAYYQLRDRVIDGTPC
GQDTNDICVQGLCRQAGCDHTLNSKARKDKCGIC
```

Fig. 27



Fig. 28

MQFVSWATLLLTLLVRDLAEMGSPDAAAAVRKDRLHPRQVKLLETLGEYEIVSPIRVNALGEPFPTNVHFKRTRRSINSAT

DPWPAFASSSSSTSSQAHYRLSAFGQQFLFNLTANAGFIAPLFTVTLLGTPGVNQTKFYSEEEAELKHCFYKGVVNTNS

cysteine switch *

EHTAVISLCSGMLGTFRSHDGDYFIEPLQSMDEQEDEEEQNKPHIIYRRSAPQREPSTGRHACDTSEHKNRHSKDKKKTR

potential furin cleavage sites ← metalloprotease domain

ARKWGERINLAGDVAALNSGLATEAFSAYGNKTDNTREKRTHRRTKRFLSYPRFVEVLVVADNRMVSYHGENLQHYILTL

MSIVASIYKDPSIGNLINIVIVNLIVIHNEQDGPSISFNAQTTLKNLCQWQHSKNSPGGIHHDTAVLLTRQDICRAHDKC

Zn binding Met turn

DTLGLAELGTICDPYRSCSISEDSGLSTAFTIAHELGHVFNMPHDDNNKCKEEGVKSPQHVMAPTLNFYTNPWMWSKCSR

← disintegrin-like domain

KYITEFLDTGYGECLLNEPESRPYPLPVQLPGILYNVNKQCELIFGPGSQVCPYMMQCRRLWCNNVNGVHKGCRTQHTPW

← TSP 1 motif

ADGTECEPGKHCKYGFCVPKEMDVPVTDGSWGSWSPFGTCSRTCGGGIKTAIRECNRPEPKNGGKYCVGRRMKFKSCNTE

← spacer region

PCLKQKRDFRDEQCAHFDGKHFNINGLLPNVRWVPKYSGILMKDRCKLFCRVAGNTAYYQLRDRVIDGTPCGQDTNDICV

QGLCRQAGCDHVLNSKARRDKCGVCGGDNSSCKTVAGTFNTVHYGYNTVVRIPAGATNIDVRQHSFSGETDDDNYLALSS

SKGEFLLNGNFVVTMAKREIRIGNAVVEYSGSETAVERINSTDRIEQELLLQVLSVGKLYNPDVRYSFNIPIEDKPQQFY

← TSP1-like submotif 1 ← TSP1-like submotif 2

WNSHGPWQACSKPCQGERKRKLVCTRESDQLTVSDQRCDRLPQPGHITEPCGTDCDLRWHVASRSECSAQCGLGYRTLDI

← TSP1-like submotif 3

YCAKYSRLDGKTEKVDDGFCSSHPKPSNREKCSGECNTGGMRYSAWTECSKSCDGGTQRRRAICVNTRNDVLDDSKCTHQ

EKVTIQRCSEFPCPQWKSGDWSEVRWEGCYFP

Fig. 29


ADAM-TS Family
pro
metallo
dis
TSP1
spacer
TSP submotifs
ADAMTS 1/METH1
ADAMTS 2/pNPI
ADAMTS 3/KIAA0366
ADAMTS 4/agg-1
ADAMTS 5/agg-2
ADAMTS 6
ADAMTS 7
ADAMTS 8/METH2
ADAMTS 9
GON-1

Fig. 30A

CONSENSUS	HEXXHXXGXXHD
Fertilin α	HELGHNLGIRHD
ADAM 17/TACE	HELGHNFGAEHD
ADAM 10/Kuz	HEIGHNFGSPHD
ADAMTS 1	HELGHVFNMPHD
ADAMTS 2	HETGHVLGMEHD
ADAMTS 4	HELGHVFNMLHD
ADAMTS 5	HEIGHLLGLSHD
ADAMTS 9	HELGHVFNMPHD
GON-1	HELGHVFSIPHD

Fig. 30B


ADAMTS1-METH1
ADAMTS8-METH2
ADAMTS7
ADAMTS2-PCINP
ADAMTS5-AGG2
ADAMTS6
ADAMTS9
ADAMTS3-KIAA0366
ADAMTS4-KIAA0688-AGG1
C. elegans GON-1
0
100
200
300
400
500.0

Fig. 30C


marker
neg. control
f. thymus
f. spleen
f. sk. muscle
f. lung
f. liver
f. kidney
f. heart
f. brain
thymus
spleen
placenta
sk. muscle
lung
liver
kidney
heart
testis
pancreas
sm. intestine
prostate
leukocyte
ovary
colon
marker
1018bp
1018bp

Fig. 31



Fig. 32A


26
25
24
23
22
21
14
13
12
11
11.1
11.2
12
13.1
13.2
13.3
21
22
23
24
25
26.1
26.2
26.3
27
28
29


26.3
26.2
26.1
25.3
25.2
25.1
24.3
24.2
24.1
23
22.3
22.2
22.1
21.33
21.32
21.31
21.2
21.1
14.3
14.2
14.1
13
12.3
12.2
12.1
11.2
11.1
11.1
11.2
12.1
12.2
12.3
13.11
13.12
13.13
13.2
13.31
13.32
13.33
21.1
21.2
21.3
22.1
22.2
22.3
23
24
25.1
25.2
25.31
25.32
25.33
26.1
26.2
26.31
26.32
26.33
27.1
27.2
27.3
28
29

Fig. 32B

SEQUENCE LISTING

<110> Neurocrine Biosciences, Inc.
Kelner, Gregory S.
Clark, Melody
Maki, Richard A.

<120> METALLOPROTEINASES AND METHODS OF USE THEREFOR

<130> 690068.453PC

<140> PCT
<141> 2000-03-08

<160> 51

<170> FastSEQ for Windows Version 3.0

<210> 1
<211> 2346
<212> DNA
<213> Homo sapien

<400> 1
aggaccaagc ggtttgtgtc tgaggcgcgc ttcgtggaga cgctgctggt ggccgatgcg 60
tccatggctg ccttctacgg ggccgacctg cagaaccaca tcctgacgtt aatgtctgtg 120
gcagcccgaa tctacaagca ccccagcatc aagaattcca tcaacctgat ggtggtaaaa 180
gtgctgatcg tagaagatga aaaatggggc ccagaggtgt ccgacaatgg ggggcttaca 240
ctgcgtaact tctgcaactg gcagcggcgt ttcaaccagc ccagcgaccg gcacccagag 300
cactacgaca cggccatcct gctcaccaga cagaacttct gtgggcagga ggggctgtgt 360
gacaccctgg gtgtggcaga catcgggacc atttgtgacc ccaacaaaag ctgctccgtg 420
atcgaggatg aggggctcca ggcggcccac accctggccc atgaactagg gcacgtcctc 480
agcatgcccc acgacgactc caagccctgc acacggctct tcgggcccat gggcaagcac 540
cacgtgatgg caccgctgtt cgtccacctg aaccagacgc tgccctggtc cccctgcagc 600
gccatgtatc tcacagagct tctggacggc gggcacggag actgtctcct ggatgccccc 660
gctgcggccc tgccccctcc cacaggcctc ccgggccgca tggccctgta ccagctggac 720
cagcagtgca ggcagatctt tgggccggat ttccgccact gccccaacac ctctgctcag 780
gacgtctgcg cccagctttg gtgccacact gatggggctg agcccctgtg ccacacgaag 840
aatggcagcc tgccctgggc tgacggcacg ccgtgcgggc ctgggcacct ctgctcagaa 900
ggcagctgtc tacctgagga ggaagtggag aggcccaagc ccgtggtaga tggaggctgg 960
gcaccgtggg gaccctgggg agaatgttct cggacctgtg gaggaggagt acagttttca 1020
caccgtgagt gcaaggaccc cgagcctcag aatggaggaa gatactgcct gggtcggaga 1080
gccaagtacc agtcatgcca cacggaggaa tgcccccctg acgggaaaag cttcagggag 1140
cagcagtgtg agaagtataa tgcctacaat tacactgaca tggacgggaa tctcctgcag 1200
tgggtcccca agtatgctgg ggtgtccccc cgggaccgct gcaagttgtt ctgccgagcc 1260
cgggggagga gcgagttcaa agtgttcgag gccaaggtga ttgatggcac cctgtgtggg 1320
ccagaaacac tggccatctg tgtccgtggc cagtgtgtca aggccggctg tgaccatgtg 1380
gtggactcgt tttggaagct ggacaaatgc ggggtgtgtg gggggaaagg caactcctgc 1440
aggaagggct ccgggtccct cacccccacc aattatggct acaatgacat tgtcaccatc 1500
ccagctggtg ccactaatat tgacgtgaag cagcggagcc acccgggtgt gcagaacgat 1560
gggaactacc tggcgctgaa gacggctgat gggcagtacc tgctcaacgg caacctggcc 1620
atctctgcca tagagcagga catcttggtg aaggggacca tcctgaagta cagcggctcc 1680

```
atcgccaccc tggagcgcct gcagagcttc cggcccttgc cagagcctct gacagtgcag    1740
ctcctggcag tccctggcga ggtcttcccc ccaaaagtca aatacacctt ctttgttcct    1800
aatgacgtgg actttagcat gcagagcagc aaagagagag caaccaccaa catcacccag    1860
ccgctgctcc acgcacagtg ggtgctgggg gactggtctg agtgctctag cacctgcggg    1920
gccggctggc agaggcgaac tgtagagtgc agggacccct ccggccaggc ctctgccacc    1980
tgcaacaagg ctctgaaacc cgaggatgcc aagccctgcg aaagccagct gtgccccctg    2040
tgattcaggg gggcaggggc cagtcttgtg ctcctggaca tgcggtactg aggtgcagac    2100
aagggtctcc actgtggtga ctgggtccct tggccatatc aaggcagcac ggcccaccca    2160
ggcctcccat tgccgcaacc cctccagtac tgcacaaatt cctaaggggg aagaggagag    2220
ggtatggggc ggcagaccct atcatcaact gtccagtgga ctggaccttg ctcgggttca    2280
agtagagggc ataggttaaa aggtaaaagt gcacttattg taccagacag gacgcccgcg    2340
aattcg                                                               2346
```

<210> 2
<211> 680
<212> PRT
<213> Homo sapien

<400> 2

```
Arg Thr Lys Arg Phe Val Ser Glu Ala Arg Phe Val Glu Thr Leu Leu
 1               5                  10                  15
Val Ala Asp Ala Ser Met Ala Ala Phe Tyr Gly Ala Asp Leu Gln Asn
            20                  25                  30
His Ile Leu Thr Leu Met Ser Val Ala Ala Arg Ile Tyr Lys His Pro
        35                  40                  45
Ser Ile Lys Asn Ser Ile Asn Leu Met Val Val Lys Val Leu Ile Val
    50                  55                  60
Glu Asp Glu Lys Trp Gly Pro Glu Val Ser Asp Asn Gly Gly Leu Thr
65                  70                  75                  80
Leu Arg Asn Phe Cys Asn Trp Gln Arg Arg Phe Asn Gln Pro Ser Asp
                85                  90                  95
Arg His Pro Glu His Tyr Asp Thr Ala Ile Leu Leu Thr Arg Gln Asn
            100                 105                 110
Phe Cys Gly Gln Glu Gly Leu Cys Asp Thr Leu Gly Val Ala Asp Ile
        115                 120                 125
Gly Thr Ile Cys Asp Pro Asn Lys Ser Cys Ser Val Ile Glu Asp Glu
    130                 135                 140
Gly Leu Gln Ala Ala His Thr Leu Ala His Glu Leu Gly His Val Leu
145                 150                 155                 160
Ser Met Pro His Asp Asp Ser Lys Pro Cys Thr Arg Leu Phe Gly Pro
                165                 170                 175
Met Gly Lys His His Val Met Ala Pro Leu Phe Val His Leu Asn Gln
            180                 185                 190
Thr Leu Pro Trp Ser Pro Cys Ser Ala Met Tyr Leu Thr Glu Leu Leu
        195                 200                 205
Asp Gly Gly His Gly Asp Cys Leu Leu Asp Ala Pro Ala Ala Ala Leu
    210                 215                 220
Pro Leu Pro Thr Gly Leu Pro Gly Arg Met Ala Leu Tyr Gln Leu Asp
225                 230                 235                 240
Gln Gln Cys Arg Gln Ile Phe Gly Pro Asp Phe Arg His Cys Pro Asn
                245                 250                 255
Thr Ser Ala Gln Asp Val Cys Ala Gln Leu Trp Cys His Thr Asp Gly
            260                 265                 270
Ala Glu Pro Leu Cys His Thr Lys Asn Gly Ser Leu Pro Trp Ala Asp
        275                 280                 285
```

```
Gly Thr Pro Cys Gly Pro Gly His Leu Cys Ser Glu Gly Ser Cys Leu
    290                 295                 300
Pro Glu Glu Glu Val Glu Arg Pro Lys Pro Val Val Asp Gly Gly Trp
305                 310                 315                 320
Ala Pro Trp Gly Pro Trp Gly Glu Cys Ser Arg Thr Cys Gly Gly Gly
                325                 330                 335
Val Gln Phe Ser His Arg Glu Cys Lys Asp Pro Glu Pro Gln Asn Gly
            340                 345                 350
Gly Arg Tyr Cys Leu Gly Arg Arg Ala Lys Tyr Gln Ser Cys His Thr
        355                 360                 365
Glu Glu Cys Pro Pro Asp Gly Lys Ser Phe Arg Glu Gln Gln Cys Glu
    370                 375                 380
Lys Tyr Asn Ala Tyr Asn Tyr Thr Asp Met Asp Gly Asn Leu Leu Gln
385                 390                 395                 400
Trp Val Pro Lys Tyr Ala Gly Val Ser Pro Arg Asp Arg Cys Lys Leu
                405                 410                 415
Phe Cys Arg Ala Arg Gly Arg Ser Glu Phe Lys Val Phe Glu Ala Lys
            420                 425                 430
Val Ile Asp Gly Thr Leu Cys Gly Pro Glu Thr Leu Ala Ile Cys Val
        435                 440                 445
Arg Gly Gln Cys Val Lys Ala Gly Cys Asp His Val Val Asp Ser Phe
    450                 455                 460
Trp Lys Leu Asp Lys Cys Gly Val Cys Gly Gly Lys Gly Asn Ser Cys
465                 470                 475                 480
Arg Lys Gly Ser Gly Ser Leu Thr Pro Thr Asn Tyr Gly Tyr Asn Asp
                485                 490                 495
Ile Val Thr Ile Pro Ala Gly Ala Thr Asn Ile Asp Val Lys Gln Arg
            500                 505                 510
Ser His Pro Gly Val Gln Asn Asp Gly Asn Tyr Leu Ala Leu Lys Thr
        515                 520                 525
Ala Asp Gly Gln Tyr Leu Leu Asn Gly Asn Leu Ala Ile Ser Ala Ile
    530                 535                 540
Glu Gln Asp Ile Leu Val Lys Gly Thr Ile Leu Lys Tyr Ser Gly Ser
545                 550                 555                 560
Ile Ala Thr Leu Glu Arg Leu Gln Ser Phe Arg Pro Leu Pro Glu Pro
                565                 570                 575
Leu Thr Val Gln Leu Leu Ala Val Pro Gly Glu Val Phe Pro Pro Lys
            580                 585                 590
Val Lys Tyr Thr Phe Phe Val Pro Asn Asp Val Asp Phe Ser Met Gln
        595                 600                 605
Ser Ser Lys Glu Arg Ala Thr Thr Asn Ile Thr Gln Pro Leu Leu His
    610                 615                 620
Ala Gln Trp Val Leu Gly Asp Trp Ser Glu Cys Ser Ser Thr Cys Gly
625                 630                 635                 640
Ala Gly Trp Gln Arg Arg Thr Val Glu Cys Arg Asp Pro Ser Gly Gln
                645                 650                 655
Ala Ser Ala Thr Cys Asn Lys Ala Leu Lys Pro Glu Asp Ala Lys Pro
            660                 665                 670
Cys Glu Ser Gln Leu Cys Pro Leu
        675                 680
```

<210> 3
<211> 2751
<212> DNA
<213> Rattus norvegicus

<400> 3

ccccccctcg aggtcgacgg tatcgataag cttgatatcg aattccgggc cccccacccc 60
cgcccctgaa acttctatag caaatagcaa acatccagct agactcagtc gcgcagcccc 120
tcccggcggg cagcgcacta tgcggctcga gtgggcgtcc ttgctgctgc tactgctgct 180
gctgtgcgcg tcctgcctgg ccctggccgc tgacaaccct gccgcggcac ctgcccagga 240
taaaaccagg cagcctcggg ctgctgcagc ggctgcccag cccgaccagc ggcagtggga 300
ggaaacacag gagcggggcc atctgcaacc cttggccagg cagcgcagga gcagcgggct 360
ggtgcagaat atagaccaac tctactctgg cggtggcaaa gtgggctacc ttgtctacgc 420
gggcggccgg aggttcctgc tggacctgga gagggatgac acagtgggtg ctgctggtgg 480
catcgttact gcaggagggc tgagcgcatc ctctggccac aggggtcact gcttctacag 540
aggcactgtg gacggcagcc ctcgatccct agctgtcttt gacctctgtg ggggtctcga 600
tggcttcttc gcagtcaagc atgcgcgcta cactctgagg ccgctcttgc gtgggtcctg 660
ggcagagtcc gaacgagttt acggggatgg gtcttcacgc atcctgcatg tctacacccg 720
cgagggcttc agcttcgagg ccctgccgcc acgcaccagt tgcgagactc cagcgtcccc 780
gtctggggcc caagagagcc cctcggtgca cagtagttct aggcgacgca cagaactggc 840
accgcagctg ctggaccatt cagctttctc gccagctggg aacgcgggac ctcagacctg 900
gtggaggcgg aggcgccgtt ccatctccag ggcccgccag gtggagctcc tcttggtggc 960
tgactcttcc atggccaaga tgtatgggcg gggcctgcag cattacctgc tgaccctggc 1020
ctctattgcc aaccggctgt acagtcatgc aagcatcgag aaccacatcc gcctggccgt 1080
agtgaaagtg gtggtgctga ccgacaagag tctggaggtg agcaagaacg cggccacgac 1140
cctcaagaac ttttgcaaat ggcagcacca acacaaccag ctaggtgatg accatgagga 1200
gcactacgat gcagccatcc tgttcaccag agaggattta tgtgggcatc attcatgtga 1260
caccctggga atggcagacg ttgggaccat atgttctccg gagcgcagct gcgctgtgat 1320
tgaagatgat ggcctccatg cagctttcac tgtggctcac gaaattggac atctacttgg 1380
cctctctcac gacgattcca aattctgtga agagaacttt ggttctacag aagacaagcg 1440
tttaatgtct tcaatcctta ccagcattga tgcatccaag ccctggtcca aatgcacttc 1500
agccacgatc acagaatttc tggatgacgg tcatggtaac tgtttactag atgtaccacg 1560
gaagcagatt ctgggccccg aggaactccc aggacagacc tatgatgcca cccagcagtg 1620
caacttgaca tttgggcctg aatactctgt gtgccctggc atggatgtct gtgcacggct 1680
gtggtgtgct gtggtgcgcc aaggccaaat ggtgtgtctg accaagaagt tgcctgccgt 1740
ggagggcact ccctgtggga aaggaagaat ctgcctgcaa ggcaaatgtg tggacaaaac 1800
taagaaaaaa tattactcga catcaagcca tggaaattgg gggtcctggg gcccctgggg 1860
tcagtgttct cgctcttgcg ggggaggagt acagtttgcc taccgccatt gcaataaccc 1920
cgcacctcga aacagtggcc gctactgcac agggaagagg gccatatacc gttcctgcag 1980
tgtcataccc tgcccaccta acggcaaatc tttccgccac gagcagtgtg aagccaaaaa 2040
tggctatcag tccgatgcaa aaggagtcaa aacatttgta gaatgggttc ccaaatacgc 2100
aggtgtcctg ccggcagacg tgtgcaagct tacgtgcaga gctaagggca ctggctatta 2160
cgtggtcttt tctccaaagg ttacagatgg gacagaatgt agaccctaca gcaactccgt 2220
gtgtgtccga gggaggtgcg tgagaacggg gtgtgacggc atcatcggct caaagctaca 2280
gtatgacaag tgtggagtgt gtggagggga taactccagt tgtacaaaga ttatcggaac 2340
cttcaataaa aaaagcaagg gttatactga cgttgtgagg atccctgaag gagcaaccca 2400
cataaaagtc cgacagttca aagccmaaga ccagactaga ttcactgctt acttagccct 2460
aaagaagaaa actggcgagt accttatcaa cggcaagtac atgatctcca cttcagagac 2520
catcatcgac atcaatggta ccgtcatgaa ctacagtggg tggagtcaca gagatgattt 2580
tttacatggg atgggctatt cagccacaaa ggaaattctg attgtgcaga tccttgcaac 2640
agacccaact aaagcattag acgtccgtta cagcttttt gttcccaaga agaccactca 2700
aaaagtgaat tcctgcagcc cgggggatcc actagttcta gagcggccgg b 2751

<210> 4
<211> 870
<212> PRT
<213> Rattus norvegicus

<220>

<221> VARIANT
<222> (1)...(870)
<223> Xaa = Any Amino Acid

<400> 4

```
Met Arg Leu Glu Trp Ala Ser Leu Leu Leu Leu Leu Leu Leu Leu Cys
 1               5                  10                  15
Ala Ser Cys Leu Ala Leu Ala Ala Asp Asn Pro Ala Ala Ala Pro Ala
            20                  25                  30
Gln Asp Lys Thr Arg Gln Pro Arg Ala Ala Ala Ala Ala Ala Gln Pro
        35                  40                  45
Asp Gln Arg Gln Trp Glu Glu Thr Gln Glu Arg Gly His Leu Gln Pro
    50                  55                  60
Leu Ala Arg Gln Arg Arg Ser Ser Gly Leu Val Gln Asn Ile Asp Gln
65                  70                  75                  80
Leu Tyr Ser Gly Gly Gly Lys Val Gly Tyr Leu Val Tyr Ala Gly Gly
                85                  90                  95
Arg Arg Phe Leu Leu Asp Leu Glu Arg Asp Asp Thr Val Gly Ala Ala
            100                 105                 110
Gly Gly Ile Val Thr Ala Gly Gly Leu Ser Ala Ser Ser Gly His Arg
        115                 120                 125
Gly His Cys Phe Tyr Arg Gly Thr Val Asp Gly Ser Pro Arg Ser Leu
    130                 135                 140
Ala Val Phe Asp Leu Cys Gly Gly Leu Asp Gly Phe Phe Ala Val Lys
145                 150                 155                 160
His Ala Arg Tyr Thr Leu Arg Pro Leu Leu Arg Gly Ser Trp Ala Glu
                165                 170                 175
Ser Glu Arg Val Tyr Gly Asp Gly Ser Ser Arg Ile Leu His Val Tyr
            180                 185                 190
Thr Arg Glu Gly Phe Ser Phe Glu Ala Leu Pro Pro Arg Thr Ser Cys
        195                 200                 205
Glu Thr Pro Ala Ser Pro Ser Gly Ala Gln Glu Ser Pro Ser Val His
    210                 215                 220
Ser Ser Ser Arg Arg Arg Thr Glu Leu Ala Pro Gln Leu Leu Asp His
225                 230                 235                 240
Ser Ala Phe Ser Pro Ala Gly Asn Ala Gly Pro Gln Thr Trp Trp Arg
                245                 250                 255
Arg Arg Arg Arg Ser Ile Ser Arg Ala Arg Gln Val Glu Leu Leu Leu
            260                 265                 270
Val Ala Asp Ser Ser Met Ala Lys Met Tyr Gly Arg Gly Leu Gln His
        275                 280                 285
Tyr Leu Leu Thr Leu Ala Ser Ile Ala Asn Arg Leu Tyr Ser His Ala
    290                 295                 300
Ser Ile Glu Asn His Ile Arg Leu Ala Val Val Lys Val Val Val Leu
305                 310                 315                 320
Thr Asp Lys Ser Leu Glu Val Ser Lys Asn Ala Ala Thr Thr Leu Lys
                325                 330                 335
Asn Phe Cys Lys Trp Gln His Gln His Asn Gln Leu Gly Asp Asp His
            340                 345                 350
Glu Glu His Tyr Asp Ala Ala Ile Leu Phe Thr Arg Glu Asp Leu Cys
        355                 360                 365
Gly His His Ser Cys Asp Thr Leu Gly Met Ala Asp Val Gly Thr Ile
    370                 375                 380
Cys Ser Pro Glu Arg Ser Cys Ala Val Ile Glu Asp Asp Gly Leu His
385                 390                 395                 400
```

```
Ala Ala Ph  Thr Val Ala His Glu Ile Gly His Leu Leu Gly Leu Ser
                405                 410                 415
His Asp Asp Ser Lys Phe Cys Glu Glu Asn Phe Gly Ser Thr Glu Asp
            420                 425                 430
Lys Arg Leu Met Ser Ser Ile Leu Thr Ser Ile Asp Ala Ser Lys Pro
        435                 440                 445
Trp Ser Lys Cys Thr Ser Ala Thr Ile Thr Glu Phe Leu Asp Asp Gly
    450                 455                 460
His Gly Asn Cys Leu Leu Asp Val Pro Arg Lys Gln Ile Leu Gly Pro
465                 470                 475                 480
Glu Glu Leu Pro Gly Gln Thr Tyr Asp Ala Thr Gln Gln Cys Asn Leu
                485                 490                 495
Thr Phe Gly Pro Glu Tyr Ser Val Cys Pro Gly Met Asp Val Cys Ala
            500                 505                 510
Arg Leu Trp Cys Ala Val Val Arg Gln Gly Gln Met Val Cys Leu Thr
        515                 520                 525
Lys Lys Leu Pro Ala Val Glu Gly Thr Pro Cys Gly Lys Gly Arg Ile
    530                 535                 540
Cys Leu Gln Gly Lys Cys Val Asp Lys Thr Lys Lys Lys Tyr Tyr Ser
545                 550                 555                 560
Thr Ser Ser His Gly Asn Trp Gly Ser Trp Gly Pro Trp Gly Gln Cys
                565                 570                 575
Ser Arg Ser Cys Gly Gly Gly Val Gln Phe Ala Tyr Arg His Cys Asn
            580                 585                 590
Asn Pro Ala Pro Arg Asn Ser Gly Arg Tyr Cys Thr Gly Lys Arg Ala
        595                 600                 605
Ile Tyr Arg Ser Cys Ser Val Ile Pro Cys Pro Pro Asn Gly Lys Ser
    610                 615                 620
Phe Arg His Glu Gln Cys Glu Ala Lys Asn Gly Tyr Gln Ser Asp Ala
625                 630                 635                 640
Lys Gly Val Lys Thr Phe Val Glu Trp Val Pro Lys Tyr Ala Gly Val
                645                 650                 655
Leu Pro Ala Asp Val Cys Lys Leu Thr Cys Arg Ala Lys Gly Thr Gly
            660                 665                 670
Tyr Tyr Val Val Phe Ser Pro Lys Val Thr Asp Gly Thr Glu Cys Arg
        675                 680                 685
Pro Tyr Ser Asn Ser Val Cys Val Arg Gly Arg Cys Val Arg Thr Gly
    690                 695                 700
Cys Asp Gly Ile Ile Gly Ser Lys Leu Gln Tyr Asp Lys Cys Gly Val
705                 710                 715                 720
Cys Gly Gly Asp Asn Ser Ser Cys Thr Lys Ile Ile Gly Thr Phe Asn
                725                 730                 735
Lys Lys Ser Lys Gly Tyr Thr Asp Val Val Arg Ile Pro Glu Gly Ala
            740                 745                 750
Thr His Ile Lys Val Arg Gln Phe Lys Ala Xaa Asp Gln Thr Arg Phe
        755                 760                 765
Thr Ala Tyr Leu Ala Leu Lys Lys Lys Thr Gly Glu Tyr Leu Ile Asn
    770                 775                 780
Gly Lys Tyr Met Ile Ser Thr Ser Glu Thr Ile Ile Asp Ile Asn Gly
785                 790                 795                 800
Thr Val Met Asn Tyr Ser Gly Trp Ser His Arg Asp Asp Phe Leu His
                805                 810                 815
Gly Met Gly Tyr Ser Ala Thr Lys Glu Ile Leu Ile Val Gln Ile Leu
            820                 825                 830
Ala Thr Asp Pro Thr Lys Ala Leu Asp Val Arg Tyr Ser Phe Phe Val
```

```
       835                 840                 845
Pro Lys Lys Thr Thr Gln Lys Val Asn Ser Cys Ser Pro Gly Asp Pro
    850                 855                 860
Leu Val Leu Glu Arg Pro
865                 870
```

<210> 5
<211> 4067
<212> DNA
<213> Homo sapien

<400> 5

```
cactggcgga gaaaatcccc ttctttttct tctctctctt tttttctttt tgagacggaa      60
tctcactctt tcacccagac tggagggcag cggcgagatc tcggctcact gcaacctcca     120
cctcccaggt tcaagcaatt ctcctgcctc agccttccga gtagctggga ttacaggtgc     180
ccgccaccac gcccagctaa tttttgtatt tttagtagag acaggatttt accatgttgg     240
ccatgctggt ctcaaactcc tgacctcgtg tgatccccct gcttcagcct ctcaaactgc     300
tgggattata ggcatgagcc actgcgcctg gccaacaatc cccttctaaa ggcaggtggt     360
gtctccagca ccagggccat acggctgcaa cacccctaca agtgccgggt ctgccagaca     420
accacgacca actagtccca gataaccttg aggcctgggc actggctggg ccccgagggc     480
tcttcccaaa gcgtaccctg gtcatctgga agaggatcgg agctggcctg gtggtgacag     540
tggccttgct tcctaggatg gatggcagat ggcaatgttc ctgctgggcc tggttcctgc     600
tggttctggc agttgtagct ggggacacag tgtcaaccgg gtccacggac aacagcccaa     660
catccaatag cctggagggg ggcaccgacg ccacggcctt ctggtggggg gagtggacca     720
agtggacggc gttttcccgc agttgcgggg gtggggtgac atcccaggag cggcactgcc     780
tgcagcagag gaggaagtcc gtcccgggcc ccgggaacag gacctgcacg ggcacgtcca     840
agcggtacca gctctgcaga gtgcaggagt gtccgccgga cgggaggagc ttccgcgagg     900
agcagtgcgt ctccttcaac tcccacgtgt acaacgggcg gacgcaccag tggaagcctc     960
tgtacccgga tgactatgtc cacatctcca gcaaaccgtg tgacctgcac tgtaccaccg    1020
tggacggcca gcggcagctc atggtccccg cccgcgacgg cacatcctgc aagctcactg    1080
acctgcgagg ggtttgcgtg tctggaaaat gtgagcccat cggctgtgac ggggtgcttt    1140
tctccaccca cacactggac aagtgtggca tctgccaggg ggacggtagc agctgcaccc    1200
acgtgacggg caactatcgc aaggggaatg cccaccttgg ttactctctg gtgacccaca    1260
tcccggctgg tgcccgagac atccagattg tagagaggaa gaagtccgct gacgtgctag    1320
ctcttgcaga tgaagctggc tactacttct tcaacggcaa ctacaaggtg gacagcccca    1380
agaacttcaa catcgctggc acggtggtca agtaccggcg gcccatggat gtctatgaga    1440
ccggaatcga gtacatcgtg gcacaggggc ccaccaacca gggcctgaat gtcatggtgt    1500
ggaaccagaa cggcaaaagc ccctccatca ccttcgagta cacgctgctg cagccgccac    1560
acgagagccg cccccagccc atctactatg gcttctccga gagcgctgag agccagggcc    1620
tggacggggc cgggctgatg ggcttcatcc cgcacaacgg ctcccctctac ggccaggcct    1680
cctcagagcg gctgggcctg gacaaccggc tgttcggcca cccgggcctg gacatggagc    1740
tgggccccag ccagggccag gagaccaacg aggtgtgcga gcaggccggc ggcggggcct    1800
gcgaggggcc ccccaggggc aagggcttcc gagaccgcaa cgtcacgggg actcctctca    1860
ccggggacaa ggatgacgaa gaggttgaca cccacttcgc ctcccaggag ttcttctcgg    1920
ctaacgccat ctctgaccag ctgctgggcg caggctctga cttgaaggac ttcaccctca    1980
atgagactgt gaacagcatc tttgcacagg gcgccccaag gagctccctg gccgagagct    2040
tcttcgtgga ttatgaggag aacgaggggg ctggccctta cctgctcaac gggtcctacc    2100
tggagctgag cagcgacagg gttgccaaca gctcctccga ggccccattc cccaacgtta    2160
gcaccagcct gctcacctcg gccgggaaca ggactcacaa ggccaggacc aggcccaagg    2220
cgcgcaagca aggcgtgagt cccgcggaca tgtaccggtg gaagctctcg tcccacgagc    2280
cctgcagtgc cacctgcacc acaggggtca tgtctgcgta cgccatgtgt gtccgctatg    2340
atggcgtcga ggtggatgac agctactgtg acgccctgac ccgtcccgag cctgtccacg    2400
agttctgcgc tgggagggag tgccagccca ggtgggagac gagcagctgg agcgagtgtt    2460
cgcgcacctg cggagagggc taccagttcc gcgtcgtgcg ctgctggaag atgctctcgc    2520
ccggcttcga cagctccgtg tacagcgacc tgtgcgaggc agccgaggcc gtgcggcccg    2580
```

```
aggaacgcaa gacctgccgg aaccccgcct gcgggcccca gtgggagatg tcggagtggt    2640
ccgagtgcac tgccaagtgt ggggagcgca gtgtggtgac cagggacatc cgctgctcgg    2700
aggatgagaa gctgtgtgac cccaacacca ggcctgtagg ggagaagaac tgcacgggcc    2760
cgccctgtga ccggcagtgg accgtctccg actggggacc gtgcagtgga agctgcgggc    2820
aaggccgcac catcaggcac gtgtactgca agaccagcga cggacgggta gtacctgagt    2880
cccagtgcca gatggagacc aagcctctgg ccatccaccc ctgtggggac aaaaactgtc    2940
ccgcccactg gctggcccag gactgggagc ggtgcaacac cacctgcggg cgcggggtca    3000
agaagcggct ggtgctctgc atggagctgg ccaacgggaa gccgcagacg cgcagtggcc    3060
ccgagtgcgg gctcgccaag aagcctcccg aggagagcac gtgtttcgag aggccctgct    3120
tcaagtggta caccagcccc tggtcagagt gcaccaagac ctgcggggtg ggcgtgagga    3180
tgcgagacgt caagtgctac caggggaccg acatcgtccg tggttgcgat ccgttggtga    3240
agcccgttgg cagacaggcc tgtgatctgc agccctgccc cacggagccc ccagatgaca    3300
gctgccagga ccagccaggc accaactgtg ccctggccat caaagtgaac ctctgcgggc    3360
actggtacta cagcaaggcg tgctgccgct cctgcaggcc cccccactcc taggcccggc    3420
agctgcagcc ccttccagat gaagaccaag cgcccctcct ggggctgctg cagcttctgg    3480
ggcctccaca gacccccctc ctgcggggca cgctggccta agagacgtgg cactgagcct    3540
cggctgtcga gaggggactt cccacggccc gtggaccttt gtgctcctgg ggcagagcct    3600
ccggcaccca gtggcctccc ccagacagag ccacccctgc cgtgggaacc tgtccgtgtt    3660
cctgcgtgga tcctgtgttt gtggctccca ctccccagcc ccccagcagc ccccagccga    3720
ggggcccagg gcccacagcc agcggtggag gtgtcttgct ccgggcccgt agcccacgcc    3780
ctctctgggt ggcagggcct tctgaaggaa acttgcaggc gagcccaacg tggtgggggg    3840
ccttcctccc tcagaggcca tggggtgaga ggggctcagg cagccaagga ggcccaggcg    3900
tgctcccctct tatggagccc ctcccatgga gctctcttcc cgccgcactt tctaccccgg    3960
gcagaggcgc ttgcccacgg gacgtttggg gatggacctc ggcccccgcc cctgcagtca    4020
gcgtcagtgc tcatctacgt taataaagtg gtcctattta tggcggc                   4067
```

<210> 6
<211> 951
<212> PRT
<213> Homo sapien

<400> 6

```
Met Asp Gly Arg Trp Gln Cys Ser Cys Trp Ala Trp Phe Leu Leu Val
 1               5                  10                  15
Leu Ala Val Val Ala Gly Asp Thr Val Ser Thr Gly Ser Thr Asp Asn
            20                  25                  30
Ser Pro Thr Ser Asn Ser Leu Glu Gly Gly Thr Asp Ala Thr Ala Phe
        35                  40                  45
Trp Trp Gly Glu Trp Thr Lys Trp Thr Ala Phe Ser Arg Ser Cys Gly
    50                  55                  60
Gly Gly Val Thr Ser Gln Glu Arg His Cys Leu Gln Gln Arg Arg Lys
65                  70                  75                  80
Ser Val Pro Gly Pro Gly Asn Arg Thr Cys Thr Gly Thr Ser Lys Arg
                85                  90                  95
Tyr Gln Leu Cys Arg Val Gln Glu Cys Pro Pro Asp Gly Arg Ser Phe
            100                 105                 110
Arg Glu Glu Gln Cys Val Ser Phe Asn Ser His Val Tyr Asn Gly Arg
        115                 120                 125
Thr His Gln Trp Lys Pro Leu Tyr Pro Asp Asp Tyr Val His Ile Ser
    130                 135                 140
Ser Lys Pro Cys Asp Leu His Cys Thr Thr Val Asp Gly Gln Arg Gln
145                 150                 155                 160
Leu Met Val Pro Ala Arg Asp Gly Thr Ser Cys Lys Leu Thr Asp Leu
                165                 170                 175
Arg Gly Val Cys Val Ser Gly Lys Cys Glu Pro Ile Gly Cys Asp Gly
```

```
            180                 185                 190
Val Leu Phe Ser Thr His Thr Leu Asp Lys Cys Gly Ile Cys Gln Gly
        195                 200                 205
Asp Gly Ser Ser Cys Thr His Val Thr Gly Asn Tyr Arg Lys Gly Asn
    210                 215                 220
Ala His Leu Gly Tyr Ser Leu Val Thr His Ile Pro Ala Gly Ala Arg
225                 230                 235                 240
Asp Ile Gln Ile Val Glu Arg Lys Lys Ser Ala Asp Val Leu Ala Leu
                245                 250                 255
Ala Asp Glu Ala Gly Tyr Tyr Phe Phe Asn Gly Asn Tyr Lys Val Asp
            260                 265                 270
Ser Pro Lys Asn Phe Asn Ile Ala Gly Thr Val Val Lys Tyr Arg Arg
        275                 280                 285
Pro Met Asp Val Tyr Glu Thr Gly Ile Glu Tyr Ile Val Ala Gln Gly
    290                 295                 300
Pro Thr Asn Gln Gly Leu Asn Val Met Val Trp Asn Gln Asn Gly Lys
305                 310                 315                 320
Ser Pro Ser Ile Thr Phe Glu Tyr Thr Leu Leu Gln Pro Pro His Glu
                325                 330                 335
Ser Arg Pro Gln Pro Ile Tyr Tyr Gly Phe Ser Glu Ser Ala Glu Ser
            340                 345                 350
Gln Gly Leu Asp Gly Ala Gly Leu Met Gly Phe Ile Pro His Asn Gly
        355                 360                 365
Ser Leu Tyr Gly Gln Ala Ser Ser Glu Arg Leu Gly Leu Asp Asn Arg
    370                 375                 380
Leu Phe Gly His Pro Gly Leu Asp Met Glu Leu Gly Pro Ser Gln Gly
385                 390                 395                 400
Gln Glu Thr Asn Glu Val Cys Glu Gln Ala Gly Gly Gly Ala Cys Glu
                405                 410                 415
Gly Pro Pro Arg Gly Lys Gly Phe Arg Asp Arg Asn Val Thr Gly Thr
            420                 425                 430
Pro Leu Thr Gly Asp Lys Asp Asp Glu Glu Val Asp Thr His Phe Ala
        435                 440                 445
Ser Gln Glu Phe Phe Ser Ala Asn Ala Ile Ser Asp Gln Leu Leu Gly
    450                 455                 460
Ala Gly Ser Asp Leu Lys Asp Phe Thr Leu Asn Glu Thr Val Asn Ser
465                 470                 475                 480
Ile Phe Ala Gln Gly Ala Pro Arg Ser Ser Leu Ala Glu Ser Phe Phe
                485                 490                 495
Val Asp Tyr Glu Glu Asn Glu Gly Ala Gly Pro Tyr Leu Leu Asn Gly
            500                 505                 510
Ser Tyr Leu Glu Leu Ser Ser Asp Arg Val Ala Asn Ser Ser Ser Glu
        515                 520                 525
Ala Pro Phe Pro Asn Val Ser Thr Ser Leu Leu Thr Ser Ala Gly Asn
    530                 535                 540
Arg Thr His Lys Ala Arg Thr Arg Pro Lys Ala Arg Lys Gln Gly Val
545                 550                 555                 560
Ser Pro Ala Asp Met Tyr Arg Trp Lys Leu Ser Ser His Glu Pro Cys
                565                 570                 575
Ser Ala Thr Cys Thr Thr Gly Val Met Ser Ala Tyr Ala Met Cys Val
            580                 585                 590
Arg Tyr Asp Gly Val Glu Val Asp Asp Ser Tyr Cys Asp Ala Leu Thr
        595                 600                 605
Arg Pro Glu Pro Val His Glu Phe Cys Ala Gly Arg Glu Cys Gln Pro
    610                 615                 620
```

```
Arg Trp Glu Thr Ser Ser Trp Ser Glu Cys Ser Arg Thr Cys Gly Glu
625                 630                 635                 640
Gly Tyr Gln Phe Arg Val Val Arg Cys Trp Lys Met Leu Ser Pro Gly
                645                 650                 655
Phe Asp Ser Ser Val Tyr Ser Asp Leu Cys Glu Ala Ala Glu Ala Val
            660                 665                 670
Arg Pro Glu Glu Arg Lys Thr Cys Arg Asn Pro Ala Cys Gly Pro Gln
        675                 680                 685
Trp Glu Met Ser Glu Trp Ser Glu Cys Thr Ala Lys Cys Gly Glu Arg
    690                 695                 700
Ser Val Val Thr Arg Asp Ile Arg Cys Ser Glu Asp Glu Lys Leu Cys
705                 710                 715                 720
Asp Pro Asn Thr Arg Pro Val Gly Glu Lys Asn Cys Thr Gly Pro Pro
                725                 730                 735
Cys Asp Arg Gln Trp Thr Val Ser Asp Trp Gly Pro Cys Ser Gly Ser
            740                 745                 750
Cys Gly Gln Gly Arg Thr Ile Arg His Val Tyr Cys Lys Thr Ser Asp
        755                 760                 765
Gly Arg Val Val Pro Glu Ser Gln Cys Gln Met Glu Thr Lys Pro Leu
    770                 775                 780
Ala Ile His Pro Cys Gly Asp Lys Asn Cys Pro Ala His Trp Leu Ala
785                 790                 795                 800
Gln Asp Trp Glu Arg Cys Asn Thr Thr Cys Gly Arg Gly Val Lys Lys
                805                 810                 815
Arg Leu Val Leu Cys Met Glu Leu Ala Asn Gly Lys Pro Gln Thr Arg
            820                 825                 830
Ser Gly Pro Glu Cys Gly Leu Ala Lys Lys Pro Pro Glu Glu Ser Thr
        835                 840                 845
Cys Phe Glu Arg Pro Cys Phe Lys Trp Tyr Thr Ser Pro Trp Ser Glu
    850                 855                 860
Cys Thr Lys Thr Cys Gly Val Gly Val Arg Met Arg Asp Val Lys Cys
865                 870                 875                 880
Tyr Gln Gly Thr Asp Ile Val Arg Gly Cys Asp Pro Leu Val Lys Pro
                885                 890                 895
Val Gly Arg Gln Ala Cys Asp Leu Gln Pro Cys Pro Thr Glu Pro Pro
            900                 905                 910
Asp Asp Ser Cys Gln Asp Gln Pro Gly Thr Asn Cys Ala Leu Ala Ile
        915                 920                 925
Lys Val Asn Leu Cys Gly His Trp Tyr Tyr Ser Lys Ala Cys Cys Arg
    930                 935                 940
Ser Cys Arg Pro Pro His Ser
945                 950
```

<210> 7
<211> 5774
<212> DNA
<213> Homo sapien

<400> 7

```
gtcactttgg ttgatagcag ccgctctggt agaggttagg acttcagctg atggacaagc      60
tggtaatgaa gaaatggtgc aaatagattt accaataaag agatatagag agtatgagct     120
ggtgactcca gtcagcacaa atctagaagg acgctatctc tcccatactc tttctgcgag     180
tcacaaaaag aggtcagcga gggacgtgtc ttccaaccct gagcagttgt tctttaacat     240
cacggcattt ggaaaagatt ttcatctgcg actaaagccc aacactcaac tagtagctcc     300
tggggctgtt gtggagtggc atgagacatc tctggtgcct gggaatataa ccgatcccat     360
```

taacaaccat caaccaggaa gtgctacgta tagaatccgg aaaacagagc ctttgcagac 420
taactgtgct tatgttggtg acatcgtgga cattccagga acctctgttg ccatcagcaa 480
ctgtgatggt ctggctggaa tgataaaaag tgataatgaa gagtatttca ttgaaccctt 540
ggaaagaggt aaacagatgg aggaagaaaa aggaaggatt catgttgtct acaagagatc 600
agctgtagaa caggctccca tagacatgtc caaagacttc cactacagag agtcggacct 660
ggaaggcctt gatgatctag gtactgttta tggcaacatc caccagcagc tgaatgaaac 720
aatgagacgc cgcagacacg cgggagaaaa cgattacaat atcgaggtac tgctgggagt 780
ggatgactct gtggtccgtt tccatggcaa agagcacgtc caaaactacc tcctgaccct 840
aatgaacatt gtgaatgaaa tttaccatga tgagtccctc ggagtgcata taaatgtggt 900
cctggtgcgc atgataatgc tgggatatgc aaagtccatc agcctcatag aaaggggaaa 960
cccatccaga agcttggaga atgtgtgtcg ctgggcgtcc caacagcaaa gatctgatct 1020
caaccactct gaacaccatg accatgcaat ttttttaacc aggcaagact ttggacctgc 1080
tggaatgcaa ggatatgctc cagtcaccgg catgtgtcat ccagtgagaa gttgtaccct 1140
gaatcatgag gatggttttt catctgcttt tgtagtagcc catgaaacgg gccatgtgtt 1200
gggaatggag catgatggac aaggcaacag gtgtggtgat gagactgcta tgggaagtgt 1260
catggctccc ttggtacaag cagcattcca tcgttaccac tggtcccgat gcagtggtca 1320
agaactgaaa agatatatcc attcctatga ctgtctcctt gatgaccctt ttgatcatga 1380
ttggcctaaa ctcccagaac ttcctggaat caattattct atggatgagc aatgtcgttt 1440
tgattttggt gttggctata aaatgtgcac cgcgttccga acctttgacc catgtaaaca 1500
gctgtggtgt agccatcctg ataatcccta cttttgtaag actaaaaagg gacctccact 1560
tgatgggact gaatgtgctg ctggaaaatg gtgctataag ggtcattgca tgtggaagaa 1620
tgctaatcag caaaaacaag atggcaattg ggggtcatgg actaaatttg gctcctgttc 1680
tcggacatgt ggaactggtg ttcgtttcag aacacgccag tgcaataatc ccatgcccat 1740
caatggtggt caggattgtc ctggtgttaa ttttgagtac cagctttgta acacagaaga 1800
atgccaaaaa cactttgagg acttcagagc acagcagtgt cagcagcgaa actcccactt 1860
tgaataccag aataccaaac accactggtt gccatatgaa catcctgacc ccaagaaaag 1920
atgccacctt tactgtcagt ccaaggagac tggagatgtt gcttacatga aacaactggt 1980
gcatgatgga acgcactgtt cttacaaaga tccatatagc atatgtgtgc gaggagagtg 2040
tgtgaaagtg ggctgtgata aagaaattgg ttctaataag gttgaggata agtgtggtgt 2100
ctgtggagga gataattccc actgccgaac cgtgaagggg acatttacca gaactcccag 2160
gaagcttggg taccttaaga tgtttgatat acccccctggg gctagacatg tgttaatcca 2220
agaagacgag gcttctcctc atattcttgc tattaagaac caggctacag gccattatat 2280
tttaaatggc aaaggggagg aagccaagtc gcggaccttc atagatcttg gtgtggagtg 2340
ggattataac attgaagatg acattgaaag tcttcacacc gatggacctt tacatgatcc 2400
tgttattgtt ttgattatac ctcaagaaaa tgatacccgc tctagcctga catataagta 2460
catcatccat gaagactctg tacctacaat caacagcaac aatgtcatcc aggaagaatt 2520
agatactttt gagtgggctt tgaagagctg gtctcaggtt tccaaaccct gtggtggagg 2580
tttccagtac actaaatatg gatgccgtag gaaaagtgat aataaaatgg tccatcgcag 2640
cttctgtgag gccaacaaaa agccgaaacc tattagacga atgtgcaata ttcaagagtg 2700
tacacatcca ctctgggtag cagaagaatg ggaacactgc accaaaacct gtggaagttc 2760
tggctatcag cttcgcactg tacgctgcct tcagccactc cttgatggca ccaaccgctc 2820
tgtgcacagc aaatactgca tgggtgaccg tcccgagagc cgccggccct gtaacagagt 2880
gccctgccct gcacagtgga aaacaggacc ctggagtgag tgttcagtga cctgcggtga 2940
aggaacggag gtgaggcagg tcctctgcag ggctggggac cactgtgatg gtgaaaagcc 3000
tgagtcggtc agagcctgtc aactgcctcc ttgtaatgat gaaccatgtt tgggagacaa 3060
gtccatattc tgtcaaatgg aagtgttggc acgatactgc tccataccag gttataacaa 3120
gttatgttgt gagtcctgca gcaagcgcag tagcaccctg ccaccaccat accttctaga 3180
agctgctgaa actcatgatg atgtcatctc taaccctagt gacctcccta gatctctagt 3240
gatgcctaca tctttggttc cttatcattc agagacccct gcaaagaaga tgtctttgag 3300
tagcatctct tcagtgggag gtccaaatgc atatgctgct ttcaggccaa acagtaaacc 3360
tgatggtgct aatttacgcc agaggagtgc tcagcaagca ggaagtaaga ctgtgagact 3420
ggtcaccgta ccatcctccc cacccaccaa gagggtccac ctcagttcag cttcacaaat 3480
ggctgctgct tccttctttg cagccagtga ttcaataggt gcttcttctc aggcaagaac 3540
ctcaaagaaa gatggaaaga tcattgacaa cagacgtccg acaagatcat ccaccttaga 3600
aagatgagaa agtgaaccaa aaaggctaga aaccagagga aaacctggac aacctctctc 3660

```
ttcccatggt gcatatgctt gtttaaagtg gaaatctcta tagatcgtca gctcatttta    3720
tctgtaattg gaagaacaga aagtgctggc tcactttcta gttgctttca tcctcctttt    3780
gttctgcatt gactcattta ccagaattca ttggaagaaa tcaccaaaga ttattacaaa    3840
agaaaaatat gttgctaaga ttgtgttggt cgctctctga agcagaaaag ggactggaac    3900
caattgtgca tatcagctga ctttttgttt gttttagaaa agttacagta aaaattaaaa    3960
agagatacca atggtttaca ctttaacaag aaattttgga tatggaacaa agaattctta    4020
gacttgtatt cctatttatc tatattagaa atattgtatg agcaaatttg cagctgttgt    4080
gtaaatactg tatattgcaa aaatcagtat tattttaaga gatgtgttct caaatgattg    4140
tttactatat tacatttctg gatgttctag gtgcctgtcg ttgagtattg ccttgtttga    4200
cattctatag gttaattttc aaagcagagt attacaaaag agaagttaga attacagcta    4260
ctgacaatat aaagggtttt gttgaatcaa caatgtgata cgtaaattat agaaaaagaa    4320
aagaaacaca aaagctatag atatacagat atcagcttac ctattgcctt ctatacttat    4380
aatttaaagg attggtgtct tagtacactt gtggtcacag ggatcaacga atagtaaata    4440
atgaactcgt gcaagacaaa actgaaaccc tctttccagg acctcagtag gcaccgttga    4500
ggtgtccttt gtttttgtgt gtgtgtgttc ttttttaatt ttcgcattgt tgacagatac    4560
aaacagttat actcaatgta ctgtaataat cgcaaaggaa aaagttttgg gataacttat    4620
ttgtatgttg gtagctgaga aaaatatcat cagtctagaa ttgatatttg agtatagtag    4680
agctttgggg ctttgaaggc aggttcaaga aagcatatgt cgatggttga gatatttatt    4740
ttccatatgg ttcatgttca aatgttcaca accacaatgc atctgactgc aataatgtgc    4800
taataattta tgtcagtagt caccttgctc acagcaaagc cagaaatgct ctctccaggg    4860
agtagatgta aagtacttgt acatagaatt cagaactgaa gatatttatt aaaagttgat    4920
ttttttttct tgatagtatt tttatgtact aaatatttac actaatatca attacatatt    4980
ttggtaaact agagagacat aattagagat gcatgctttg ttctgtgcat agagaccttt    5040
aagcaaacta ctacagccaa ctcaaaagct aaaactgaac aaatttgatg ttatgcaaac    5100
atcttgcatt tttagtagtt gatattaagt tgatgacttg tttcccttca aggaaacatt    5160
aaattgtatg gactcagcta gctgttcaat gaaattgtga attagaaaca tttttaaaag    5220
tttttgaaag agataagtgc atcatgaatt acatgtacat gagaggagat agtgatatca    5280
gcataatgat tttgaggtca gtacctgagc tgtctaaaaa tatattatac aaactaaaat    5340
gtagatgaat taacctctca aagcacagaa tgtgcaagaa cttttgcatt ttaatcgttg    5400
taaactaaca gcttaaacta ttgactctat acctctaaag aattgctgct actttgtgca    5460
agaactttga aggtcaaatt aggcaaattc cagatagtaa aacaatccct aagccttaag    5520
tctttttttt ttcctaaaaa ttcccataga ataaaattct ctctagttta cttgtgtgtg    5580
catacatctc atccacaggg gaagataaag atggtcacac aaacagtttc cataaagatg    5640
tacatattca ttatacttct gacctttggg ctttcttttc tactaagcta aaaattcctt    5700
tttatcaaag tgtacactac tgatgctgtt tgttgtactg agagcacgta ccaataaaaa    5760
tgttaacaaa atat                                                      5774
```

<210> 8
<211> 1201
<212> PRT
<213> Homo sapien

<400> 8

```
Ser Leu Trp Leu Ile Ala Ala Ala Leu Val Glu Val Arg Thr Ser Ala
 1               5                  10                  15
Asp Gly Gln Ala Gly Asn Glu Glu Met Val Gln Ile Asp Leu Pro Ile
            20                  25                  30
Lys Arg Tyr Arg Glu Tyr Glu Leu Val Thr Pro Val Ser Thr Asn Leu
        35                  40                  45
Glu Gly Arg Tyr Leu Ser His Thr Leu Ser Ala Ser His Lys Lys Arg
    50                  55                  60
Ser Ala Arg Asp Val Ser Ser Asn Pro Glu Gln Leu Phe Phe Asn Ile
65                  70                  75                  80
Thr Ala Phe Gly Lys Asp Phe His Leu Arg Leu Lys Pro Asn Thr Gln
                85                  90                  95
```

```
Leu Val Ala Pro Gly Ala Val Val Glu Trp His Glu Thr Ser Leu Val
            100                 105                 110
Pro Gly Asn Ile Thr Asp Pro Ile Asn Asn His Gln Pro Gly Ser Ala
        115                 120                 125
Thr Tyr Arg Ile Arg Lys Thr Glu Pro Leu Gln Thr Asn Cys Ala Tyr
    130                 135                 140
Val Gly Asp Ile Val Asp Ile Pro Gly Thr Ser Val Ala Ile Ser Asn
145                 150                 155                 160
Cys Asp Gly Leu Ala Gly Met Ile Lys Ser Asp Asn Glu Glu Tyr Phe
                165                 170                 175
Ile Glu Pro Leu Glu Arg Gly Lys Gln Met Glu Glu Glu Lys Gly Arg
            180                 185                 190
Ile His Val Val Tyr Lys Arg Ser Ala Val Glu Gln Ala Pro Ile Asp
        195                 200                 205
Met Ser Lys Asp Phe His Tyr Arg Glu Ser Asp Leu Glu Gly Leu Asp
    210                 215                 220
Asp Leu Gly Thr Val Tyr Gly Asn Ile His Gln Gln Leu Asn Glu Thr
225                 230                 235                 240
Met Arg Arg Arg Arg His Ala Gly Glu Asn Asp Tyr Asn Ile Glu Val
                245                 250                 255
Leu Leu Gly Val Asp Asp Ser Val Val Arg Phe His Gly Lys Glu His
            260                 265                 270
Val Gln Asn Tyr Leu Leu Thr Leu Met Asn Ile Val Asn Glu Ile Tyr
        275                 280                 285
His Asp Glu Ser Leu Gly Val His Ile Asn Val Val Leu Val Arg Met
    290                 295                 300
Ile Met Leu Gly Tyr Ala Lys Ser Ile Ser Leu Ile Glu Arg Gly Asn
305                 310                 315                 320
Pro Ser Arg Ser Leu Glu Asn Val Cys Arg Trp Ala Ser Gln Gln Gln
                325                 330                 335
Arg Ser Asp Leu Asn His Ser Glu His His Asp His Ala Ile Phe Leu
            340                 345                 350
Thr Arg Gln Asp Phe Gly Pro Ala Gly Met Gln Gly Tyr Ala Pro Val
        355                 360                 365
Thr Gly Met Cys His Pro Val Arg Ser Cys Thr Leu Asn His Glu Asp
    370                 375                 380
Gly Phe Ser Ser Ala Phe Val Val Ala His Glu Thr Gly His Val Leu
385                 390                 395                 400
Gly Met Glu His Asp Gly Gln Gly Asn Arg Cys Gly Asp Glu Thr Ala
                405                 410                 415
Met Gly Ser Val Met Ala Pro Leu Val Gln Ala Ala Phe His Arg Tyr
            420                 425                 430
His Trp Ser Arg Cys Ser Gly Gln Glu Leu Lys Arg Tyr Ile His Ser
        435                 440                 445
Tyr Asp Cys Leu Leu Asp Asp Pro Phe Asp His Asp Trp Pro Lys Leu
    450                 455                 460
Pro Glu Leu Pro Gly Ile Asn Tyr Ser Met Asp Glu Gln Cys Arg Phe
465                 470                 475                 480
Asp Phe Gly Val Gly Tyr Lys Met Cys Thr Ala Phe Arg Thr Phe Asp
                485                 490                 495
Pro Cys Lys Gln Leu Trp Cys Ser His Pro Asp Asn Pro Tyr Phe Cys
            500                 505                 510
Lys Thr Lys Lys Gly Pro Pro Leu Asp Gly Thr Glu Cys Ala Ala Gly
        515                 520                 525
Lys Trp Cys Tyr Lys Gly His Cys Met Trp Lys Asn Ala Asn Gln Gln
```

```
    530                 535                 540
Lys Gln Asp Gly Asn Trp Gly Ser Trp Thr Lys Phe Gly Ser Cys Ser
545                 550                 555                 560
Arg Thr Cys Gly Thr Gly Val Arg Phe Arg Thr Arg Gln Cys Asn Asn
                565                 570                 575
Pro Met Pro Ile Asn Gly Gly Gln Asp Cys Pro Gly Val Asn Phe Glu
            580                 585                 590
Tyr Gln Leu Cys Asn Thr Glu Glu Cys Gln Lys His Phe Glu Asp Phe
        595                 600                 605
Arg Ala Gln Gln Cys Gln Gln Arg Asn Ser His Phe Glu Tyr Gln Asn
    610                 615                 620
Thr Lys His His Trp Leu Pro Tyr Glu His Pro Asp Pro Lys Lys Arg
625                 630                 635                 640
Cys His Leu Tyr Cys Gln Ser Lys Glu Thr Gly Asp Val Ala Tyr Met
                645                 650                 655
Lys Gln Leu Val His Asp Gly Thr His Cys Ser Tyr Lys Asp Pro Tyr
            660                 665                 670
Ser Ile Cys Val Arg Gly Glu Cys Val Lys Val Gly Cys Asp Lys Glu
        675                 680                 685
Ile Gly Ser Asn Lys Val Glu Asp Lys Cys Gly Val Cys Gly Gly Asp
    690                 695                 700
Asn Ser His Cys Arg Thr Val Lys Gly Thr Phe Thr Arg Thr Pro Arg
705                 710                 715                 720
Lys Leu Gly Tyr Leu Lys Met Phe Asp Ile Pro Pro Gly Ala Arg His
                725                 730                 735
Val Leu Ile Gln Glu Asp Glu Ala Ser Pro His Ile Leu Ala Ile Lys
            740                 745                 750
Asn Gln Ala Thr Gly His Tyr Ile Leu Asn Gly Lys Gly Glu Glu Ala
        755                 760                 765
Lys Ser Arg Thr Phe Ile Asp Leu Gly Val Glu Trp Asp Tyr Asn Ile
    770                 775                 780
Glu Asp Asp Ile Glu Ser Leu His Thr Asp Gly Pro Leu His Asp Pro
785                 790                 795                 800
Val Ile Val Leu Ile Ile Pro Gln Glu Asn Asp Thr Arg Ser Ser Leu
                805                 810                 815
Thr Tyr Lys Tyr Ile Ile His Glu Asp Ser Val Pro Thr Ile Asn Ser
            820                 825                 830
Asn Asn Val Ile Gln Glu Glu Leu Asp Thr Phe Glu Trp Ala Leu Lys
        835                 840                 845
Ser Trp Ser Gln Val Ser Lys Pro Cys Gly Gly Gly Phe Gln Tyr Thr
    850                 855                 860
Lys Tyr Gly Cys Arg Arg Lys Ser Asp Asn Lys Met Val His Arg Ser
865                 870                 875                 880
Phe Cys Glu Ala Asn Lys Lys Pro Lys Pro Ile Arg Arg Met Cys Asn
                885                 890                 895
Ile Gln Glu Cys Thr His Pro Leu Trp Val Ala Glu Glu Trp Glu His
            900                 905                 910
Cys Thr Lys Thr Cys Gly Ser Ser Gly Tyr Gln Leu Arg Thr Val Arg
        915                 920                 925
Cys Leu Gln Pro Leu Leu Asp Gly Thr Asn Arg Ser Val His Ser Lys
    930                 935                 940
Tyr Cys Met Gly Asp Arg Pro Glu Ser Arg Arg Pro Cys Asn Arg Val
945                 950                 955                 960
Pro Cys Pro Ala Gln Trp Lys Thr Gly Pro Trp Ser Glu Cys Ser Val
                965                 970                 975
```

```
Thr Cys Gly Glu Gly Thr Glu Val Arg Gln Val L u Cys Arg Ala Gly
            980                 985                 990
Asp His Cys Asp Gly Glu Lys Pro Glu Ser Val Arg Ala Cys Gln Leu
        995                1000                1005
Pro Pro Cys Asn Asp Glu Pro Cys Leu Gly Asp Lys Ser Ile Phe Cys
    1010                1015                1020
Gln Met Glu Val Leu Ala Arg Tyr Cys Ser Ile Pro Gly Tyr Asn Lys
1025                1030                1035                1040
Leu Cys Cys Glu Ser Cys Ser Lys Arg Ser Ser Thr Leu Pro Pro Pro
                1045                1050                1055
Tyr Leu Leu Glu Ala Ala Glu Thr His Asp Asp Val Ile Ser Asn Pro
            1060                1065                1070
Ser Asp Leu Pro Arg Ser Leu Val Met Pro Thr Ser Leu Val Pro Tyr
        1075                1080                1085
His Ser Glu Thr Pro Ala Lys Lys Met Ser Leu Ser Ser Ile Ser Ser
    1090                1095                1100
Val Gly Gly Pro Asn Ala Tyr Ala Ala Phe Arg Pro Asn Ser Lys Pro
1105                1110                1115                1120
Asp Gly Ala Asn Leu Arg Gln Arg Ser Ala Gln Gln Ala Gly Ser Lys
                1125                1130                1135
Thr Val Arg Leu Val Thr Val Pro Ser Ser Pro Pro Thr Lys Arg Val
            1140                1145                1150
His Leu Ser Ser Ala Ser Gln Met Ala Ala Ala Ser Phe Phe Ala Ala
        1155                1160                1165
Ser Asp Ser Ile Gly Ala Ser Ser Gln Ala Arg Thr Ser Lys Lys Asp
    1170                1175                1180
Gly Lys Ile Ile Asp Asn Arg Arg Pro Thr Arg Ser Ser Thr Leu Glu
1185                1190                1195                1200
Arg
```

<210> 9
<211> 2868
<212> DNA
<213> Homo sapien

<400> 9

```
ggaattcgcg gccgcgtcga cgtcaatacc aactccgagc acacggccgt catcagcctc      60
tgctcaggaa tgctgggcac attccggtct catgatgggg attattttat tgaaccacta     120
cagtctatgg atgaacaaga agatgaagag gaacaaaaca aaccccacat catttatagg     180
cgcagcgccc cccagagaga gccctcaaca ggaaggcatg catgtgacac ctcagaacac     240
aaaaataggc acagtaaaga caagaagaaa accagagcaa gaaaatgggg agaaaggatt     300
aacctggctg gtgacgtagc agcattaaac agcggcttag caacagaggc attttctgct     360
tatggtaata agacggacaa cacaagagaa aagaggaccc acagaaggac aaaacgtttt     420
ttatcctatc cacggtttgt agaagtcttg gtggtggcag acaacagaat ggtttcatac     480
catggagaaa accttcaaca ctatatttta actttaatgt caattgatgg gccttccata     540
tcttttaatg ctcagacaac attaaaaaac ctttgccagt ggcagcattc gaagaacagt     600
ccaggtggaa tccatcatga tactgctgtt ctcttaacaa gacaggatat ctgcagagct     660
cacgacaaat gtgatacctt aggcctggct gaactgggaa ccatttgtga tccctataga     720
agctgttcta ttagtgaaga tagtggattg agtacagctt ttacgatcgc ccatgagctg     780
ggccatgtgt ttaacatgcc tcatgatgac aacaacaaat gtaaagaaga aggagttaag     840
agtccccagc atgtcatggc tccaacactg aacttctaca ccaacccctg gatgtggtca     900
aagtgtagtc gaaaatatat cactgagttt ttagacactg gttatggcga gtgtttgctt     960
aacgaacctg aatccagacc ctacccttta cctgtccaac tgccaggcat cctttacaac    1020
gtgaataaac aatgtgaatt gatttttgga ccaggttctc aggtgtgccc atatatgatg    1080
```

```
cagtgcagac ggctctggtg caataacgtc aatggagtac acaaaggctg ccggactcag    1140
cacacaccct gggccgatgg gacggagtgc gagcctggaa agcactgcaa gtatggattt    1200
tgtgttccca aagaaatgga tgtccccgtg acagatggat cctggggaag ttggagtccc    1260
tttggaacct gctccagaac atgtggaggg ggcatcaaaa cagccattcg agagtgcaac    1320
agaccagaac caaaaaatgg tggaaaatac tgtgtaggac gtagaatgaa atttaagtcc    1380
tgcaacacgg agccatgtct caagcagaag cgagacttcc gagatgaaca gtgtgctcac    1440
tttgacggga agcattttaa catcaacggt ctgcttccca atgtgcgctg ggtccctaaa    1500
tacagtggaa ttctgatgaa ggaccggtgc aagttgttct gcagagtggc agggaacaca    1560
gcctactatc agcttcgaga cagagtgata gatggaactc cttgtggcca ggacacaaat    1620
gatatctgtg tccagggcct ttgccggcaa gctggatgcg atcatgtttt aaactcaaaa    1680
gcccggagag ataaatgtgg ggtttgtggt ggcgataatt cttcatgcaa aacagtggca    1740
ggaacattta atacagtaca ttatggttac aatactgtgg tccgaattcc agctggtgct    1800
accaatattg atgtgcggca gcacagtttc tcaggggaaa cagacgatga caactactta    1860
gctttatcaa gcagtaaagg tgaattcttg ctaaatggaa actttgttgt cacaatggcc    1920
aaaagggaaa ttcgcattgg gaatgctgtg gtagagtaca gtgggtccga gactgccgta    1980
gaaagaatta actcaacaga tcgcattgag caagaacttt tgcttcaggt tttgtcggtg    2040
ggaaagttgt acaaccccga tgtacgctat tctttcaata ttccaattga agataaacct    2100
cagcagtttt actggaacag tcatgggcca tggcaagcat gcagtaaacc ctgccaaggg    2160
gaacggaaac gaaaacttgt ttgcaccagg gaatctgatc agcttactgt ttctgatcaa    2220
agatgcgatc ggctgcccca gcctggacac attactgaac cctgtggtac agactgtgac    2280
ctgaggtggc atgttgccag caggagtgaa tgtagtgccc agtgtggctt gggttaccgc    2340
acattggaca tctactgtgc caaatatagc aggctggatg ggaagactga gaaggttgat    2400
gatggttttt gcagcagcca tcccaaacca agcaaccgtg aaaaatgctc aggggaatgt    2460
aacacgggtg gctggcgcta ttctgcctgg actgaatgtt caaaaagctg tgacggtggg    2520
acccagagga gaagggctat ttgtgtcaat acccgaaatg atgtactgga tgacagcaaa    2580
tgcacacatc aagagaaagt taccattcag aggtgcagtg agttcccttg tccacagtgg    2640
aaatctggag actggtcaga gtgcttggtc acctgtggaa aagggcataa gcaccgccag    2700
gtctggtgtc agtttggtga agatcgatta aatgatagaa tgtgtgaccc agaggtcgac    2760
gcggccgcga attccgccga tactgacggg ctccaggagt cgtcgccacc aatccccata    2820
tggaaaccgt cgatattcag ccatgtgcct tcaagccgaa ttccaggb                 2868
```

<210> 10
<211> 958
<212> PRT
<213> Homo sapien

<400> 10

```
Gly Ile Arg Gly Arg Val Asp Val Asn Thr Asn Ser Glu His Thr Ala
 1               5                  10                  15
Val Ile Ser Leu Cys Ser Gly Met Leu Gly Thr Phe Arg Ser His Asp
            20                  25                  30
Gly Asp Tyr Phe Ile Glu Pro Leu Gln Ser Met Asp Glu Gln Glu Asp
        35                  40                  45
Glu Glu Glu Gln Asn Lys Pro His Ile Ile Tyr Arg Arg Ser Ala Pro
    50                  55                  60
Gln Arg Glu Pro Ser Thr Gly Arg His Ala Cys Asp Thr Ser Glu His
65                  70                  75                  80
Lys Asn Arg His Ser Lys Asp Lys Lys Lys Thr Arg Ala Arg Lys Trp
                85                  90                  95
Gly Glu Arg Ile Asn Leu Ala Gly Asp Val Ala Ala Leu Asn Ser Gly
            100                 105                 110
Leu Ala Thr Glu Ala Phe Ser Ala Tyr Gly Asn Lys Thr Asp Asn Thr
        115                 120                 125
Arg Glu Lys Arg Thr His Arg Arg Thr Lys Arg Phe Leu Ser Tyr Pro
    130                 135                 140
```

```
Arg Phe Val Glu Val Leu Val Val Ala Asp Asn Arg Met Val Ser Tyr
145                 150                 155                 160
His Gly Glu Asn Leu Gln His Tyr Ile Leu Thr Leu Met Ser Ile Asp
                165                 170                 175
Gly Pro Ser Ile Ser Phe Asn Ala Gln Thr Thr Leu Lys Asn Leu Cys
            180                 185                 190
Gln Trp Gln His Ser Lys Asn Ser Pro Gly Gly Ile His His Asp Thr
        195                 200                 205
Ala Val Leu Leu Thr Arg Gln Asp Ile Cys Arg Ala His Asp Lys Cys
    210                 215                 220
Asp Thr Leu Gly Leu Ala Glu Leu Gly Thr Ile Cys Asp Pro Tyr Arg
225                 230                 235                 240
Ser Cys Ser Ile Ser Glu Asp Ser Gly Leu Ser Thr Ala Phe Thr Ile
                245                 250                 255
Ala His Glu Leu Gly His Val Phe Asn Met Pro His Asp Asp Asn Asn
            260                 265                 270
Lys Cys Lys Glu Glu Gly Val Lys Ser Pro Gln His Val Met Ala Pro
        275                 280                 285
Thr Leu Asn Phe Tyr Thr Asn Pro Trp Met Trp Ser Lys Cys Ser Arg
    290                 295                 300
Lys Tyr Ile Thr Glu Phe Leu Asp Thr Gly Tyr Gly Glu Cys Leu Leu
305                 310                 315                 320
Asn Glu Pro Glu Ser Arg Pro Tyr Pro Leu Pro Val Gln Leu Pro Gly
                325                 330                 335
Ile Leu Tyr Asn Val Asn Lys Gln Cys Glu Leu Ile Phe Gly Pro Gly
            340                 345                 350
Ser Gln Val Cys Pro Tyr Met Met Gln Cys Arg Arg Leu Trp Cys Asn
        355                 360                 365
Asn Val Asn Gly Val His Lys Gly Cys Arg Thr Gln His Thr Pro Trp
    370                 375                 380
Ala Asp Gly Thr Glu Cys Glu Pro Gly Lys His Cys Lys Tyr Gly Phe
385                 390                 395                 400
Cys Val Pro Lys Glu Met Asp Val Pro Val Thr Asp Gly Ser Trp Gly
                405                 410                 415
Ser Trp Ser Pro Phe Gly Thr Cys Ser Arg Thr Cys Gly Gly Gly Ile
            420                 425                 430
Lys Thr Ala Ile Arg Glu Cys Asn Arg Pro Glu Pro Lys Asn Gly Gly
        435                 440                 445
Lys Tyr Cys Val Gly Arg Arg Met Lys Phe Lys Ser Cys Asn Thr Glu
    450                 455                 460
Pro Cys Leu Lys Gln Lys Arg Asp Phe Arg Asp Glu Gln Cys Ala His
465                 470                 475                 480
Phe Asp Gly Lys His Phe Asn Ile Asn Gly Leu Leu Pro Asn Val Arg
                485                 490                 495
Trp Val Pro Lys Tyr Ser Gly Ile Leu Met Lys Asp Arg Cys Lys Leu
            500                 505                 510
Phe Cys Arg Val Ala Gly Asn Thr Ala Tyr Tyr Gln Leu Arg Asp Arg
        515                 520                 525
Val Ile Asp Gly Thr Pro Cys Gly Gln Asp Thr Asn Asp Ile Cys Val
    530                 535                 540
Gln Gly Leu Cys Arg Gln Ala Gly Cys Asp His Val Leu Asn Ser Lys
545                 550                 555                 560
Ala Arg Arg Asp Lys Cys Gly Val Cys Gly Gly Asp Asn Ser Ser Cys
                565                 570                 575
Lys Thr Val Ala Gly Thr Phe Asn Thr Val His Tyr Gly Tyr Asn Thr
```

```
            580                 585                 590
Val Val Arg Ile Pro Ala Gly Ala Thr Asn Ile Asp Val Arg Gln His
        595                 600                 605
Ser Phe Ser Gly Glu Thr Asp Asp Asp Asn Tyr Leu Ala Leu Ser Ser
    610                 615                 620
Ser Lys Gly Glu Phe Leu Leu Asn Gly Asn Phe Val Val Thr Met Ala
625                 630                 635                 640
Lys Arg Glu Ile Arg Ile Gly Asn Ala Val Val Glu Tyr Ser Gly Ser
                645                 650                 655
Glu Thr Ala Val Glu Arg Ile Asn Ser Thr Asp Arg Ile Glu Gln Glu
            660                 665                 670
Leu Leu Leu Gln Val Leu Ser Val Gly Lys Leu Tyr Asn Pro Asp Val
        675                 680                 685
Arg Tyr Ser Phe Asn Ile Pro Ile Glu Asp Lys Pro Gln Gln Phe Tyr
    690                 695                 700
Trp Asn Ser His Gly Pro Trp Gln Ala Cys Ser Lys Pro Cys Gln Gly
705                 710                 715                 720
Glu Arg Lys Arg Lys Leu Val Cys Thr Arg Glu Ser Asp Gln Leu Thr
                725                 730                 735
Val Ser Asp Gln Arg Cys Asp Arg Leu Pro Gln Pro Gly His Ile Thr
            740                 745                 750
Glu Pro Cys Gly Thr Asp Cys Asp Leu Arg Trp His Val Ala Ser Arg
        755                 760                 765
Ser Glu Cys Ser Ala Gln Cys Gly Leu Gly Tyr Arg Thr Leu Asp Ile
    770                 775                 780
Tyr Cys Ala Lys Tyr Ser Arg Leu Asp Gly Lys Thr Glu Lys Val Asp
785                 790                 795                 800
Asp Gly Phe Cys Ser Ser His Pro Lys Pro Ser Asn Arg Glu Lys Cys
                805                 810                 815
Ser Gly Glu Cys Asn Thr Gly Gly Trp Arg Tyr Ser Ala Trp Thr Glu
            820                 825                 830
Cys Ser Lys Ser Cys Asp Gly Gly Thr Gln Arg Arg Arg Ala Ile Cys
        835                 840                 845
Val Asn Thr Arg Asn Asp Val Leu Asp Asp Ser Lys Cys Thr His Gln
    850                 855                 860
Glu Lys Val Thr Ile Gln Arg Cys Ser Glu Phe Pro Cys Pro Gln Trp
865                 870                 875                 880
Lys Ser Gly Asp Trp Ser Glu Cys Leu Val Thr Cys Gly Lys Gly His
                885                 890                 895
Lys His Arg Gln Val Trp Cys Gln Phe Gly Glu Asp Arg Leu Asn Asp
            900                 905                 910
Arg Met Cys Asp Pro Glu Val Asp Ala Ala Ala Asn Ser Ala Asp Thr
        915                 920                 925
Asp Gly Leu Gln Glu Ser Ser Pro Pro Ile Pro Ile Trp Lys Pro Ser
    930                 935                 940
Ile Phe Ser His Val Pro Ser Ser Arg Ile Pro Phe Ile Gly
945                 950                 955
```

<210> 11
<211> 4303
<212> DNA
<213> Homo sapien

<400> 11
cacatatgca cgagagagac agaggaggaa agagacagag acaaaggcac agcggaagaa 60

ggcagagaca gggcaggcac agaagcggcc cagacagagt cctacagagg gagaggccag 120
agaagctgca gaagacacag gcagggagag acaaagatcc aggaaaggag ggctcaggag 180
gagagtttgg agaagccaga cccctgggca cctctcccaa gcccaaggac taagttttct 240
ccatttcctt taacggtcct cagcccttct gaaaactttg cctctgacct tggcaggagt 300
ccaagccccc aggctacaga gaggagcttt ccaaagctag ggtgtggagg acttggtgcc 360
ctagacggcc tcagtccctc ccagctgcag taccagtgcc atgtcccaga caggctcgca 420
tcccgggagg ggcttggcag ggcgctggct gtggggagcc caaccctgcc tcctgctccc 480
cattgtgccg ctctcctggc tggtgtggct gcttctgcta ctgctggcct ctctcctgcc 540
ctcagcccgg ctggccagcc ccctcccccg ggaggaggag atcgtgtttc cagagaagct 600
caacggcagc gtcctgcctg gctcgggcac ccctgccagg ctgttgtgcc gcttgcaggc 660
ctttggggag acgctgctac tagagctgga gcaggactcc ggtgtgcagg tcgaggggct 720
gacagtgcag tacctgggcc aggcgcctga gctgctgggt ggagcagagc ctggcaccta 780
cctgactggc accatcaatg gagatccgga gtcggtggca tctctgcact gggatggggg 840
agccctgtta ggcgtgttac aatatcgggg ggctgaactc cacctccagc ccctggaggg 900
aggcaccccc aactctgctg ggggacctgg ggctcacatc ctacgccgga agagtcctgc 960
cagcggtcaa ggtcccatgt gcaacgtcaa ggctcctctt ggaagcccca gccccagacc 1020
ccgaagagcc aagcgctttg cttcactgag tagatttgtg gagacactgg tggtggcaga 1080
tgacaagatg gccgcattcc acggtgcggg gctaaagcgc tacctgctaa cagtgatggc 1140
agcagcagcc aaggccttca agcacccaag catccgcaat cctgtcagct tggtggtgac 1200
tcggctagtg atcctggggt caggcgagga ggggccccaa gtggggccca gtgctgccca 1260
gaccctgcgc agcttctgtg cctggcagcg gggcctcaac acccctgagg actcggaccc 1320
tgaccacttt gacacagcca ttctgtttac ccgtcaggac ctgtgtggag tctccacttg 1380
cgacacgctg ggtatggctg atgtgggcac cgtctgtgac ccggctcgga gctgtgccat 1440
tgtggaggat gatgggctcc agtcagcctt cactgctgct catgaactgg gtcatgtctt 1500
caacatgctc catgacaact ccaagccatg catcagtttg aatgggcctt tgagcacctc 1560
tcgccatgtc atggcccctg tgatggctca tgtggatcct gaggagccct ggtccccctg 1620
cagtgcccgc ttcatcactg acttcctgga caatggctat gggcactgtc tcttagacaa 1680
accagaggct ccattgcatc tgcctgtgac tttccctggc aaggactatg atgctgaccg 1740
ccagtgccag ctgaccttcg ggcccgactc acgccattgt ccacagctgc cgccgccctg 1800
tgctgccctc tggtgctctg gccacctcaa tggccatgcc atgtgccaga ccaaacactc 1860
gccctgggcc gatggcacac cctgcgggcc cgcacaggcc tgcatgggtg gtcgctgcct 1920
ccacatggac cagctccagg acttcaatat tccacaggct ggtggctggg gtccttgggg 1980
accatggggt gactgctctc ggacctgtgg gggtggtgtc cagttctcct cccgagactg 2040
cacgaggcct gtcccccgga atggtggcaa gtactgtgag ggccgccgta cccgcttccg 2100
ctcctgcaac actgaggact gcccaactgg ctcagccctg accttccgcg aggagcagtg 2160
tgctgcctac aaccaccgca ccgacctctt caagagcttc ccagggccca tggactgggt 2220
tcctcgctac acaggcgtgg ccccccagga ccagtgcaaa ctcacctgcc aggcccgggc 2280
actgggctac tactatgtgc tggagccacg ggtggtagat gggacccccc gttccccgga 2340
cagctcctcg gtctgtgtcc agggccgatg catccatgct ggctgtgatc gcatcattgg 2400
ctccaagaag aagtttgaca agtgcatggt gtgcggaggg gacggttctg gttgcagcaa 2460
gcagtcaggc tccttcagga aattcaggta cggatacaac aatgtggtca ctatccccgc 2520
gggggccacc cacattcttg tccggcagca gggaaaccct ggccaccgga gcatctactt 2580
ggccctgaag ctgccagatg gctcctatgc cctcaatggt gaatacacgc tgatgccctc 2640
ccccacagat gtggtactgc ctggggcagt cagcttgcgc tacagcgggg ccactgcagc 2700
ctcagagaca ctgtcaggcc atgggccact ggcccagcct ttgacactgc aagtcctagt 2760
ggctggcaac ccccaggaca cacgcctccg atacagcttc ttcgtgcccc ggccgacccc 2820
ttcaacgcca cgccccactc cccaggactg gctgcaccga agagcacaga ttctggagat 2880
ccttcggcgg cgcccctggg cgggcaggaa ataacctcac tatcccggct gccctttctg 2940
ggcaccgggg cctcggactt agctgggaga aagagagagc ttctgttgct gcctcatgct 3000
aagactcagt ggggaggggc tgtgggcgtg agacctgccc ctcctctctg ccctaatgcg 3060
caggctggcc ctgccctggt ttcctgccct gggaggcagt gatgggttag tggatggaag 3120
gggctgacag acagccctcc atctaaactg ccccctctgc cctgcgggtc acaggaggga 3180
gggggaaggc agggagggcc tgggccccag ttgtatttat ttagtattta ttcacttta 3240
tttagcacca gggaagggga caaggactag ggtcctgggg aacctgaccc ctgacccctc 3300
atagccctca ccctggggct aggaaatcca gggtggtggt gataggtata agtggtgtgt 3360

```
gtatgcgtgt gtgtgtgtgt gtgaaaatgt gtgtgtgctt atgtatgagg tacaacctgt    3420
tctgctttcc tcttcctgaa ttttatttct tgggaaaaga aaagtcaagg gtagggtggg    3480
ccttcaggga gtgagggatt atcttttttt ttttttcttt ctttctttct ttttttttct    3540
tgagacagaa tctcgctctg tcgcccaggc tggagtgcaa tggcacaatc tcggctcact    3600
gcatcctccg cctcccgggt tcaagtgatt ctcatgcctc agcctcctga gtagctggga    3660
ttacaggctc ctgccaccac gcccagctaa tttttgtttt gttttgtttg gagacagagt    3720
ctcgctattg tcaccagggc tggaatgatt tcagctcact gcaaccttcg ccacctgggt    3780
tccagcaatt ctcctgcctc agcctcccga gtagctgaga ttataggcac ctaccaccac    3840
gcccggctaa tttttgtatt tttagtagag acggggtttc accatgttgg ccaggctggt    3900
ctcgaactcc tgaccttagg tgatccactc gccttcatct cccaaagtgc tgggattaca    3960
ggcgtgagcc accgtgcctg gccacgccca actaatttct gtatttttag tagagacagg    4020
gtttcaccat gttggccagg ctgctcttga actcctgacc tcaggtaatc gacctgcctc    4080
ggcctcccaa agtgctggga ttacaggtgt gagccaccac gcccggtaca tatttttaa     4140
attgaattct actatttatg tgatcctttt ggagtcagac agatgtggtt gcatcctaac    4200
tccatgtctc tgagcattag atttctcatt tgccaataat aatacctccc ttagaagttt    4260
gttgtgagga ttaaataatg taaataaaga actagcataa cgb                      4303
```

<210> 12
<211> 840
<212> PRT
<213> Homo sapien

<400> 12

```
Met Ser Gln Thr Gly Ser His Pro Gly Arg Gly Leu Ala Gly Arg Trp
 1               5                  10                  15
Leu Trp Gly Ala Gln Pro Cys Leu Leu Leu Pro Ile Val Pro Leu Ser
            20                  25                  30
Trp Leu Val Trp Leu Leu Leu Leu Leu Leu Ala Ser Leu Leu Pro Ser
        35                  40                  45
Ala Arg Leu Ala Ser Pro Leu Pro Arg Glu Glu Glu Ile Val Phe Pro
    50                  55                  60
Glu Lys Leu Asn Gly Ser Val Leu Pro Gly Ser Gly Thr Pro Ala Arg
65                  70                  75                  80
Leu Leu Cys Arg Leu Gln Ala Phe Gly Glu Thr Leu Leu Leu Glu Leu
                85                  90                  95
Glu Gln Asp Ser Gly Val Gln Val Glu Gly Leu Thr Val Gln Tyr Leu
            100                 105                 110
Gly Gln Ala Pro Glu Leu Leu Gly Gly Ala Glu Pro Gly Thr Tyr Leu
        115                 120                 125
Thr Gly Thr Ile Asn Gly Asp Pro Glu Ser Val Ala Ser Leu His Trp
    130                 135                 140
Asp Gly Gly Ala Leu Leu Gly Val Leu Gln Tyr Arg Gly Ala Glu Leu
145                 150                 155                 160
His Leu Gln Pro Leu Glu Gly Gly Thr Pro Asn Ser Ala Gly Gly Pro
                165                 170                 175
Gly Ala His Ile Leu Arg Arg Lys Ser Pro Ala Ser Gly Gln Gly Pro
            180                 185                 190
Met Cys Asn Val Lys Ala Pro Leu Gly Ser Pro Ser Pro Arg Pro Arg
        195                 200                 205
Arg Ala Lys Arg Phe Ala Ser Leu Ser Arg Phe Val Glu Thr Leu Val
    210                 215                 220
Val Ala Asp Asp Lys Met Ala Ala Phe His Gly Ala Gly Leu Lys Arg
225                 230                 235                 240
Tyr Leu Leu Thr Val Met Ala Ala Ala Ala Lys Ala Phe Lys His Pro
                245                 250                 255
```

```
Ser Ile Arg Asn Pro Val Ser Leu Val Val Thr Arg Leu Val Ile Leu
                260                 265                 270
Gly Ser Gly Glu Glu Gly Pro Gln Val Gly Pro Ser Ala Ala Gln Thr
        275                 280                 285
Leu Arg Ser Phe Cys Ala Trp Gln Arg Gly Leu Asn Thr Pro Glu Asp
    290                 295                 300
Ser Asp Pro Asp His Phe Asp Thr Ala Ile Leu Phe Thr Arg Gln Asp
305                 310                 315                 320
Leu Cys Gly Val Ser Thr Cys Asp Thr Leu Gly Met Ala Asp Val Gly
                325                 330                 335
Thr Val Cys Asp Pro Ala Arg Ser Cys Ala Ile Val Glu Asp Asp Gly
            340                 345                 350
Leu Gln Ser Ala Phe Thr Ala Ala His Glu Leu Gly His Val Phe Asn
        355                 360                 365
Met Leu His Asp Asn Ser Lys Pro Cys Ile Ser Leu Asn Gly Pro Leu
    370                 375                 380
Ser Thr Ser Arg His Val Met Ala Pro Val Met Ala His Val Asp Pro
385                 390                 395                 400
Glu Glu Pro Trp Ser Pro Cys Ser Ala Arg Phe Ile Thr Asp Phe Leu
                405                 410                 415
Asp Asn Gly Tyr Gly His Cys Leu Leu Asp Lys Pro Glu Ala Pro Leu
            420                 425                 430
His Leu Pro Val Thr Phe Pro Gly Lys Asp Tyr Asp Ala Asp Arg Gln
        435                 440                 445
Cys Gln Leu Thr Phe Gly Pro Asp Ser Arg His Cys Pro Gln Leu Pro
    450                 455                 460
Pro Pro Cys Ala Ala Leu Trp Cys Ser Gly His Leu Asn Gly His Ala
465                 470                 475                 480
Met Cys Gln Thr Lys His Ser Pro Trp Ala Asp Gly Thr Pro Cys Gly
                485                 490                 495
Pro Ala Gln Ala Cys Met Gly Gly Arg Cys Leu His Met Asp Gln Leu
            500                 505                 510
Gln Asp Phe Asn Ile Pro Gln Ala Gly Gly Trp Gly Pro Trp Gly Pro
        515                 520                 525
Trp Gly Asp Cys Ser Arg Thr Cys Gly Gly Gly Val Gln Phe Ser Ser
    530                 535                 540
Arg Asp Cys Thr Arg Pro Val Pro Arg Asn Gly Gly Lys Tyr Cys Glu
545                 550                 555                 560
Gly Arg Arg Thr Arg Phe Arg Ser Cys Asn Thr Glu Asp Cys Pro Thr
                565                 570                 575
Gly Ser Ala Leu Thr Phe Arg Glu Glu Gln Cys Ala Ala Tyr Asn His
            580                 585                 590
Arg Thr Asp Leu Phe Lys Ser Phe Pro Gly Pro Met Asp Trp Val Pro
        595                 600                 605
Arg Tyr Thr Gly Val Ala Pro Gln Asp Gln Cys Lys Leu Thr Cys Gln
    610                 615                 620
Ala Arg Ala Leu Gly Tyr Tyr Tyr Val Leu Glu Pro Arg Val Val Asp
625                 630                 635                 640
Gly Thr Pro Cys Ser Pro Asp Ser Ser Ser Val Cys Val Gln Gly Arg
                645                 650                 655
Cys Ile His Ala Gly Cys Asp Arg Ile Ile Gly Ser Lys Lys Lys Phe
            660                 665                 670
Asp Lys Cys Met Val Cys Gly Gly Asp Gly Ser Gly Cys Ser Lys Gln
        675                 680                 685
Ser Gly Ser Phe Arg Lys Phe Arg Tyr Gly Tyr Asn Asn Val Val Thr
```

```
    690                 695                 700
Ile Pro Ala Gly Ala Thr His Ile Leu Val Arg Gln Gln Gly Asn Pro
705                 710                 715                 720
Gly His Arg Ser Ile Tyr Leu Ala Leu Lys Leu Pro Asp Gly Ser Tyr
                725                 730                 735
Ala Leu Asn Gly Glu Tyr Thr Leu Met Pro Ser Pro Thr Asp Val Val
            740                 745                 750
Leu Pro Gly Ala Val Ser Leu Arg Tyr Ser Gly Ala Thr Ala Ala Ser
        755                 760                 765
Glu Thr Leu Ser Gly His Gly Pro Leu Ala Gln Pro Leu Thr Leu Gln
    770                 775                 780
Val Leu Val Ala Gly Asn Pro Gln Asp Thr Arg Leu Arg Tyr Ser Phe
785                 790                 795                 800
Phe Val Pro Arg Pro Thr Pro Ser Thr Pro Arg Pro Thr Pro Gln Asp
                805                 810                 815
Trp Leu His Arg Arg Ala Gln Ile Leu Glu Ile Leu Arg Arg Arg Pro
            820                 825                 830
Trp Ala Gly Arg Lys Phe Ile Gly
        835                 840
```

<210> 13
<211> 1518
<212> DNA
<213> Rattus norvegicus

<400> 13

```
actcactata gggctcgagc ggccgcccgg gcaggtcaga ggctcactgg cagctctcta     60
gacctgcgac gctgcttcta ttccgggtat gtgaacgcgg agccagactc ctttgctgct    120
gtaagcctat gcgggggtct ccgcggagcc tttggctacc aaggtgcgga gtatgtcatt    180
agccctctgc ccaacaccag cgcgcctgag gcgcagcgtc atagccaggg cgcacacctt    240
ctccagcgcc ggggtgctcc cgtagggcct tccggagacc ctacctctcg ctgcggggtg    300
gcctcgggct ggaaccccgc catcctgagg gccttggacc cttataaacc acggcggacg    360
ggcgtgggcg aaagccacaa ccggcgcagg tctgggcgcg ccaagcgctt cgtgtctata    420
ccacggtacg tggagacact ggtggtggcg gacgagtcaa tggtcaagtt tcacggcgcg    480
gatttggaac attatctgct gacgctgctg gccacggcgg cgcgactcta ccgccacccc    540
agcatcctca accctatcaa catcgttgtg gtcaaggtgt tactcttagg agatcgtgac    600
actgggccca aggtcacagg caacgcggcc ctgactctgc gcaacttctg tgcctggcag    660
aaaaagttga acaaagtgag cgacaagcac cccgagtact gggacacagc catcctcttc    720
accagacagg acctatgcgg ggctaccacc tgtgacacct tgggcatggc tgatgtgggc    780
accatgtgtg atcccaagag aagctgctct gtcatcgagg acgatgggct tccgtcggcc    840
ttcaccactg cccatgagct gggccatgtg ttcaacatgc cccatgacaa cgtgaaggtg    900
tgtgaggagg tgtttgggaa gctcagagcc aaccacatga tgtctccgac actcatccag    960
atcgaccgtg ccaacccctg gtcagcctgc agtgctgcca ttatcaccga cttcctggac   1020
agcgggcacg gtgactgcct cctggaccag cccagcaagc ccatcaccct gcctgaggac   1080
ctgccaggca caagctacag tttgagccaa cagtgcgagc tggcctttgg ggtgggctct   1140
aagccctgcc catatatgca gtactgtaca aagctgtggt gcaccggcaa ggccaagggg   1200
cagatggtgt gccagactcg ccacttcccc tgggcagatg gcaccagctg tggtgagggc   1260
aagttctgcc tcaagggagc ctgcgtggag agacacaacc caaacaagta ccgggtggac   1320
ggcccttggg ccaagtggga gccttatggt ccctgctcgc gcacctgcgg tgggggcgcg   1380
cagctggccc ggaggcaagt gcaagcaacc ctacccctgc caacgggcgg gaagtactgc   1440
gagggagtga gagtgaaata ccgatcttgc aacttggagc cctgccccag ctcagcctct   1500
ggcaagagct tccgggaa                                                 1518
```

<210> 14

<211> 505
<212> PRT
<213> Rattus norvegicus

<400> 14

```
Thr His Tyr Arg Ala Arg Ala Ala Ala Arg Ala Gly Gln Arg Leu Thr
 1               5                  10                  15
Gly Ser Ser Leu Asp Leu Arg Arg Cys Phe Tyr Ser Gly Tyr Val Asn
            20                  25                  30
Ala Glu Pro Asp Ser Phe Ala Ala Val Ser Leu Cys Gly Gly Leu Arg
        35                  40                  45
Gly Ala Phe Gly Tyr Gln Gly Ala Glu Tyr Val Ile Ser Pro Leu Pro
    50                  55                  60
Asn Thr Ser Ala Pro Glu Ala Gln Arg His Ser Gln Gly Ala His Leu
65                  70                  75                  80
Leu Gln Arg Arg Gly Ala Pro Val Gly Pro Ser Gly Asp Pro Thr Ser
                85                  90                  95
Arg Cys Gly Val Ala Ser Gly Trp Asn Pro Ala Ile Leu Arg Ala Leu
            100                 105                 110
Asp Pro Tyr Lys Pro Arg Arg Thr Gly Val Gly Glu Ser His Asn Arg
        115                 120                 125
Arg Arg Ser Gly Arg Ala Lys Arg Phe Val Ser Ile Pro Arg Tyr Val
    130                 135                 140
Glu Thr Leu Val Val Ala Asp Glu Ser Met Val Lys Phe His Gly Ala
145                 150                 155                 160
Asp Leu Glu His Tyr Leu Leu Thr Leu Leu Ala Thr Ala Ala Arg Leu
                165                 170                 175
Tyr Arg His Pro Ser Ile Leu Asn Pro Ile Asn Ile Val Val Val Lys
            180                 185                 190
Val Leu Leu Leu Gly Asp Arg Asp Thr Gly Pro Lys Val Thr Gly Asn
        195                 200                 205
Ala Ala Leu Thr Leu Arg Asn Phe Cys Ala Trp Gln Lys Lys Leu Asn
    210                 215                 220
Lys Val Ser Asp Lys His Pro Glu Tyr Trp Asp Thr Ala Ile Leu Phe
225                 230                 235                 240
Thr Arg Gln Asp Leu Cys Gly Ala Thr Thr Cys Asp Thr Leu Gly Met
                245                 250                 255
Ala Asp Val Gly Thr Met Cys Asp Pro Lys Arg Ser Cys Ser Val Ile
            260                 265                 270
Glu Asp Asp Gly Leu Pro Ser Ala Phe Thr Thr Ala His Glu Leu Gly
        275                 280                 285
His Val Phe Asn Met Pro His Asp Asn Val Lys Val Cys Glu Glu Val
    290                 295                 300
Phe Gly Lys Leu Arg Ala Asn His Met Met Ser Pro Thr Leu Ile Gln
305                 310                 315                 320
Ile Asp Arg Ala Asn Pro Trp Ser Ala Cys Ser Ala Ala Ile Ile Thr
                325                 330                 335
Asp Phe Leu Asp Ser Gly His Gly Asp Cys Leu Leu Asp Gln Pro Ser
            340                 345                 350
Lys Pro Ile Thr Leu Pro Glu Asp Leu Pro Gly Thr Ser Tyr Ser Leu
        355                 360                 365
Ser Gln Gln Cys Glu Leu Ala Phe Gly Val Gly Ser Lys Pro Cys Pro
    370                 375                 380
Tyr Met Gln Tyr Cys Thr Lys Leu Trp Cys Thr Gly Lys Ala Lys Gly
385                 390                 395                 400
```

```
Gln Met Val Cys Gln Thr Arg His Phe Pro Trp Ala Asp Gly Thr Ser
                405                 410                 415
Cys Gly Glu Gly Lys Phe Cys Leu Lys Gly Ala Cys Val Glu Arg His
            420                 425                 430
Asn Pro Asn Lys Tyr Arg Val Asp Gly Pro Trp Ala Lys Trp Glu Pro
        435                 440                 445
Tyr Gly Pro Cys Ser Arg Thr Cys Gly Gly Gly Ala Gln Leu Ala Arg
    450                 455                 460
Arg Gln Val Gln Ala Thr Leu Pro Leu Pro Thr Gly Gly Lys Tyr Cys
465                 470                 475                 480
Glu Gly Val Arg Val Lys Tyr Arg Ser Cys Asn Leu Glu Pro Cys Pro
                485                 490                 495
Ser Ser Ala Ser Gly Lys Ser Phe Arg
            500                 505
```

<210> 15
<211> 1455
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(1455)
<223> n = A,T,C or G

<400> 15

```
gatgcatcta agccctggtc caaatgcact tcagccacca tcacagaatt cctggatgat      60
ggccatggta actgtttgct ggacctacca cgaaagcaga tcctgggccc cgaagaactc     120
ccaggacaga cctacgatgc cacccagcag tgcaacctta cattcgggcc tgagtactcc     180
gtgtgtcccg gcatggatgt ctgtgctccc ctgtggtgtg ctgtggtacg ccagggccag     240
atggtctgtc tgaccaagaa gcttcctgcg gtggaaggga cgccttgtgg aaaggggaga     300
atctgcctgc agggcaaatg tgtggacaaa accaagaaaa aatattattc aacgtcaagc     360
catggcaact ggggatcttg gggatcctgg ggccagtgtt ctcgctcatg tggaggagga     420
gtgcagtttg cctatcgtcg ctgtaataac cctgctccca gaaacaacgg acgctactgc     480
acagggaaga gggccatcta ccgctcctgc agtctcatgc cctgcccacc caatggtaaa     540
tcatttcgtc atgaacagtg tgaggccaaa aatggctatc agtctgatgc aaaaggagtc     600
aaaacttttg tggaatgggt tcccaaatat gcaagtgtcc tgcccagcga tgtgtgcaag     660
ctgacctgca gagccaaagg gactggctac tatgtggtat tttctccaaa ggtgaccgat     720
ggcactgaat gtaggccgta cagtaattcc gtctgcgtcc gggggaagtg tgtgagaact     780
ggctgtgacg gcatcattgg ctcaaagctg cagtatgaca agtgcggagt atgtggagga     840
gacaactcca gctgtacaaa gattgttgga acctttaata agaaaagtaa gggttcanct     900
gacgtggtga ggattcctga aggggcaacc cacataaaag ttcgacagtt caaagccaaa     960
gaccagacta gattcactgc ctatttagcc ctgaaaaaga aaaacggtga gtaccttatc    1020
aatggaaagt acatgatctc cacttcagag actatcattg acatcaatgg aacagtcatg    1080
aactatagcg gttggagcca cagggatgac ttcctgcatg gcatgggcta ctctgccacg    1140
aaggaaattc taatagtgca gattcttgca acagacccca ctaaaccatt agatgtccgt    1200
tatagctttt ttgttcccaa gaagtccact ccaaaagtaa actctgtcac tagtcatggc    1260
agcaataaag tgggatcaca cacttcgcag ccgcagtggg tcacgggccc atggctcgcc    1320
tgctctagga cctgtgacac aggttggcac accagaacgg tgcagtgcca ggatggaaac    1380
cggaagttag caaaaggatg tcctctctcc caaaggcctt ctgcgtttaa gcaatgcttg    1440
ttgaagaaat gttag                                                     1455
```

<210> 16
<211> 484

<212> PRT
<213> Homo sapien

<220>
<221> VARIANT
<222> (1)...(484)
<223> Xaa = Any Amino Acid

<400> 16

```
Asp Ala Ser Lys Pro Trp Ser Lys Cys Thr Ser Ala Thr Ile Thr Glu
 1               5                  10                  15
Phe Leu Asp Asp Gly His Gly Asn Cys Leu Leu Asp Leu Pro Arg Lys
            20                  25                  30
Gln Ile Leu Gly Pro Glu Glu Leu Pro Gly Gln Thr Tyr Asp Ala Thr
        35                  40                  45
Gln Gln Cys Asn Leu Thr Phe Gly Pro Glu Tyr Ser Val Cys Pro Gly
    50                  55                  60
Met Asp Val Cys Ala Pro Leu Trp Cys Ala Val Val Arg Gln Gly Gln
65                  70                  75                  80
Met Val Cys Leu Thr Lys Lys Leu Pro Ala Val Glu Gly Thr Pro Cys
                85                  90                  95
Gly Lys Gly Arg Ile Cys Leu Gln Gly Lys Cys Val Asp Lys Thr Lys
            100                 105                 110
Lys Lys Tyr Tyr Ser Thr Ser Ser His Gly Asn Trp Gly Ser Trp Gly
        115                 120                 125
Ser Trp Gly Gln Cys Ser Arg Ser Cys Gly Gly Gly Val Gln Phe Ala
    130                 135                 140
Tyr Arg Arg Cys Asn Asn Pro Ala Pro Arg Asn Asn Gly Arg Tyr Cys
145                 150                 155                 160
Thr Gly Lys Arg Ala Ile Tyr Arg Ser Cys Ser Leu Met Pro Cys Pro
                165                 170                 175
Pro Asn Gly Lys Ser Phe Arg His Glu Gln Cys Glu Ala Lys Asn Gly
            180                 185                 190
Tyr Gln Ser Asp Ala Lys Gly Val Lys Thr Phe Val Glu Trp Val Pro
        195                 200                 205
Lys Tyr Ala Ser Val Leu Pro Ser Asp Val Cys Lys Leu Thr Cys Arg
    210                 215                 220
Ala Lys Gly Thr Gly Tyr Tyr Val Val Phe Ser Pro Lys Val Thr Asp
225                 230                 235                 240
Gly Thr Glu Cys Arg Pro Tyr Ser Asn Ser Val Cys Val Arg Gly Lys
                245                 250                 255
Cys Val Arg Thr Gly Cys Asp Gly Ile Ile Gly Ser Lys Leu Gln Tyr
            260                 265                 270
Asp Lys Cys Gly Val Cys Gly Gly Asp Asn Ser Ser Cys Thr Lys Ile
        275                 280                 285
Val Gly Thr Phe Asn Lys Lys Ser Lys Gly Ser Xaa Asp Val Val Arg
    290                 295                 300
Ile Pro Glu Gly Ala Thr His Ile Lys Val Arg Gln Phe Lys Ala Lys
305                 310                 315                 320
Asp Gln Thr Arg Phe Thr Ala Tyr Leu Ala Leu Lys Lys Lys Asn Gly
                325                 330                 335
Glu Tyr Leu Ile Asn Gly Lys Tyr Met Ile Ser Thr Ser Glu Thr Ile
            340                 345                 350
Ile Asp Ile Asn Gly Thr Val Met Asn Tyr Ser Gly Trp Ser His Arg
        355                 360                 365
```

```
Asp Asp Phe Leu His Gly Met Gly Tyr Ser Ala Thr Lys Glu Ile Leu
    370                 375                 380
Ile Val Gln Ile Leu Ala Thr Asp Pro Thr Lys Pro Leu Asp Val Arg
385                 390                 395                 400
Tyr Ser Phe Phe Val Pro Lys Lys Ser Thr Pro Lys Val Asn Ser Val
                405                 410                 415
Thr Ser His Gly Ser Asn Lys Val Gly Ser His Thr Ser Gln Pro Gln
            420                 425                 430
Trp Val Thr Gly Pro Trp Leu Ala Cys Ser Arg Thr Cys Asp Thr Gly
        435                 440                 445
Trp His Thr Arg Thr Val Gln Cys Gln Asp Gly Asn Arg Lys Leu Ala
    450                 455                 460
Lys Gly Cys Pro Leu Ser Gln Arg Pro Ser Ala Phe Lys Gln Cys Leu
465                 470                 475                 480
Leu Lys Lys Cys
```

<210> 17
<211> 423
<212> DNA
<213> Bos taurus

<400> 17

```
tttagggagg agcagtgtga ggccaaaaat ggatatcagt ctgatgcaaa aggagtcaaa      60
acgtttgtgg aatgggttcc caaatatgct ggtgtcctgc ccggagacgt gtgcaaactg     120
acctgcagag ctaagggcac tggctactac gtggtgttct ctccaaaggt gaccgatggg     180
acagagtgca ggccatacag caattccgtg tgtgtccggg ggaagtgtgt gcggacaggc     240
tgtgacagca tcattggctc gaagctgcag tatgacaaat gtggcgtctg tggaggagac     300
aactccagtt gcacaaaggt ggtcggaacc ttcaataaaa aaagtaaggg ttacactgac     360
gtcgtgagga tccccgaagg ggcgactcac ataaaagtcc gacagttcaa agccaaagac     420
cag                                                                   423
```

<210> 18
<211> 141
<212> PRT
<213> Bos taurus

<400> 18

```
Phe Arg Glu Glu Gln Cys Glu Ala Lys Asn Gly Tyr Gln Ser Asp Ala
 1                5                  10                  15
Lys Gly Val Lys Thr Phe Val Glu Trp Val Pro Lys Tyr Ala Gly Val
            20                  25                  30
Leu Pro Gly Asp Val Cys Lys Leu Thr Cys Arg Ala Lys Gly Thr Gly
        35                  40                  45
Tyr Tyr Val Val Phe Ser Pro Lys Val Thr Asp Gly Thr Glu Cys Arg
    50                  55                  60
Pro Tyr Ser Asn Ser Val Cys Val Arg Gly Lys Cys Val Arg Thr Gly
65                  70                  75                  80
Cys Asp Ser Ile Ile Gly Ser Lys Leu Gln Tyr Asp Lys Cys Gly Val
                85                  90                  95
Cys Gly Gly Asp Asn Ser Ser Cys Thr Lys Val Val Gly Thr Phe Asn
            100                 105                 110
Lys Lys Ser Lys Gly Tyr Thr Asp Val Val Arg Ile Pro Glu Gly Ala
        115                 120                 125
Thr His Ile Lys Val Arg Gln Phe Lys Ala Lys Asp Gln
```

130 135 140

<210> 19
<211> 637
<212> DNA
<213> Bos taurus

<400> 19
ggaaaccctg gccatttgga gcaactacct ggccctgaag ctccccgatg gctcctatgc 60
cctcaacggt gaatacacgc tgatcccgtc ccccacagac gtggtactgc ccggggccgt 120
cagcctgcgc tacagcgggg ccactgcagc ctcggagaca ctgtcaggac acgggccccc 180
ggctgagccc ttaacgctgc aggtcctagt ggctggcaac ccgcagaacg cccgcctcag 240
atacagcttt ttcgtgccgc gaccgcgacc ggtcccctcc acgccacgcc ccactcccca 300
ggactggctg cgccgcaagt cacagattct ggagatcctc cggcggcgct cctgggccgg 360
caggaaataa cctcaccatc ccggctgccc tttctgggca ccggggcctc ggacttagct 420
gggtgaacga gagacctctg cagcggcctc accccgagac atcgtggggg aggggcttag 480
tgagccccgc ctctcctccc cgcgctaccg agcaggctgg ccctgccggg gtttcctgcc 540
ctggatggct ggtggatgga aggggctggg agattgtccc ctatctaaac tgccccctct 600
gccctgctgg tcacaggagg gaggggggaag gcaggga 637

<210> 20
<211> 122
<212> PRT
<213> Bos taurus

<400> 20
Glu Thr Leu Ala Ile Trp Ser Asn Tyr Leu Ala Leu Lys Leu Pro Asp
1 5 10 15
Gly Ser Tyr Ala Leu Asn Gly Glu Tyr Thr Leu Ile Pro Ser Pro Thr
20 25 30
Asp Val Val Leu Pro Gly Ala Val Ser Leu Arg Tyr Ser Gly Ala Thr
35 40 45
Ala Ala Ser Glu Thr Leu Ser Gly His Gly Pro Leu Ala Glu Pro Leu
50 55 60
Thr Leu Gln Val Leu Val Ala Gly Asn Pro Gln Asn Ala Arg Leu Arg
65 70 75 80
Tyr Ser Phe Phe Val Pro Arg Pro Arg Pro Val Pro Ser Thr Pro Arg
85 90 95
Pro Thr Pro Gln Asp Trp Leu Arg Arg Lys Ser Gln Ile Leu Glu Ile
100 105 110
Leu Arg Arg Arg Ser Trp Ala Gly Arg Lys
115 120

<210> 21
<211> 1143
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(1143)
<223> n = A,T,C or G

<400> 21
actcactata gggctcgtgc ggccgcccgg gcaggtatct ttaagcatcc cagcatcctc 60

```
aaccccatca acatcgttgt ggtcaaggtg ctgcttctta gagatcgtga ctccgggccc     120
aaggtcaccg gcaatgcggc cctgacgctg cgcaacttct gtgcctggca gaagaagctg     180
aacaaagtga gtgacaagca ccccgagtac tgggacactg ccatcctctt caccaggcag     240
gacctgtgtg gagccaccac ctgtgacacc ctgggcatgg ctgatgtggg taccatgtgt     300
gaccccaaga gaagctgctc tgtcattgag gacgatgggc ttccatcagc cttcaccact     360
gcccacgagc tgggccacgt gttcaacatg ccccatgaca atgtgaaagt ctgtgaggag     420
gtgtttggga agctccgagc caaccacatg atgtccccga ccctcatcca gatcgaccgt     480
gccaacccct ggtcagcctg cagtgctgcc atcatcaccg actttctgga cagcgggcac     540
ggtgactgcc tcctggacca acccagcaag cccatcttcc tgccgagnga tctgccgggc     600
gccagctaca ccctgagcca gcartgcgag ctggcttttg gcgtgggctt caagccctgt     660
ccttacatgc agtactgcac caagctgtgg tgcaccggga aggccaaggg acagatggtg     720
tgccaaaccc gccacttccc ctgggccgat ggcaccagtt gtggcgaggg caagttctgc     780
ctcaaagggg cctgcgtgga aaracacaac ctcaacaagc acagggtgga tggttcctgg     840
gccaaatggg atccctatgg cccctgctcg cgcacatgtg gtgggggcgt gcagctggcc     900
aggaggcagn tgcaccaacc ccancccctg ccaacngggg gcaagtactg cgagggagtg     960
agggtgaaat accgatcctg caacctggag ccctgcccca gctcagcctc cggaaagagc    1020
ttccgggagg agcagtgtga ggctttcaac ggctacaacc acagcaccaa ccggctcact    1080
ctcgccgtgg catgggtgcc caagtactcc ggcgtgtctc cccgtgacaa gtgtaagctc    1140
atc                                                                  1143
```

<210> 22
<211> 381
<212> PRT
<213> Homo sapien

<220>
<221> VARIANT
<222> (1)...(381)
<223> Xaa = Any Amino Acid

<400> 22

```
Thr His Tyr Arg Ala Arg Ala Ala Ala Arg Ala Gly Ile Phe Lys His
 1               5                  10                  15
Pro Ser Ile Leu Asn Pro Ile Asn Ile Val Val Val Lys Val Leu Leu
            20                  25                  30
Leu Arg Asp Arg Asp Ser Gly Pro Lys Val Thr Gly Asn Ala Ala Leu
        35                  40                  45
Thr Leu Arg Asn Phe Cys Ala Trp Gln Lys Lys Leu Asn Lys Val Ser
    50                  55                  60
Asp Lys His Pro Glu Tyr Trp Asp Thr Ala Ile Leu Phe Thr Arg Gln
65                  70                  75                  80
Asp Leu Cys Gly Ala Thr Thr Cys Asp Thr Leu Gly Met Ala Asp Val
                85                  90                  95
Gly Thr Met Cys Asp Pro Lys Arg Ser Cys Ser Val Ile Glu Asp Asp
            100                 105                 110
Gly Leu Pro Ser Ala Phe Thr Thr Ala His Glu Leu Gly His Val Phe
        115                 120                 125
Asn Met Pro His Asp Asn Val Lys Val Cys Glu Glu Val Phe Gly Lys
    130                 135                 140
Leu Arg Ala Asn His Met Met Ser Pro Thr Leu Ile Gln Ile Asp Arg
145                 150                 155                 160
Ala Asn Pro Trp Ser Ala Cys Ser Ala Ala Ile Ile Thr Asp Phe Leu
                165                 170                 175
Asp Ser Gly His Gly Asp Cys Leu Leu Asp Gln Pro Ser Lys Pro Ile
            180                 185                 190
```

```
Phe Leu Pro Xaa Asp Leu Pro Gly Ala Ser Tyr Thr Leu Ser Gln Gln
        195                 200                 205
Cys Glu Leu Ala Phe Gly Val Gly Phe Lys Pro Cys Pro Tyr Met Gln
    210                 215                 220
Tyr Cys Thr Lys Leu Trp Cys Thr Gly Lys Ala Lys Gly Gln Met Val
225                 230                 235                 240
Cys Gln Thr Arg His Phe Pro Trp Ala Asp Gly Thr Ser Cys Gly Glu
                245                 250                 255
Gly Lys Phe Cys Leu Lys Gly Ala Cys Val Glu Xaa His Asn Leu Asn
            260                 265                 270
Lys His Arg Val Asp Gly Ser Trp Ala Lys Trp Asp Pro Tyr Gly Pro
        275                 280                 285
Cys Ser Arg Thr Cys Gly Gly Gly Val Gln Leu Ala Arg Arg Gln Xaa
    290                 295                 300
His Gln Pro Xaa Pro Leu Pro Thr Gly Gly Lys Tyr Cys Glu Gly Val
305                 310                 315                 320
Arg Val Lys Tyr Arg Ser Cys Asn Leu Glu Pro Cys Pro Ser Ser Ala
                325                 330                 335
Ser Gly Lys Ser Phe Arg Glu Glu Gln Cys Glu Ala Phe Asn Gly Tyr
            340                 345                 350
Asn His Ser Thr Asn Arg Leu Thr Leu Ala Val Ala Trp Val Pro Lys
        355                 360                 365
Tyr Ser Gly Val Ser Pro Arg Asp Lys Cys Lys Leu Ile
    370                 375                 380
```

<210> 23
<211> 297
<212> DNA
<213> Rattus norvegicus

<400> 23

```
tccgcccttc cgggaggaac agtgtgaaaa atataatgcc tacaaccaca cggacctgga      60
tgggaatttc cttcagtggg tccccaaata ctcaggagtg tccccccgag accgatgcaa     120
actgttttgc agagcccgtg ggaggagtga gttcaaagtg tttgaaacta aggtgatcga     180
tggcactctg tgcggaccgg atactctggc catctgtgtg cggggacagt gcgttaaggc     240
tggctgtgac catgtggtga actcacctaa gaagctggac aagtgcggta tctgtgg        297
```

<210> 24
<211> 98
<212> PRT
<213> Rattus norvegicus

<400> 24

```
Pro Pro Phe Arg Glu Glu Gln Cys Glu Lys Tyr Asn Ala Tyr Asn His
 1               5                  10                  15
Thr Asp Leu Asp Gly Asn Phe Leu Gln Trp Val Pro Lys Tyr Ser Gly
            20                  25                  30
Val Ser Pro Arg Asp Arg Cys Lys Leu Phe Cys Arg Ala Arg Gly Arg
        35                  40                  45
Ser Glu Phe Lys Val Phe Glu Thr Lys Val Ile Asp Gly Thr Leu Cys
    50                  55                  60
Gly Pro Asp Thr Leu Ala Ile Cys Val Arg Gly Gln Cys Val Lys Ala
65                  70                  75                  80
Gly Cys Asp His Val Val Asn Ser Pro Lys Lys Leu Asp Lys Cys Gly
                85                  90                  95
```

Ile Cys

<210> 25
<211> 823
<212> DNA
<213> Rattus norvegicus

<400> 25
```
cccctggatg tggtcaaagt gcagtcggaa gtacatcacc gagttcttag acactgggta      60
tggagagtgc ttgttaaatg aacctcaatc caggacctat cctttgcctt cccaactgcc     120
cggccttctc tacaacgtga ataaacaatg tgaactgatt tttggaccag gctctcaagt     180
gtgcccatat atgatgcagt gcagacggct ctggtgcaat aacgtggatg gagcacacaa     240
aggctgcagg actcagcaca cgccctgggc agatggaacc gagtgtgagc ctggaaagca     300
ctgcaagttt ggattctgtg ttcccaaaga aatggagggc cctgcaattg atggatcctg     360
gggaagttgg agtcactttg gggcctgctc aagaacatgt ggaggaggca tcagaacagc     420
catcagagag tgcaacagac cagagccaaa aaatggtggg aggtactgtg tagggaggag     480
aatraagttc aaatcctgca acaccgagcc ctgcccgaag cacaagcgag acttccgtga     540
ggagcagtgt gcttactttg acggcaagca tttcaacatc aatggtctgc tgcccagtgt     600
acgctgggtc cctaagtaca gtggaatttt gatgaaggac cgatgcaagt tgttctgcag     660
agtggcagga aacacagcct actaccagct tcgagacaga gtgattgacg gaacccccctg    720
tggccaggac acaaatgaca tctgtgtcca aggcctttgc cggcaagctg gatgtgatca     780
tactttaaac tcaaaggccc ggaaagataa atgtgggatt tgt                       823
```

<210> 26
<211> 274
<212> PRT
<213> Rattus norvegicus

<220>
<221> VARIANT
<222> (1)...(274)
<223> Xaa = Any Amino Acid

<400> 26
```
Pro Trp Met Trp Ser Lys Cys Ser Arg Lys Tyr Ile Thr Glu Phe Leu
 1               5                  10                  15
Asp Thr Gly Tyr Gly Glu Cys Leu Leu Asn Glu Pro Gln Ser Arg Thr
            20                  25                  30
Tyr Pro Leu Pro Ser Gln Leu Pro Gly Leu Leu Tyr Asn Val Asn Lys
        35                  40                  45
Gln Cys Glu Leu Ile Phe Gly Pro Gly Ser Gln Val Cys Pro Tyr Met
    50                  55                  60
Met Gln Cys Arg Arg Leu Trp Cys Asn Asn Val Asp Gly Ala His Lys
65                  70                  75                  80
Gly Cys Arg Thr Gln His Thr Pro Trp Ala Asp Gly Thr Glu Cys Glu
                85                  90                  95
Pro Gly Lys His Cys Lys Phe Gly Phe Cys Val Pro Lys Glu Met Glu
            100                 105                 110
Gly Pro Ala Ile Asp Gly Ser Trp Gly Ser Trp Ser His Phe Gly Ala
        115                 120                 125
Cys Ser Arg Thr Cys Gly Gly Gly Ile Arg Thr Ala Ile Arg Glu Cys
    130                 135                 140
Asn Arg Pro Glu Pro Lys Asn Gly Gly Arg Tyr Cys Val Gly Arg Arg
145                 150                 155                 160
```

```
Xaa Lys Phe Lys Ser Cys Asn Thr Glu Pro Cys Pro Lys His Lys Arg
                165                 170                 175
Asp Phe Arg Glu Glu Gln Cys Ala Tyr Phe Asp Gly Lys His Phe Asn
            180                 185                 190
Ile Asn Gly Leu Leu Pro Ser Val Arg Trp Val Pro Lys Tyr Ser Gly
        195                 200                 205
Ile Leu Met Lys Asp Arg Cys Lys Leu Phe Cys Arg Val Ala Gly Asn
    210                 215                 220
Thr Ala Tyr Tyr Gln Leu Arg Asp Arg Val Ile Asp Gly Thr Pro Cys
225                 230                 235                 240
Gly Gln Asp Thr Asn Asp Ile Cys Val Gln Gly Leu Cys Arg Gln Ala
                245                 250                 255
Gly Cys Asp His Thr Leu Asn Ser Lys Ala Arg Lys Asp Lys Cys Gly
            260                 265                 270
Ile Cys
```

<210> 27
<211> 1073
<212> PRT
<213> Homo sapien

<400> 27

```
Met Gln Phe Val Ser Trp Ala Thr Leu Leu Thr Leu Leu Val Arg Asp
 1               5                  10                  15
Leu Ala Glu Met Gly Ser Pro Asp Ala Ala Ala Ala Val Arg Lys Asp
            20                  25                  30
Arg Leu His Pro Arg Gln Val Lys Leu Leu Glu Thr Leu Gly Glu Tyr
        35                  40                  45
Glu Ile Val Ser Pro Ile Arg Val Asn Ala Leu Gly Glu Pro Phe Pro
    50                  55                  60
Thr Asn Val His Phe Lys Arg Thr Arg Arg Ser Ile Asn Ser Ala Thr
65                  70                  75                  80
Asp Pro Trp Pro Ala Phe Ala Ser Ser Ser Ser Ser Ser Thr Ser Ser
                85                  90                  95
Gln Ala His Tyr Arg Leu Ser Ala Phe Gly Gln Gln Phe Leu Phe Asn
            100                 105                 110
Leu Thr Ala Asn Ala Gly Phe Ile Ala Pro Leu Phe Thr Val Thr Leu
        115                 120                 125
Leu Gly Thr Pro Gly Val Asn Gln Thr Lys Phe Tyr Ser Glu Glu Glu
    130                 135                 140
Ala Glu Leu Lys His Cys Phe Tyr Lys Gly Tyr Val Asn Thr Asn Ser
145                 150                 155                 160
Glu His Thr Ala Val Ile Ser Leu Cys Ser Gly Met Leu Gly Thr Phe
                165                 170                 175
Arg Ser His Asp Gly Asp Tyr Phe Ile Glu Pro Leu Gln Ser Met Asp
            180                 185                 190
Glu Gln Glu Asp Glu Glu Glu Gln Asn Lys Pro His Ile Ile Tyr Arg
        195                 200                 205
Arg Ser Ala Pro Gln Arg Glu Pro Ser Thr Gly Arg His Ala Cys Asp
    210                 215                 220
Thr Ser Glu His Lys Asn Arg His Ser Lys Asp Lys Lys Lys Thr Arg
225                 230                 235                 240
Ala Arg Lys Trp Gly Glu Arg Ile Asn Leu Ala Gly Asp Val Ala Ala
                245                 250                 255
Leu Asn Ser Gly Leu Ala Thr Glu Ala Phe Ser Ala Tyr Gly Asn Lys
```

```
                260                 265                 270
Thr Asp Asn Thr Arg Glu Lys Arg Thr His Arg Arg Thr Lys Arg Phe
        275                 280                 285
Leu Ser Tyr Pro Arg Phe Val Glu Val Leu Val Val Ala Asp Asn Arg
    290                 295                 300
Met Val Ser Tyr His Gly Glu Asn Leu Gln His Tyr Ile Leu Thr Leu
305                 310                 315                 320
Met Ser Ile Val Ala Ser Ile Tyr Lys Asp Pro Ser Ile Gly Asn Leu
                325                 330                 335
Ile Asn Ile Val Ile Val Asn Leu Ile Val Ile His Asn Glu Gln Asp
            340                 345                 350
Gly Pro Ser Ile Ser Phe Asn Ala Gln Thr Thr Leu Lys Asn Leu Cys
        355                 360                 365
Gln Trp Gln His Ser Lys Asn Ser Pro Gly Gly Ile His His Asp Thr
    370                 375                 380
Ala Val Leu Leu Thr Arg Gln Asp Ile Cys Arg Ala His Asp Lys Cys
385                 390                 395                 400
Asp Thr Leu Gly Leu Ala Glu Leu Gly Thr Ile Cys Asp Pro Tyr Arg
                405                 410                 415
Ser Cys Ser Ile Ser Glu Asp Ser Gly Leu Ser Thr Ala Phe Thr Ile
            420                 425                 430
Ala His Glu Leu Gly His Val Phe Asn Met Pro His Asp Asp Asn Asn
        435                 440                 445
Lys Cys Lys Glu Glu Gly Val Lys Ser Pro Gln His Val Met Ala Pro
    450                 455                 460
Thr Leu Asn Phe Tyr Thr Asn Pro Trp Met Trp Ser Lys Cys Ser Arg
465                 470                 475                 480
Lys Tyr Ile Thr Glu Phe Leu Asp Thr Gly Tyr Gly Glu Cys Leu Leu
                485                 490                 495
Asn Glu Pro Glu Ser Arg Pro Tyr Pro Leu Pro Val Gln Leu Pro Gly
            500                 505                 510
Ile Leu Tyr Asn Val Asn Lys Gln Cys Glu Leu Ile Phe Gly Pro Gly
        515                 520                 525
Ser Gln Val Cys Pro Tyr Met Met Gln Cys Arg Arg Leu Trp Cys Asn
    530                 535                 540
Asn Val Asn Gly Val His Lys Gly Cys Arg Thr Gln His Thr Pro Trp
545                 550                 555                 560
Ala Asp Gly Thr Glu Cys Glu Pro Gly Lys His Cys Lys Tyr Gly Phe
                565                 570                 575
Cys Val Pro Lys Glu Met Asp Val Pro Val Thr Asp Gly Ser Trp Gly
            580                 585                 590
Ser Trp Ser Pro Phe Gly Thr Cys Ser Arg Thr Cys Gly Gly Gly Ile
        595                 600                 605
Lys Thr Ala Ile Arg Glu Cys Asn Arg Pro Glu Pro Lys Asn Gly Gly
    610                 615                 620
Lys Tyr Cys Val Gly Arg Arg Met Lys Phe Lys Ser Cys Asn Thr Glu
625                 630                 635                 640
Pro Cys Leu Lys Gln Lys Arg Asp Phe Arg Asp Glu Gln Cys Ala His
                645                 650                 655
Phe Asp Gly Lys His Phe Asn Ile Asn Gly Leu Leu Pro Asn Val Arg
            660                 665                 670
Trp Val Pro Lys Tyr Ser Gly Ile Leu Met Lys Asp Arg Cys Lys Leu
        675                 680                 685
Phe Cys Arg Val Ala Gly Asn Thr Ala Tyr Tyr Gln Leu Arg Asp Arg
    690                 695                 700
```

```
Val Ile Asp Gly Thr Pro Cys Gly Gln Asp Thr Asn Asp Ile Cys Val
705                 710                 715                 720
Gln Gly Leu Cys Arg Gln Ala Gly Cys Asp His Val Leu Asn Ser Lys
                725                 730                 735
Ala Arg Arg Asp Lys Cys Gly Val Cys Gly Gly Asp Asn Ser Ser Cys
            740                 745                 750
Lys Thr Val Ala Gly Thr Phe Asn Thr Val His Tyr Gly Tyr Asn Thr
        755                 760                 765
Val Val Arg Ile Pro Ala Gly Ala Thr Asn Ile Asp Val Arg Gln His
    770                 775                 780
Ser Phe Ser Gly Glu Thr Asp Asp Asp Asn Tyr Leu Ala Leu Ser Ser
785                 790                 795                 800
Ser Lys Gly Glu Phe Leu Leu Asn Gly Asn Phe Val Val Thr Met Ala
                805                 810                 815
Lys Arg Glu Ile Arg Ile Gly Asn Ala Val Val Glu Tyr Ser Gly Ser
            820                 825                 830
Glu Thr Ala Val Glu Arg Ile Asn Ser Thr Asp Arg Ile Glu Gln Glu
        835                 840                 845
Leu Leu Leu Gln Val Leu Ser Val Gly Lys Leu Tyr Asn Pro Asp Val
    850                 855                 860
Arg Tyr Ser Phe Asn Ile Pro Ile Glu Asp Lys Pro Gln Gln Phe Tyr
865                 870                 875                 880
Trp Asn Ser His Gly Pro Trp Gln Ala Cys Ser Lys Pro Cys Gln Gly
                885                 890                 895
Glu Arg Lys Arg Lys Leu Val Cys Thr Arg Glu Ser Asp Gln Leu Thr
            900                 905                 910
Val Ser Asp Gln Arg Cys Asp Arg Leu Pro Gln Pro Gly His Ile Thr
        915                 920                 925
Glu Pro Cys Gly Thr Asp Cys Asp Leu Arg Trp His Val Ala Ser Arg
    930                 935                 940
Ser Glu Cys Ser Ala Gln Cys Gly Leu Gly Tyr Arg Thr Leu Asp Ile
945                 950                 955                 960
Tyr Cys Ala Lys Tyr Ser Arg Leu Asp Gly Lys Thr Glu Lys Val Asp
                965                 970                 975
Asp Gly Phe Cys Ser Ser His Pro Lys Pro Ser Asn Arg Glu Lys Cys
            980                 985                 990
Ser Gly Glu Cys Asn Thr Gly Gly Trp Arg Tyr Ser Ala Trp Thr Glu
        995                 1000                1005
Cys Lys Ser Lys Ser Cys Asp Gly Gly Thr Gln Arg Arg Arg Ala Ile
    1010                1015                1020
Cys Val Asn Thr Arg Asn Asp Val Leu Asp Asp Ser Lys Cys Thr His
1025                1030                1035                1040
Gln Glu Lys Val Thr Ile Gln Arg Cys Ser Glu Phe Pro Cys Pro Gln
                1045                1050                1055
Trp Lys Ser Gly Asp Trp Ser Glu Val Arg Trp Glu Gly Cys Tyr Phe
            1060                1065                1070
Pro
```

<210> 28
<211> 951
<212> PRT
<213> Mus musculus

<400> 28

```
Met Gly Asp Val Gln Arg Ala Ala Arg Ser Arg Gly Ser Leu Ser Ala
```

```
 1               5                  10                  15
His Met Leu Leu Leu Leu Leu Ala Ser Ile Thr Met Leu Leu Cys Ala
            20                  25                  30
Arg Gly Ala His Gly Arg Pro Thr Glu Glu Asp Glu Glu Leu Val Leu
        35                  40                  45
Pro Ser Leu Glu Arg Ala Pro Gly His Asp Ser Thr Thr Thr Arg Leu
    50                  55                  60
Arg Leu Asp Ala Phe Gly Gln Gln Leu His Leu Lys Leu Gln Pro Asp
65                  70                  75                  80
Ser Gly Phe Leu Ala Pro Gly Phe Thr Leu Gln Thr Val Gly Arg Ser
                85                  90                  95
Pro Gly Ser Glu Ala Gln His Leu Asp Pro Thr Gly Asp Leu Ala His
            100                 105                 110
Cys Phe Tyr Ser Gly Thr Val Asn Gly Asp Pro Gly Ser Ala Ala Ala
        115                 120                 125
Leu Ser Leu Cys Glu Gly Val Arg Gly Ala Phe Tyr Leu Gln Gly Glu
    130                 135                 140
Glu Phe Phe Ile Gln Pro Ala Pro Gly Val Ala Thr Glu Arg Leu Ala
145                 150                 155                 160
Pro Ala Val Pro Glu Glu Glu Ser Ser Ala Arg Pro Gln Phe His Ile
                165                 170                 175
Leu Arg Arg Arg Arg Arg Gly Ser Gly Gly Ala Lys Cys Gly Val Met
            180                 185                 190
Asp Asp Glu Thr Leu Pro Thr Ser Asp Ser Arg Pro Glu Ser Gln Asn
        195                 200                 205
Thr Arg Asn Gln Trp Pro Val Arg Asp Pro Thr Pro Gln Asp Ala Gly
    210                 215                 220
Lys Pro Ser Gly Pro Gly Ser Ile Arg Lys Lys Arg Phe Val Ser Ser
225                 230                 235                 240
Pro Arg Tyr Val Glu Thr Met Leu Val Ala Asp Gln Ser Met Ala Asp
                245                 250                 255
Phe His Gly Ser Gly Leu Lys His Tyr Leu Leu Thr Leu Phe Ser Val
            260                 265                 270
Ala Ala Arg Phe Tyr Lys His Pro Ser Ile Arg Asn Ser Ile Ser Leu
        275                 280                 285
Val Val Val Lys Ile Leu Val Ile Tyr Glu Glu Gln Lys Gly Pro Glu
    290                 295                 300
Val Thr Ser Asn Ala Ala Leu Thr Leu Arg Asn Phe Cys Asn Trp Gln
305                 310                 315                 320
Lys Gln His Asn Ser Pro Ser Asp Arg Asp Pro Glu His Tyr Asp Thr
                325                 330                 335
Ala Ile Leu Phe Thr Arg Gln Asp Leu Cys Gly Ser His Thr Cys Asp
            340                 345                 350
Thr Leu Gly Met Ala Asp Val Gly Thr Val Cys Asp Pro Ser Arg Ser
        355                 360                 365
Cys Ser Val Ile Glu Asp Asp Gly Leu Gln Ala Ala Phe Thr Thr Ala
    370                 375                 380
His Glu Leu Gly His Val Phe Asn Met Pro His Asp Asp Ala Lys His
385                 390                 395                 400
Cys Ala Ser Leu Asn Gly Val Thr Gly Asp Ser His Leu Met Ala Ser
                405                 410                 415
Met Leu Ser Ser Leu Asp His Ser Gln Pro Trp Ser Pro Cys Ser Ala
            420                 425                 430
Tyr Met Val Thr Ser Phe Leu Asp Asn Gly His Gly Glu Cys Leu Met
        435                 440                 445
```

```
Asp Lys Pro Gln Asn Pro Ile Lys Leu Pro Ser Asp Leu Pro Gly Thr
    450                 455                 460
Leu Tyr Asp Ala Asn Arg Gln Cys Gln Phe Thr Phe Gly Glu Glu Ser
465                 470                 475                 480
Lys His Cys Pro Asp Ala Ala Ser Thr Cys Thr Thr Leu Trp Cys Thr
                485                 490                 495
Gly Thr Ser Gly Gly Leu Leu Val Cys Gln Thr Lys His Phe Pro Trp
            500                 505                 510
Ala Asp Gly Thr Ser Cys Gly Glu Gly Lys Trp Cys Val Ser Gly Lys
        515                 520                 525
Cys Val Asn Lys Thr Asp Met Lys His Phe Ala Thr Pro Val His Gly
    530                 535                 540
Ser Trp Gly Pro Trp Gly Pro Trp Gly Asp Cys Ser Arg Thr Cys Gly
545                 550                 555                 560
Gly Gly Val Gln Tyr Thr Met Arg Glu Cys Asp Asn Pro Val Pro Lys
                565                 570                 575
Asn Gly Gly Lys Tyr Cys Glu Gly Lys Arg Val Arg Tyr Arg Ser Cys
            580                 585                 590
Asn Ile Glu Asp Cys Pro Asp Asn Asn Gly Lys Thr Phe Arg Glu Glu
        595                 600                 605
Gln Cys Glu Ala His Asn Glu Phe Ser Lys Ala Ser Phe Gly Asn Glu
    610                 615                 620
Pro Thr Val Glu Trp Thr Pro Lys Tyr Ala Gly Val Ser Pro Lys Asp
625                 630                 635                 640
Arg Cys Lys Leu Thr Cys Glu Ala Lys Gly Ile Gly Tyr Phe Phe Val
                645                 650                 655
Leu Gln Pro Lys Val Val Asp Gly Thr Pro Cys Ser Pro Asp Ser Thr
            660                 665                 670
Ser Val Cys Val Gln Gly Gln Cys Val Lys Ala Gly Cys Asp Arg Ile
        675                 680                 685
Ile Asp Ser Lys Lys Lys Phe Asp Lys Cys Gly Val Cys Gly Gly Asn
    690                 695                 700
Gly Ser Thr Cys Lys Lys Met Ser Gly Ile Val Thr Ser Thr Arg Pro
705                 710                 715                 720
Gly Tyr His Asp Ile Val Thr Ile Pro Ala Gly Ala Thr Asn Ile Glu
                725                 730                 735
Val Lys His Arg Asn Gln Arg Gly Ser Arg Asn Asn Gly Ser Phe Leu
            740                 745                 750
Ala Ile Arg Ala Ala Asp Gly Thr Tyr Ile Leu Asn Gly Asn Phe Thr
        755                 760                 765
Leu Ser Thr Leu Glu Gln Asp Leu Thr Tyr Lys Gly Thr Val Leu Arg
    770                 775                 780
Tyr Ser Gly Ser Ser Ala Ala Leu Glu Arg Ile Arg Ser Phe Ser Pro
785                 790                 795                 800
Leu Lys Glu Pro Leu Thr Ile Gln Val Leu Met Val Gly His Ala Leu
                805                 810                 815
Arg Pro Lys Ile Lys Phe Thr Tyr Phe Met Lys Lys Lys Thr Glu Ser
            820                 825                 830
Phe Asn Ala Ile Pro Thr Phe Ser Glu Trp Val Ile Glu Glu Trp Gly
        835                 840                 845
Glu Cys Ser Lys Thr Cys Gly Ser Gly Trp Gln Arg Arg Val Val Gln
    850                 855                 860
Cys Arg Asp Ile Asn Gly His Pro Ala Ser Glu Cys Ala Lys Glu Val
865                 870                 875                 880
Lys Pro Ala Ser Thr Arg Pro Cys Ala Asp Leu Pro Cys Pro His Trp
```

<210> 32
<211> 6
<212> PRT
<213> Unknown

<220>
<223> Semiconserved sequence of ADAMTS protein domain
that binds to the extracellular matrix

<400> 32
Phe Arg Glu Glu Gln Cys
1 5

<210> 33
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide derived from analysis of the
sequences from ADAMTS-1 (mouse) and ADAMTS-3 (rat)

<221> misc_feature
<222> (1)...(18)
<223> n = A,T,C or G

<400> 33
ttymgngarg arcartgy 18

<210> 34
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide derived from analysis of the
sequences from ADAMTS-1 (mouse) and ADAMTS-3 (rat)

<221> misc_feature
<222> (1)...(18)
<223> n = A,T,C or G

<400> 34
rcanaynccr cayttrtc 18

<210> 35
<211> 4
<212> PRT
<213> Homos sapien

<220>
<223> Consensus catalytic sequence site based on ADAM
and snake venom metalloproteases

<221> VARIANT
<222> (3)...(3)
<223> Xaa = Lysine or Arginine

<221> VARIANT
<222> (1)...(4)
<223> Xaa = Any Amino Acid

<400> 35
Arg Xaa Xaa Arg
1

<210> 36
<211> 7
<212> PRT
<213> Unknown

<220>
<223> Conserved heparin binding segment of internal TSP1 motif of ADAM-TS family members

<221> VARIANT
<222> (2)...(2)
<223> Xaa = Serine of Glycine

<221> VARIANT
<222> (1)...(7)
<223> Xaa = Any Amino Acid

<400> 36
Trp Xaa Xaa Trp Ser Xaa Trp
1 5

<210> 37
<211> 6
<212> PRT
<213> Unknown

<220>
<223> Conserved heparin binding segment of internal TSP1 motif of ADAM-TS family members

<400> 37
Cys Ser Val Thr Cys Gly
1 5

<210> 38
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 38

caggggaaac agacgatgac aact 24

<210> 39
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 39
tgcggtaacc caagccacac t 21

<210> 40
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 40
gtgcgctggg tccctaaata c 21

<210> 41
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 41
aaaatcacag gttggcagcg g 21

<210> 42
<211> 12
<212> PRT
<213> Unknown

<220>
<223> Zn binding site

<400> 42
His Glu Leu Gly His Asn Leu Gly Ile Arg His Asp
1 5 10

<210> 43
<211> 12
<212> PRT
<213> Unknown

<220>
<223> Zn binding site

<400> 43
His Glu Leu Gly His Asn Phe Gly Ala Glu His Asp
1 5 10

<210> 44
<211> 12
<212> PRT
<213> Unknown

<220>
<223> Zn binding site

<400> 44
His Glu Ile Gly His Asn Phe Gly Ser Pro His Asp
1 5 10

<210> 45
<211> 12
<212> PRT
<213> Homo sapien

<400> 45
His Glu Leu Gly His Val Phe Asn Met Pro His Asp
1 5 10

<210> 46
<211> 12
<212> PRT
<213> Homo sapien

<400> 46
His Glu Thr Gly His Val Leu Gly Met Glu His Asp
1 5 10

<210> 47
<211> 12
<212> PRT
<213> Homo sapien

<400> 47
His Glu Leu Gly His Val Phe Asn Met Leu His Asp
1 5 10

<210> 48
<211> 12
<212> PRT
<213> Homo sapien

<400> 48
His Glu Ile Gly His Leu Leu Gly Leu Ser His Asp
1 5 10

<210> 49
<211> 12
<212> PRT

<213> Homo sapien

<400> 49
His Glu Leu Gly His Val Phe Asn Met Pro His Asp
1 5 10

<210> 50
<211> 12
<212> PRT
<213> C. elegans

<400> 50
His Glu Leu Gly His Val Phe Ser Ile Pro His Asp
1 5 10

<210> 51
<211> 12
<212> PRT
<213> Unknown

<220>
<223> Consensus catalytic sequence site based on ADAM and snake venom metalloproteases

<221> VARIANT
<222> (1)...(12)
<223> Xaa = Any Amino Acid

<400> 51
His Glu Xaa Gly His Xaa Xaa Gly Xaa Xaa His Asp
1 5 10

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
14 September 2000 (14.09.2000)

PCT

(10) International Publication Number
WO 00/53774 A3

(51) International Patent Classification[7]: C12N 15/57, 15/63, 9/64, A61K 38/48, C07K 16/40, C12Q 1/37

(21) International Application Number: PCT/US00/06237

(22) International Filing Date: 8 March 2000 (08.03.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/264,585 8 March 1999 (08.03.1999) US

(71) Applicant *(for all designated States except US)*: NEUROCRINE BIOSCIENCES, INC. [US/US]; 10555 Science Center Drive, San Diego, CA 92121 (US).

(72) Inventors; and
(75) Inventors/Applicants *(for US only)*: KELNER, Gregory, S. [US/US]; 725 Muirlands Vista Way, La Jolla, CA 92037 (US). CLARK, Melody [US/US]; 7075 Charmant Drive #20, San Diego, CA 92122 (US). MAKI, Richard, A. [US/US]; 4175-174 Porte de Palmas, San Diego, CA 92122 (US).

(74) Agents: CHRISTIANSEN, William, T. et al.; Seed Intellectual Property Law Group PLLC, Suite 6300, 701 Fifth Avenue, Seattle, WA 98104-7092 (US).

(81) Designated States *(national)*: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States *(regional)*: ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:
— *With international search report.*

(88) Date of publication of the international search report:
18 January 2001

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METALLOPROTEINASES AND METHODS OF USE THEREFOR



(57) Abstract: Members of the ADAMTS family of metalloproteinases are provided, along with variants thereof and agents that modulate an activity of such metalloproteinases. The polypeptides and modulating agents may be used, for example, in the prevention and treatment of a variety of conditions associated with undesirable levels of metalloproteinase activity.

WO 00/53774 A3

INTERNATIONAL SEARCH REPORT

International Application No
I ./US 00/06237

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 C12N15/57 C12N15/63 C12N9/64 A61K38/48 C07K16/40
C12Q1/37

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 C12N A61K C07K C12Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 98 55643 A (KUREHA CHEMICAL INDUSTRY CO., LTD.) 10 December 1998 (1998-12-10) & EP 1 004 674 A (KUREHA CHEMICAL INDUSTRY CO.,LTD.) 31 May 2000 (2000-05-31) --- -/--	1,3-11, 17-21, 28,29, 31,32

[X] Further documents are listed in the continuation of box C.

[X] Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search	Date of mailing of the international search report
29 June 2000	13. 10. 00

Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	MONTERO LOPEZ B.

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

International Application No
P../US 00/06237

C.(Continuation) DOCUMENTS CONSIDERED T BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	KOUJI KUNO ET AL.: "Molecular cloning of a gene encoding a new type of metalloproteinase-disintegrin family protein with thrombospondin motifs as an inflammation associated gene" JOURNAL OF BIOLOGICAL CHEMISTRY, vol. 272, no. 1, 3 January 1997 (1997-01-03), pages 556-562, XP002076038 MD US cited in the application abstract page 558, left-hand column, paragraph 2 -page 559, left-hand column, paragraph 2; figure 2 page 559, left-hand column, paragraph 4 page 561, right-hand column, last paragraph -page 562, left-hand column, paragraph 1 ---	1,3-11, 17,20, 21,28, 29,31,32
X	KOUJI KUNO ET AL.: "The exon/intron organization and chromosomal mapping of the mouse ADAMTS-1 gene encoding an ADAM family protein with TPS motifs" GENOMICS, vol. 46, no. 3, 15 December 1997 (1997-12-15), pages 466-471, XP000922766 cited in the application page 466, right-hand column, paragraph 2 page 468, left-hand column, paragraph 5 -page 470, right-hand column, paragraph 2; figure 3 ---	1,3-11
X	BOR LUEN TANG ET AL.: "ADAMTS: A novel family of proteases with an ADAM protease domain and thrombospondin 1 repeats" FEBS LETTERS, [Online] vol. 445, 26 February 1999 (1999-02-26), pages 223-225, XP002141413 AMSTERDAM NL Retrieved from the Internet: <URL:http://gdbwww.gdb.org/gdb-bin/genera/genera/hgd/Gene?!action=query&displayName=ADAMTS2> [retrieved on 2000-06-22] page 223, left-hand column, paragraph 2 -page 225, right-hand column, paragraph 2; figure 2 ---	1,3-11
X	EMBL Database Entry AI378857 Accession number AI378857; 28 January 1999 ROBERT STRAUSBERG:"tc67h11.x1 Soares_NhHMPu_S1 Homo sapiens cDNA clone" XP002141415 the whole document ---	1,5-7
	-/--	

1

INTERNATIONAL SEARCH REPORT

International Application No
P ./US 00/06237

C.(Continuation) DOCUMENTS CONSIDERED T BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	FRANCISCA VÁZQUEZ ET AL.: "METH-1, a human ortholog of ADAMTS-1, and METH-2 are members of a new family of proteins with angio-inhibitory activity" JOURNAL OF BIOLOGICAL CHEMISTRY, vol. 274, no. 33, 13 August 1999 (1999-08-13), pages 23349-23357, XP002141414 MD US abstract page 23349, right-hand column, paragraph 2 -page 23350, left-hand column, paragraph 1 page 23351, left-hand column, paragraph 1 -page 23352, right-hand column, paragraph 2; figure 1 page 23353, left-hand column, paragraph 4 -page 23357, left-hand column, paragraph 2 -----	1,3-6, 8-11

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

Int...ational application No.
PCT/US 00/06237

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:

2. ☒ Claims Nos.: 22-27, 30, 33-35
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
see FURTHER INFORMATION sheet PCT/ISA/210

3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.

2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.

3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:

4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Claims 1-12, 17-35 (partially)

Remark on Protest

☐ The additional search fees were accompanied by the applicant's protest.

☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Claims Nos.: 22-27, 30, 33-35

Present claims 22-27, 30 and 33-35 relate to an agent defined by reference to a desirable characteristic or property, namely decreasing or modulating expression or activity of an ADAMTS protein. The claims cover all agents having this characteristic or property, whereas the application does not provide support within the meaning of Article 6 PCT and/or disclosure within the meaning of Article 5 PCT for any specific example of such agents. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Independent of the above reasoning, the claims also lack clarity (Article 6 PCT). An attempt is made to define the agent by reference to a result to be achieved. Again, this lack of clarity in the present case is such as to render a meaningful search over the whole of the claimed scope impossible. Consequently, no search has been carried out for claims 22-27, 30 and 33-35.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

1. Claims: Partially 1-12, 17-35

Polynucleotide of SEQ ID NO:1 or 23 encoding ADAMTS-2; vector and host cell comprising the same; complementary antisense molecule; use of the polynucleotide for preparing an ADAMTS-2 polypeptide; ADAMTS-2 polypeptide of SEQ ID NO:2 or 24 and variants thereof; pharmaceutical composition and vaccine comprising the same; antibody binding to the polypeptide; use of the ADAMTS-2 polynucleotide and polypeptide in screening methods and agents modulating the activity of the ADAMTS-2 protein

2. Claims: 36 and partially 1-12, 17-35

Polynucleotide of SEQ ID NO:3, 15 or 17 encoding ADAMTS-4; vector and host cell comprising the same; complementary antisense molecule; use of the polynucleotide for preparing an ADAMTS-4 polypeptide; ADAMTS-4 polypeptide of SEQ ID NO:4, 16 or 18 and variants thereof; pharmaceutical composition and vaccine comprising the same; antibody binding to the polypeptide; use of the ADAMTS-4 polynucleotide and polypeptide in screening methods and agents modulating the activity of the ADAMTS-4 protein

3. Claims: Partially 1-12, 17-35

Polynucleotide of SEQ ID NO:9 or 25 encoding ADAMTS-3; vector and host cell comprising the same; complementary antisense molecule; use of the polynucleotide for preparing an ADAMTS-3 polypeptide; ADAMTS-3 polypeptide of SEQ ID NO:10 or 26 and variants thereof; pharmaceutical composition and vaccine comprising the same; antibody binding to the polypeptide; use of the ADAMTS-3 polynucleotide and polypeptide in screening methods and agents modulating the activity of the ADAMTS-3 protein

4. Claims: Partially 1-12, 17-35

Polynucleotide of SEQ ID NO:13 or 21 encoding ADAMTS-5; vector and host cell comprising the same; complementary antisense molecule; use of the polynucleotide for preparing an ADAMTS-5 polypeptide; ADAMTS-5 polypeptide of SEQ ID NO:13 or 21 and variants thereof; pharmaceutical composition and vaccine comprising the same; antibody binding to the polypeptide; use of the ADAMTS-5 polynucleotide and polypeptide in screening methods and agents modulating the activity of the ADAMTS-5 protein

5. Claims: Partially, 1, 3-12, 17-35

Polynucleotide encoding an ADAMTS-9 protein of SEQ ID NO:27;

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

vector and host cell comprising the same; complementary antisense molecule; use of the polynucleotide for preparing an ADAMTS-9 polypeptide; ADAMTS-9 polypeptide of SEQ ID NO:27 and variants thereof; pharmaceutical composition and vaccine comprising the same; antibody binding to the polypeptide; use of the ADAMTS-9 polynucleotide and polypeptide in screening methods and agents modulating the activity of the ADAMTS-9 protein

6. Claims: Partially 8, 13-35

Method of preparing an ADAMTS polypeptide by culturing a transfected cell comprising a polynucleotide encoding a polypeptide of SEQ ID NO:6 or a variant thereof; ADAMTS polypeptide of SEQ ID NO:6 and variants thereof; pharmaceutical composition and vaccine comprising the same; antibody binding to the polypeptide; use of the ADAMTS polynucleotide and polypeptide in screening methods and agents modulating the activity of the ADAMTS protein

7. Claims: Partially 8, 13-35

Method of preparing an ADAMTS polypeptide by culturing a transfected cell comprising a polynucleotide encoding a polypeptide of SEQ ID NO:8 or a variant thereof; ADAMTS polypeptide of SEQ ID NO:8 and variants thereof; pharmaceutical composition and vaccine comprising the same; antibody binding to the polypeptide; use of the ADAMTS polynucleotide and polypeptide in screening methods and agents modulating the activity of the ADAMTS protein

8. Claims: Partially 8, 13-35

Method of preparing an ADAMTS polypeptide by culturing a transfected cell comprising a polynucleotide encoding a polypeptide of SEQ ID NO:12 or 20 or variants thereof; ADAMTS polypeptide of SEQ ID NO:12 or 20 and variants thereof; pharmaceutical composition and vaccine comprising the same; antibody binding to the polypeptide; use of the ADAMTS polynucleotide and polypeptide in screening methods and agents modulating the activity of the ADAMTS protein